

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial	GB Area	TB-DDDDDD (10-12)	TB-EEEEEE (0.0-0.3)	TB-EEEEEE (0.3-2.3)	TB-EEEEEE (2.3-4.3)	TB-EEEEEE (5-7)
Depth Below Grade (ft.)				(10-12)	(0.0-0.3)	(0.3-2.3)	(2.3-4.3)	(5-7)
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
USEPA Method 8260 Volatile Organic Compounds (VOCs)								
Toluene	500	1,000	67	NT	NT	NT	ND<0.005	NT
1,1,1-Trichloroethane	500	1,000	40	NT	NT	NT	ND<0.005	NT
1,2,4-Trimethylbenzene	500	1,000	70	NT	NT	NT	ND<0.005	NT
1,3,5-Trimethylbenzene	500	1,000	70	NT	NT	NT	ND<0.005	NT
Xylenes (total)	500	1,000	19.5	NT	NT	NT	ND<0.005	NT
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)								
PCB-1260	1	10	NA	ND<0.50	ND<0.50	42	ND<0.50	2.6
SPLP PCBs USEPA Method 8082								
PCB-1260	NA	NA	0.005	NT	NT	0.0018	NT	ND<0.0005
SPLP Metals								
Arsenic	NA	NA	0.5	NT	NT	NT	0.014	NT
Barium	NA	NA	10	NT	NT	NT	0.67	NT
Copper	NA	NA	13	NT	NT	NT	ND<0.04	NT
Lead	NA	NA	0.15	NT	NT	NT	ND<0.013	NT
Thallium	NA	NA	0.05	NT	NT	NT	ND<0.005	NT
Vanadium	NA	NA	0.50	NT	NT	NT	ND<0.05	NT
Zinc	NA	NA	50	NT	NT	NT	0.39	NT
Total Metals								
Antimony	27	8,200	NA	NT	NT	NT	ND<2.0	NT
Arsenic	10	10	NA	12	NT	2.4	9.7	11
Barium	4,700	140,000	NA	NT	NT	NT	36	NT
Chromium	100*	100*	NA	NT	NT	NT	10	NT
Copper	2,500	76,000	NA	NT	NT	NT	72	NT
Lead	500	1,000	NA	NT	NT	NT	58	NT
Mercury	20	610	NA	NT	NT	NT	3.0	NT

Table South.1

Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial	GB Area	TB-DDDDDD	TB-EEEEEE	TB-EEEEEE	TB-EEEEEE	TB-EEEEEE
Depth Below Grade (ft.)				(10-12)	(0.0-0.3)	(0.3-2.3)	(2.3-4.3)	(5-7)
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
Total Metals								
Nickel	1,400	7,500	NA	NT	NT	NT	9.3	NT
Selenium	340	10,000	NA	NT	NT	NT	ND<1.0	NT
Vanadium	470	14,000	NA	NT	NT	NT	23	NT
Zinc	20,000	610,000	NA	NT	NT	NT	78	NT
Cyanide (Total)	1,400	41,000	NA	NT	NT	NT	ND<5.0	NT
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	500	2,500	2,500	NT	NT	ND<50	ND<50	NT

Notes:

- mg/kg = milligrams per kilogram.
- ppm = Parts per million (comparable to mg/kg).
- NA = Not applicable.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- SPLP = Test performed on leachate from Synthetic Precipitation Leachate Procedure.
Units are milligrams per liter (mg/L).
- = 100 mg/kg for hexavalent chromium.
- ☐ = Concentration exceeds associated criterion.

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial		GB Area	TB-EEEEEE (10-12)	TB-FFFFFF (0.0-0.3)	TB-FFFFFF (0.3-2.3)	TB-FFFFFF (2.3-4.3)
Depth Below Grade (ft.)				(10-12)	(0.0-0.3)	(0.3-2.3)	(2.3-4.3)	(5-7)
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
USEPA Method 8270C Polynuclear Aromatic Hydrocarbons (PAHs)								
Acenaphthene	1,000	2,500	84	NT	NT	ND<0.20	ND<0.20	NT
Acenaphthylene	1,000	2,500	84	NT	NT	ND<0.20	ND<0.20	NT
Anthracene	1,000	2,500	400	NT	NT	ND<0.20	ND<0.20	NT
Benzo[a]anthracene	1	7.8	1	NT	NT	ND<0.20	ND<0.20	NT
Benzo[a]pyrene	1	1	1	NT	NT	ND<0.20	ND<0.20	NT
Benzo[b]fluoranthene	1	7.8	1	NT	NT	ND<0.20	ND<0.20	NT
Benzo[g,h,i]perylene	1,000	2,500	42	NT	NT	ND<0.20	ND<0.20	NT
Benzo[k]fluoranthene	8.4	78	1	NT	NT	ND<0.20	ND<0.20	NT
Chrysene	84	780	1	NT	NT	ND<0.20	ND<0.20	NT
Dibenz[a,h]anthracene	1	1	1	NT	NT	ND<0.20	ND<0.20	NT
Fluoranthene	1,000	2,500	56	NT	NT	ND<0.20	ND<0.20	NT
Fluorene	1,000	2,500	56	NT	NT	ND<0.20	ND<0.20	NT
Indeno[1,2,3-cd]pyrene	1	7.8	1	NT	NT	ND<0.20	ND<0.20	NT
Naphthalene	1,000	2,500	56	NT	NT	ND<0.20	ND<0.20	NT
Phenanthrene	1,000	2,500	40	NT	NT	ND<0.20	ND<0.20	NT
Pyrene	1,000	2,500	40	NT	NT	ND<0.20	ND<0.20	NT
USEPA Method 8260 Volatile Organic Compounds (VOCs)								
Benzene	21	200	0.2	NT	NT	NT	NT	NT
sec-Butylbenzene	500	1,000	14	NT	NT	NT	NT	NT
Ethylbenzene	500	1,000	10.1	NT	NT	NT	NT	NT
Isopropylbenzene	500	1,000	132	NT	NT	NT	NT	NT
4-Isopropyltoluene	500	1,000	41.8	NT	NT	NT	NT	NT
Naphthalene	1,000	2,500	56	NT	NT	NT	NT	NT
n-Propylbenzene	500	1,000	14	NT	NT	NT	NT	NT
Tetrachloroethene	12	110	1	NT	NT	NT	NT	NT

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial		GB Area	TB-EEEEEE (10-12)	TB-FFFFFF (0.0-0.3)	TB-FFFFFF (0.3-2.3)	TB-FFFFFF (2.3-4.3)
Depth Below Grade (ft.)								
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
USEPA Method 8260 Volatile Organic Compounds (VOCs)								
Toluene	500	1,000	67	NT	NT	NT	NT	NT
1,1,1-Trichloroethane	500	1,000	40	NT	NT	NT	NT	NT
1,2,4-Trimethylbenzene	500	1,000	70	NT	NT	NT	NT	NT
1,3,5-Trimethylbenzene	500	1,000	70	NT	NT	NT	NT	NT
Xylenes (total)	500	1,000	19.5	NT	NT	NT	NT	NT
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)								
PCB-1260	1	10	NA	ND<0.50	7.5	ND<0.50	ND<0.50	ND<0.50
SPLP PCBs USEPA Method 8082								
PCB-1260	NA	NA	0.005	NT	ND<0.0005	NT	NT	NT
SPLP Metals								
Arsenic	NA	NA	0.5	NT	NT	ND<0.004	ND<0.004	NT
Barium	NA	NA	10	NT	NT	0.34	0.42	NT
Copper	NA	NA	13	NT	NT	ND<0.04	ND<0.04	NT
Lead	NA	NA	0.15	NT	NT	ND<0.013	ND<0.013	NT
Thallium	NA	NA	0.05	NT	NT	ND<0.005	ND<0.005	NT
Vanadium	NA	NA	0.50	NT	NT	ND<0.05	ND<0.05	NT
Zinc	NA	NA	50	NT	NT	0.27	0.23	NT
Total Metals								
Antimony	27	8,200	NA	NT	NT	ND<2.0	ND<2.0	NT
Arsenic	10	10	NA	5.8	NT	ND<1.0	ND<1.0	ND<1.0
Barium	4,700	140,000	NA	NT	NT	19	9.6	NT
Chromium	100*	100*	NA	NT	NT	4.4	3.0	NT
Copper	2,500	76,000	NA	NT	NT	6.9	37	NT
Lead	500	1,000	NA	NT	NT	21	4.6	NT
Mercury	20	610	NA	NT	NT	ND<0.20	ND<0.20	NT

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial		GB Area	TB-EEEEEE (10-12)	TB-FFFFFF (0.0-0.3)	TB-FFFFFF (0.3-2.3)	TB-FFFFFF (2.3-4.3)
Depth Below Grade (ft.)								
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
Total Metals								
Nickel	1,400	7,500	NA	NT	NT	2.9	6.4	NT
Selenium	340	10,000	NA	NT	NT	ND<1.0	ND<1.0	NT
Vanadium	470	14,000	NA	NT	NT	14	61	NT
Zinc	20,000	610,000	NA	NT	NT	14	24	NT
Cyanide (Total)	1,400	41,000	NA	NT	NT	NT	NT	NT
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	500	2,500	2,500	NT	NT	ND<50	ND<50	NT

Notes:

- mg/kg = milligrams per kilogram.
- ppm = Parts per million (comparable to mg/kg).
- NA = Not applicable.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- SPLP = Test performed on leachate from Synthetic Precipitation Leachate Procedure.
Units are milligrams per liter (mg/L).
- = 100 mg/kg for hexavalent chromium.
- ☐ = Concentration exceeds associated criterion.

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial		GB Area	TB-FFFFF (10-12)	TB-GGGGG (0.0-0.3)	TB-GGGGG (0.3-2.3)	TB-GGGGG (2.3-4.3)
Depth Below Grade (ft.)				(10-12)	(0.0-0.3)	(0.3-2.3)	(2.3-4.3)	(10-12)
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
USEPA Method 8270C Polynuclear Aromatic Hydrocarbons (PAHs)								
Acenaphthene	1,000	2,500	84	0.26	NT	ND<0.20	ND<0.20	NT
Acenaphthylene	1,000	2,500	84	ND<0.20	NT	ND<0.20	ND<0.20	NT
Anthracene	1,000	2,500	400	0.34	NT	ND<0.20	ND<0.20	NT
Benzo[a]anthracene	1	7.8	1	0.38	NT	ND<0.20	ND<0.20	NT
Benzo[a]pyrene	1	1	1	0.43	NT	ND<0.20	ND<0.20	NT
Benzo[b]fluoranthene	1	7.8	1	0.46	NT	ND<0.20	ND<0.20	NT
Benzo[g,h,i]perylene	1,000	2,500	42	ND<0.20	NT	ND<0.20	ND<0.20	NT
Benzo[k]fluoranthene	8.4	78	1	ND<0.20	NT	ND<0.20	ND<0.20	NT
Chrysene	84	780	1	0.40	NT	ND<0.20	ND<0.20	NT
Dibenz[a,h]anthracene	1	1	1	ND<0.20	NT	ND<0.20	ND<0.20	NT
Fluoranthene	1,000	2,500	56	0.86	NT	ND<0.20	ND<0.20	NT
Fluorene	1,000	2,500	56	ND<0.20	NT	ND<0.20	ND<0.20	NT
Indeno[1,2,3-cd]pyrene	1	7.8	1	0.21	NT	ND<0.20	ND<0.20	NT
Naphthalene	1,000	2,500	56	0.24	NT	ND<0.20	ND<0.20	NT
Phenanthrene	1,000	2,500	40	0.86	NT	ND<0.20	ND<0.20	NT
Pyrene	1,000	2,500	40	0.88	NT	ND<0.20	ND<0.20	NT
USEPA Method 8260 Volatile Organic Compounds (VOCs)								
Benzene	21	200	0.2	ND<0.001	NT	NT	NT	NT
sec-Butylbenzene	500	1,000	14	ND<0.005	NT	NT	NT	NT
Ethylbenzene	500	1,000	10.1	ND<0.005	NT	NT	NT	NT
Isopropylbenzene	500	1,000	132	ND<0.005	NT	NT	NT	NT
4-Isopropyltoluene	500	1,000	41.8	ND<0.005	NT	NT	NT	NT
Naphthalene	1,000	2,500	56	ND<0.005	NT	NT	NT	NT
n-Propylbenzene	500	1,000	14	ND<0.005	NT	NT	NT	NT
Tetrachloroethene	12	110	1	ND<0.005	NT	NT	NT	NT

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/ Commercial	GB Area	TB-FFFFF (10-12)	TB-GGGGG (0.0-0.3)	TB-GGGGG (0.3-2.3)	TB-GGGGG (2.3-4.3)	TB-GGGGG (10-12)
Depth Below Grade (ft.)				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
Sampling Date								
USEPA Method 8260 Volatile Organic Compounds (VOCs)								
Toluene	500	1,000	67	ND<0.005	NT	NT	NT	NT
1,1,1-Trichloroethane	500	1,000	40	ND<0.005	NT	NT	NT	NT
1,2,4-Trimethylbenzene	500	1,000	70	ND<0.005	NT	NT	NT	NT
1,3,5-Trimethylbenzene	500	1,000	70	ND<0.005	NT	NT	NT	NT
Xylenes (total)	500	1,000	19.5	ND<0.005	NT	NT	NT	NT
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)								
PCB-1260	1	10	NA	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
SPLP PCBs USEPA Method 8082								
PCB-1260	NA	NA	0.005	NT	NT	NT	NT	NT
SPLP Metals								
Arsenic	NA	NA	0.5	NT	NT	NT	NT	NT
Barium	NA	NA	10	NT	NT	NT	NT	NT
Copper	NA	NA	13	NT	NT	NT	NT	NT
Lead	NA	NA	0.15	NT	NT	NT	NT	NT
Thallium	NA	NA	0.05	NT	NT	NT	NT	NT
Vanadium	NA	NA	0.50	NT	NT	NT	NT	NT
Zinc	NA	NA	50	NT	NT	NT	NT	NT
Total Metals								
Antimony	27	8,200	NA	NT	NT	NT	NT	NT
Arsenic	10	10	NA	3.8	NT	ND<1.0	ND<1.0	ND<1.0
Barium	4,700	140,000	NA	NT	NT	NT	NT	NT
Chromium	100*	100*	NA	NT	NT	NT	NT	NT
Copper	2,500	76,000	NA	NT	NT	NT	NT	NT
Lead	500	1,000	NA	NT	NT	NT	NT	NT
Mercury	20	610	NA	NT	NT	NT	NT	NT

Table South.1
Comparison of Test Boring Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)				
	Residential	Industrial/Commercial		GB Area	TB-FFFFF	TB-GGGGG	TB-GGGGG	TB-GGGGG
Depth Below Grade (ft.)				(10-12)	(0.0-0.3)	(0.3-2.3)	(2.3-4.3)	(10-12)
Sampling Date				7/22/02	7/22/02	7/22/02	7/22/02	7/22/02
Total Metals								
Nickel	1,400	7,500	NA	NT	NT	NT	NT	NT
Selenium	340	10,000	NA	NT	NT	NT	NT	NT
Vanadium	470	14,000	NA	NT	NT	NT	NT	NT
Zinc	20,000	610,000	NA	NT	NT	NT	NT	NT
Cyanide (Total)	1,400	41,000	NA	NT	NT	NT	NT	NT
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	500	2,500	2,500	NT	NT	ND<50	ND<50	NT

Notes:

- mg/kg = milligrams per kilogram.
- ppm = Parts per million (comparable to mg/kg).
- NA = Not applicable.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- SPLP = Test performed on leachate from Synthetic Precipitation Leachate Procedure.
Units are milligrams per liter (mg/L).
- = 100 mg/kg for hexavalent chromium.
- ☐ = Concentration exceeds associated criterion.

Table South.2
Comparison of Surface Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)		
	Residential	Industrial/ Commercial	GB Area	SS-QQ	SS-RR	SS-SS
Depth Below Grade (ft.)				(0.5-1.0)	(0.3-0.5)	(0.3-0.5)
Sampling Date				7/18/02	7/19/02	7/19/02
SPLP Metals						
Arsenic	NA	NA	0.5	ND<0.004	ND<0.004	NT
Total Metals						
Antimony	27	8,200	NA	NT	7.6	NT
Arsenic	10	10	NA	ND<1.0	13	2.6
Barium	4,700	140,000	NA	NT	60	NT
Chromium	100*	100*	NA	NT	37	NT
Copper	2,500	76,000	NA	NT	120	NT
Lead	500	1,000	NA	NT	160	NT
Mercury	20	610	NA	NT	0.25	NT
Nickel	1,400	7,500	NA	NT	51	NT
Selenium	340	10,000	NA	NT	2.8	NT
Vanadium	470	14,000	NA	NT	150	NT
Zinc	20,000	610,000	NA	NT	210	NT
USEPA Method 8270C Polynuclear Aromatic Hydrocarbons (PAHs)						
Acenaphthene	1,000	2,500	84	ND<0.20	0.25	ND<0.20
Acenaphthylene	1,000	2,500	84	0.50	0.27	ND<0.20
Anthracene	1,000	2,500	400	ND<0.20	0.47	ND<0.20
Benzo[a]anthracene	1	7.8	1	0.26	2.3	0.26
Benzo[a]pyrene	1	1	1	0.29	2.2	0.36
Benzo[b]fluoranthene	1	7.8	1	0.37	3.5	0.55
Benzo[g,h,i]perylene	1,000	2,500	42	0.37	1.3	ND<0.20
Benzo[k]fluoranthene	8.4	78	1	ND<0.20	1.3	0.24
Chrysene	84	780	1	0.39	3.0	0.36
Dibenz[a,h]anthracene	1	1	1	ND<0.20	0.41	ND<0.20
Fluoranthene	1,000	2,500	56	0.54	5.2	0.61
Fluorene	1,000	2,500	56	ND<0.20	0.20	ND<0.20

ADVANCED ENVIRONMENTAL INTERFACE, INC.

AEI-00T-030d

Table South.2
Comparison of Surface Soil Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, Connecticut

Analyte	Direct Exposure Criteria for Soil (mg/kg)		Pollutant Mobility Criteria for Soil (mg/kg)	Soil Sample Concentrations (ppm)		
	Residential	Industrial/Commercial	GB Area	SS-00	SS-RR	SS-SS
Depth Below Grade (ft.)				(0.5-1.0)	(0.3-0.5)	(0.3-0.5)
Sampling Date				7/18/02	7/19/02	7/19/02
USEPA Method 8270C Polynuclear Aromatic Hydrocarbons (PAHs)						
Indeno[1,2,3-cd]pyrene	1	7.8	1	0.36	1.5	ND<0.20
Naphthalene	1,000	2,500	56	ND<0.20	0.20	ND<0.20
Phenanthrene	1,000	2,500	40	0.26	3.3	0.23
Pyrene	1,000	2,500	40	0.53	4.4	0.53
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)						
PCB-1260	1	10	NA	ND<0.50	1.0	3.2
SPLP PCBs USEPA Method 8082						
PCB-1260	NA	NA	0.005	ND<0.0005	ND<0.0005	ND<0.0005
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)						
	500	2,500	2,500	56	NT	NT

Notes:

- mg/kg = milligrams per kilogram.
- ppm = Parts per million (comparable to mg/kg).
- NA = Not applicable.
- ND = Not detected.
- NT = Not tested.
- < = Less than minimum detection limit.
- SPLP = Test performed on leachate from Synthetic Precipitation Leachate Procedure. Units are milligrams per liter (mg/L).
- = 100 mg/kg for hexavalent chromium.
- = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-1	MW-2	MW-3			MW-4D		
Sample Collection Date				6-18-98	6-18-98	6-18-98	5-29-01	9-11-01	6-18-98	6-1-01	9-14-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	NT	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)											
Acenaphthene	NC	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<20	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<20	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<20	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	ND<0.07	ND<0.07	ND<0.07	ND<0.077	ND<0.077	ND<0.07	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)											
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	5.0	3.3	2.2
4-Isopropyltoluene	NC	NC	NC	NT	NT	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.0	2.1	ND<1.0



Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
				Residential	Industrial/ Commercial	MW-1	MW-2	MW-3			MW-4D	
								6-18-98	5-29-01	9-11-01	6-18-98	6-1-01
Sample Collection Date				6-18-98	6-18-98	6-18-98	5-29-01	9-11-01	6-18-98	6-1-01	9-14-01	
Total Metals												
Arsenic	4	NC	NC	ND<50	ND<50	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	
Barium	NC	NC	NC	ND<500	ND<500	ND<500	ND<50	82	ND<500	ND<50	ND<50	
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	
Copper	48	NC	NC	NT	NT	NT	ND<40	ND<40	NT	ND<40	ND<40	
Lead	13	NC	NC	ND<5	ND<5	ND<5	ND<13	ND<13	ND<5	ND<13	ND<13	
Nickel	880	NC	NC	NT	NT	NT	ND<50	ND<50	NT	ND<50	ND<50	
Selenium	50	NC	NC	ND<10	ND<10	ND<10	24	ND<10	20J	19	ND<10	
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	
Zinc	123	NC	NC	NT	NT	NT	ND<10	ND<10	NT	ND<10	ND<10	
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	NT	NT	ND<100	ND<100	NT	ND<100	ND<100	

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-4S			MW-5			MW-5A ⁽¹⁾	MW-6	
				6-18-98	5-31-01	9-14-01	6-18-98	5-30-01	9-14-01	9-14-01	6-18-98	
Sample Collection Date												
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0
USEPA Method 8270 Polynuclear Aromatics (PAHs)												
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.30
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.30
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	ND<0.08	ND<0.08	ND<0.30
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<20
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<20
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<20
Phenanthrene	0.3	NC	NC	ND<0.077	ND<0.077	ND<0.077	ND<0.07	ND<0.077	ND<0.077	ND<0.077	ND<0.077	ND<0.07
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<5.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)												
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	4.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	NT	ND<1.0	NT	NT	NT
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/Commercial	MW-4S			MW-5		MW-5A ⁽¹⁾	MW-6		
				6-18-98	5-31-01	9-14-01	6-18-98	5-30-01	9-14-01	9-14-01	6-18-98	
Sample Collection Date												
Total Metals												
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	86	29	38	ND<50	
Barium	NC	NC	NC	ND<500	ND<50	81	ND<500	ND<50	ND<50	ND<50	ND<500	
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	
Copper	48	NC	NC	NT	76	ND<40	NT	ND<40	ND<40	ND<40	NT	
Lead	13	NC	NC	ND<5	ND<13	ND<13	22	ND<13	ND<13	ND<13	21	
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	ND<50	ND<50	ND<50	NT	
Selenium	50	NC	NC	ND<10	ND<10	ND<10	ND<10	14	ND<10	ND<10	ND<10	
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	
Zinc	123	NC	NC	NT	120	40	NT	ND<10	ND<10	ND<10	NT	
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	ND<100	NT	ND<100	ND<100	ND<100	NT	

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
- The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
- Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-7			MW-9A			MW-10			
				6-18-98	5-29-01	9-11-01	6-18-98	5-30-01	9-13-01	6-19-98	5-30-01	9-12-01	
Sample Collection Date													
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	
USEPA Method 8270 Polynuclear Aromatics (PAHs)													
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	7.5	6.6	ND<5.0	ND<1.0	ND<1.0	
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	2.2	8.9	8.1	ND<0.30	ND<0.30	ND<0.30	
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	1.3	2.5	ND<0.30	ND<1.0	ND<1.0	
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	ND<0.30	0.33	5.6	ND<0.30	ND<0.06	0.30	
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	4.4	ND<0.30	ND<0.20	0.20	
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	6.1	ND<0.30	ND<0.08	0.25	
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	1.0	ND<20	ND<1.0	ND<1.0	
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	2.8	ND<0.30	ND<0.30	ND<0.30	
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	4.7	ND<5.0	ND<1.0	ND<1.0	
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	4.5	16	ND<5.0	1.0	1.4	
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	12	14	ND<5.0	ND<1.0	ND<1.0	
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	1.3	ND<20	ND<0.50	ND<0.50	
Phenanthrene	0.3	NC	NC	ND<0.07	ND<0.077	ND<0.077	0.61	1.3	2.8	ND<0.07	ND<0.077	0.19	
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	3.5	13	ND<5.0	1.2	1.5	
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)													
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	5.0	2.9	6.3	
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0	NT	NT	ND<1.0	
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.0	6.8	1.2	
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-7			MW-9A			MW-10			
				6-18-98	5-29-01	9-11-01	6-18-98	5-30-01	9-13-01	6-19-98	5-30-01	9-12-01	
Sample Collection Date													
Total Metals													
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<4
Barium	NC	NC	NC	ND<500	ND<50	ND<50	ND<500	ND<50	ND<50	ND<500	ND<50	65	65
Cadmium	6	NC	NC	5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	41	51	NT	ND<40	ND<40	NT	ND<40	ND<40	ND<40
Lead	13	NC	NC	9	ND<13	ND<13	ND<5	ND<13	ND<13	ND<5	ND<13	ND<13	ND<13
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	ND<50	ND<50	NT	ND<50	ND<50	ND<50
Selenium	50	NC	NC	ND<10	15	ND<10	ND<10	15	ND<10	R	14	12	12
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	70	260	NT	ND<10	ND<10	NT	ND<10	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	ND<100	NT	490	120	NT	ND<100	ND<100	ND<100

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
- The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
- Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-12			MW-13			MW-14D			
				6-19-98	5-31-01	9-12-01	6-19-98	5-31-01	9-13-01	6-18-98	5-31-01	9-13-01	
Sample Collection Date													
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<1.0	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	
USEPA Method 8270 Polynuclear Aromatics (PAHs)													
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	
Phenanthrene	0.3	NC	NC	ND<0.07	ND<0.077	ND<0.077	ND<0.07	ND<0.077	ND<0.077	ND<0.07	ND<0.077	ND<0.077	
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)													
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.0	ND<1.0	ND<1.0	
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	12	ND<1.0	ND<1.0	
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
4-Isopropyltoluene	NC	NC	NC	NT	NT	ND<1.0	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0	
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-12			MW-13			MW-14D			
				6-19-98	5-31-01	9-12-01	6-19-98	5-31-01	9-13-01	6-18-98	5-31-01	9-13-01	
Sample Collection Date													
Total Metals													
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	
Barium	NC	NC	NC	ND<500	ND<50	60	ND<500	ND<50	63	ND<500	160	190	
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	
Copper	48	NC	NC	NT	ND<40	ND<40	NT	ND<40	ND<40	NT	ND<40	ND<40	
Lead	13	NC	NC	ND<5	ND<13	ND<13	7J	ND<13	ND<13	ND<5	ND<13	ND<13	
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	ND<50	ND<50	NT	ND<50	ND<50	
Selenium	50	NC	NC	R	ND<10	ND<10	R	ND<10	ND<10	10J	29	13	
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	NT	
Zinc	123	NC	NC	NT	21	20	NT	ND<10	ND<10	NT	ND<10	ND<10	
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	180	NT	ND<100	ND<100	NT	130	ND<100	

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- ☐ = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-14S			MW-15			MW-16			
				6-19-98	5-31-01	9-13-01	6-18-98	5-30-01	9-13-01	6-18-98	5-30-01	9-13-01	
Sample Collection Date													
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	
USEPA Method 8270 Polynuclear Aromatics (PAHs)													
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Benzo[a]anthracene	0.3	NC	NC	0.47	ND<0.06	0.09	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	
Benzo[b]fluoranthene	0.3	NC	NC	0.73	ND<0.08	0.13	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	
Benzo[k]fluoranthene	0.3	NC	NC	0.92	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	
Phenanthrene	0.3	NC	NC	0.36	ND<0.077	0.11	ND<0.07	ND<0.077	ND<0.077	ND<0.07	ND<0.077	ND<0.077	
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)													
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0	
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	

Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-14S			MW-15			MW-16			
				6-19-98	5-31-01	9-13-01	6-18-98	5-30-01	9-13-01	6-18-98	5-30-01	9-13-01	
Sample Collection Date													
Total Metals													
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<4
Barium	NC	NC	NC	ND<500	120	220	ND<500	ND<50	ND<50	ND<500	ND<50	ND<50	51
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	ND<40	ND<40	NT	ND<40	ND<40	NT	ND<40	ND<40	ND<40
Lead	13	NC	NC	6J	ND<13	ND<13	ND<5	ND<13	ND<13	5J	ND<13	ND<13	ND<13
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	ND<50	ND<50	NT	ND<50	ND<50	ND<50
Selenium	50	NC	NC	R	ND<10	ND<10	R	12	ND<10	R	ND<10	ND<10	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	NT	ND<10	NT	ND<10	ND<10	NT	ND<10	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	ND<100	NT	ND<100	ND<100	NT	ND<100	ND<100	ND<100

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
- The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
- Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-17D			MW-17S			MW-18		
				6-18-98	5-31-01	9-13-01	6-19-98	5-30-01	9-13-01	5-30-01	9-13-01	
Sample Collection Date												
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)												
Acenaphthene	NC	NC	NC	ND<5.0	3.5	2.6	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	ND<0.08	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	0.54	ND<0.077	ND<0.077	ND<0.07	0.71	ND<0.077	ND<0.077	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)												
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Table 7
**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-17D			MW-17S			MW-18	
Sample Collection Date				6-18-98	5-31-01	9-13-01	6-19-98	5-30-01	9-13-01	5-30-01	9-13-01
Total Metals											
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<4	ND<4
Barium	NC	NC	NC	ND<500	110	120	ND<500	ND<50	80	ND<50	ND<50
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	ND<40	ND<40	NT	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	ND<5	ND<13	ND<13	ND<5	ND<13	ND<13	ND<13	ND<13
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	ND<10	26	ND<10	R	12	ND<10	11	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	ND<10	ND<10	NT	ND<10	ND<10	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	170	ND<100	NT	ND<100	ND<100	ND<100	ND<100

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-19			MW-20	MW-21			
				6-18-98	5-30-01	9-13-01	6-18-98	6-18-98	5-30-01	9-13-01	
Sample Collection Date											
USEPA Method 8082 PolychlorinatedBiphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	NT	ND<1.0	ND<0.50	ND<0.50	
USEPA Method 8270 Polynuclear Aromatics (PAHs)											
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	ND<5.0	
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<1.5	
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	ND<5.0	
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.30	ND<0.06	4.9	
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.30	ND<0.20	4.8	
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.30	ND<0.08	6.8	
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<20	ND<1.0	ND<5.0	
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	3.7	
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	5.2	
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<20	ND<0.50	ND<2.5	
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	13	
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	ND<5.0	
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<20	ND<0.50	ND<2.5	
Phenanthrene	0.3	NC	NC	1.3	ND<0.077	ND<0.077	ND<0.07	ND<0.07	ND<0.077	1.8	
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<5.0	ND<1.0	16	
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)											
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	NT	ND<1.0	ND<1.0	
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)						
		Residential	Industrial/ Commercial	MW-19			MW-20	MW-21		
Sample Collection Date				6-18-98	5-30-01	9-13-01	6-18-98	6-18-98	5-30-01	9-13-01
Total Metals										
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	ND<50	ND<50	ND<4	ND<4
Barium	NC	NC	NC	ND<500	ND<50	ND<50	ND<500	ND<500	ND<50	83
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	ND<40	ND<40	NT	NT	ND<40	ND<40
Lead	13	NC	NC	ND<5	ND<13	ND<13	ND<5	ND<5	ND<13	ND<13
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	NT	ND<50	ND<50
Selenium	50	NC	NC	R	ND<10	ND<10	R	R	ND<10	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	ND<10	ND<10	NT	NT	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	860	NT	NT	520	2,200

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- ☐ = Concentration exceeds associated criterion.

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
		Residential	Industrial/ Commercial	MW-22			MW-50						
				6-18-98	5-31-01	9-11-01	3-14-00	6-20-00	9-25-00	12-18-00	6-1-01	9-12-01	
Sample Collection Date													
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	NT	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)													
Acenaphthene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	NT	NT	NT	NT	NT	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.30	ND<0.06	ND<0.06	NT	NT	NT	NT	NT	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	ND<0.30	ND<0.20	ND<0.20	NT	NT	NT	NT	NT	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.08	ND<0.08	NT	NT	NT	NT	NT	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	ND<20	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	NT	NT	NT	NT	NT	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	NT	NT	NT	NT	NT	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<20	ND<0.50	ND<0.50	NT	NT	NT	NT	NT	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	ND<0.07	ND<0.077	ND<0.077	NT	NT	NT	NT	NT	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	ND<5.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)													
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	2.1
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	NT	NT	NT	NT	NT	ND<1.0	ND<1.0



Table 7

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)									
				Residential	Industrial/ Commercial	MW-22			MW-50				
						6-18-98	5-31-01	9-11-01	3-14-00	6-20-00	9-25-00	12-18-00	6-1-01
Sample Collection Date													
Total Metals													
Arsenic	4	NC	NC	ND<50	ND<4	ND<4	NT	NT	NT	NT	ND<4	ND<4	
Barium	NC	NC	NC	ND<500	ND<50	ND<50	NT	NT	NT	NT	ND<50	59	
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	NT	NT	NT	NT	ND<5	ND<5	
Copper	48	NC	NC	NT	ND<40	ND<40	NT	NT	NT	NT	ND<40	ND<40	
Lead	13	NC	NC	ND<5	ND<13	ND<13	NT	NT	NT	NT	ND<13	ND<13	
Nickel	880	NC	NC	NT	ND<50	ND<50	NT	NT	NT	NT	ND<50	ND<50	
Selenium	50	NC	NC	ND<10	ND<10	ND<10	NT	NT	NT	NT	25	27	
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	NT	
Zinc	123	NC	NC	NT	110	48	NT	NT	NT	NT	12	ND<10	
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	ND<100	ND<100	NT	NT	NT	NT	350	240	

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)						
		Residential	Industrial/ Commercial	MW-51						MW-51A ⁽¹⁾
Sample Collection Date				3-14-00	6-20-00	9-25-00	12-18-00	6-1-01	9-12-01	6-1-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)										
Acenaphthene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	NT	NT	NT	NT	ND<0.06	0.11	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.20	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.08	0.18	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.077	0.08	ND<0.077
Pyrene	110,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)										
Bromodichloromethane	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	NT	NT	NT	NT	2.8	1.8	2.8
1,1-Dichloroethene	96	1	6	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0

Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)						
		Residential	Industrial/ Commercial	MW-51						MW-51A ⁽¹⁾
Sample Collection Date				3-14-00	6-20-00	9-25-00	12-18-00	6-1-01	9-12-01	6-1-01
Total Metals										
Arsenic	4	NC	NC	NT	NT	NT	NT	ND<4	ND<4	ND<4
Barium	NC	NC	NC	NT	NT	NT	NT	67	84	64
Cadmium	6	NC	NC	NT	NT	NT	NT	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	NT	NT	NT	ND<40	ND<40	ND<40
Lead	13	NC	NC	NT	NT	NT	NT	ND<13	ND<13	ND<13
Nickel	880	NC	NC	NT	NT	NT	NT	ND<50	ND<50	ND<50
Selenium	50	NC	NC	NT	NT	NT	NT	30	43	33
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	NT	NT	NT	ND<10	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	NT	NT	NT	2,300	800	2,500

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.



**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)					
		Residential	Industrial/ Commercial	MW-52					
Sample Collection Date				3-14-00	6-20-00	9-25-00	12-18-00	5-31-01	9-13-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)									
Acenaphthene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	NT	NT	NT	NT	ND<0.06	0.68
Benzo[a]pyrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.20	0.73
Benzo[b]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.08	1.1
Benzo[g,h,i]perylene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	0.61
Chrysene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	NT	NT	NT	NT	ND<1.0	1.8
Fluorene	140,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.077	0.39
Pyrene	110,000	NC	NC	NT	NT	NT	NT	ND<1.0	1.5
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)									
Bromodichloromethane	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Chloroform	14,100	287	710	NT	NT	NT	NT	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	NT	NT	NT	NT	1.7	4.2
1,1-Dichloroethene	96	1	6	NT	NT	NT	NT	1.7	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	NT	NT	NT	NT	1.9	1.2
1,1,1-Trichloroethane	62,000	20,400	50,000	NT	NT	NT	NT	16	14
Trichloroethene	2,340	219	540	NT	NT	NT	NT	ND<1.0	ND<1.0

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)					
		Residential	Industrial/ Commercial	MW-52					
Sample Collection Date				3-14-00	6-20-00	9-25-00	12-18-00	5-31-01	9-13-01
Total Metals									
Arsenic	4	NC	NC	NT	NT	NT	NT	ND<4	ND<4
Barium	NC	NC	NC	NT	NT	NT	NT	ND<50	ND<50
Cadmium	6	NC	NC	NT	NT	NT	NT	ND<5	ND<5
Copper	48	NC	NC	NT	NT	NT	NT	ND<40	ND<40
Lead	13	NC	NC	NT	NT	NT	NT	ND<13	ND<13
Nickel	880	NC	NC	NT	NT	NT	NT	ND<50	75
Selenium	50	NC	NC	NT	NT	NT	NT	45	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	NT	NT	NT	ND<10	60
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	NT	NT	NT	960	1,500

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
- The reported concentration is an estimated quantity due to associated QA results found outside of recommended control limits.
- (1) = Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-53				MW-A				
				3-14-00	6-20-00	9-25-00	12-18-00	6-1-01	9-12-01	6-1-01	9-12-01	
USEPA Method 8082 PolychlorinatedBiphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)												
Acenaphthene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	NT	NT	NT	NT	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.08	ND<0.08	ND<0.08	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	NT	NT	NT	NT	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	NT	NT	NT	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	NT	NT	NT	NT	ND<0.077	0.21	ND<0.077	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)												
Bromodichloromethane	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	NT	NT	NT	NT	ND<1.0	ND<1.0	1.4	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	NT	NT	NT	NT	1.6	3.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	NT	NT	NT	NT	1.1	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	NT	NT	NT	NT	12	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	NT	NT	NT	NT	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-53				MW-A			
Sample Collection Date				3-14-00	6-20-00	9-25-00	12-18-00	6-1-01	9-12-01	6-1-01	9-12-01
Total Metals											
Arsenic	4	NC	NC	NT	NT	NT	NT	ND<4	ND<4	ND<4	ND<4
Barium	NC	NC	NC	NT	NT	NT	NT	ND<50	52	110	95
Cadmium	6	NC	NC	NT	NT	NT	NT	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	NT	NT	NT	NT	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	NT	NT	NT	NT	ND<13	ND<13	ND<13	ND<13
Nickel	880	NC	NC	NT	NT	NT	NT	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	NT	NT	NT	NT	29	22	16	12
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	NT	NT	NT	NT	20	ND<10	18	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	NT	NT	NT	NT	790	200	ND<100	ND<100

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
- The reported concentration is an estimated quantity due to associated QA results found outside of recommended control limits.
- (1) = Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-BD		MW-BS		MW-C		MW-D	
				5-31-01	9-13-01	5-31-01	9-11-01	5-29-01	9-11-01	5-29-01	9-11-01
USEPA Method 8082 PolychlorinatedBiphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)											
Acenaphthene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	0.42	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.99	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.20	0.78	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.08	ND<0.08	ND<0.08	ND<0.08	ND<0.08	0.92	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	0.47	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.5	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.53	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	ND<0.077	ND<0.077	ND<0.077	0.14	0.16	3.2	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.1	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)											
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-BD		MW-BS		MW-C		MW-D		
				5-31-01	9-13-01	5-31-01	9-11-01	5-29-01	9-11-01	5-29-01	9-11-01	
Sample Collection Date												
Total Metals												
Arsenic	4	NC	NC	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	6
Barium	NC	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	ND<40	ND<40	ND<40	ND<40	71	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	ND<13	ND<13	ND<13	ND<13	55	ND<13	ND<13	ND<13	ND<13
Nickel	880	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	67	ND<10	ND<10	ND<10	58	ND<10	32	ND<10	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	ND<10	ND<10	75	140	220	38	ND<10	13	
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	110	ND<100	ND<100	320	ND<100	160	ND<100	140	

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

Table 7

Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-E		MW-F		MW-G		MW-GA ⁽¹⁾	
				5-29-01	9-11-01	5-30-01	9-11-01	5-30-01	9-12-01	5-30-01	9-12-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)											
Acenaphthene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	1.9	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	0.47	ND<0.30	1.5	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	1.2	ND<1.0	2.5	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.06	0.28	ND<0.06	3.1	ND<0.06	10	ND<0.06	0.71
Benzo[a]pyrene	0.3	NC	NC	ND<0.20	ND<0.20	ND<0.20	3.0	ND<0.20	11	ND<0.20	0.72
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.08	0.14	ND<0.08	3.4	ND<0.08	16	ND<0.08	1.0
Benzo[g,h,i]perylene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	2.1	ND<1.0	3.1	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	1.4	ND<0.30	5.8	ND<0.30	0.37
Chrysene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	3.1	ND<1.0	9.8	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.85	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<1.0	ND<1.0	ND<1.0	8.0	ND<1.0	19	ND<1.0	1.2
Fluorene	140,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	2.1	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	2.0	ND<0.50	4.1	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	ND<0.077	0.22	0.27	6.7	ND<0.077	8.0	ND<0.077	0.47
Pyrene	110,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	6.7	ND<1.0	20	ND<1.0	1.3
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)											
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)							
		Residential	Industrial/ Commercial	MW-E		MW-F		MW-G		MW-GA ⁽¹⁾	
Sample Collection Date				5-29-01	9-11-01	5-30-01	9-11-01	5-30-01	9-12-01	5-30-01	9-12-01
Total Metals											
Arsenic	4	NC	NC	ND<4	ND<4	ND<4	5	ND<4	ND<4	ND<4	ND<4
Barium	NC	NC	NC	57	73	ND<50	ND<50	130	140	130	140
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	ND<13	ND<13	ND<13	ND<13	14	ND<13	ND<13	ND<13
Nickel	880	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	21	ND<10	22	ND<10	16	13	17	14
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT
Zinc	123	NC	NC	ND<10	ND<10	70	ND<10	ND<10	ND<10	ND<10	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	ND<100	ND<100	330	180	ND<100	ND<100	ND<100	110

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- ☐ = Concentration exceeds associated criterion.

TABLE 7

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-H		MW-I		MW-J		MW-K		MW-L
Sample Collection Date				5-29-01	9-13-01	5-29-01	9-14-01	7-25-01	9-11-01	7-25-01	9-11-01	10-15-02
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)												
Acenaphthene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.06	0.59	0.60	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.20	ND<0.20	0.48	0.43	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	ND<0.08	ND<0.08	ND<0.08	ND<0.08	ND<0.08	0.09	0.63	0.46	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	0.30	ND<0.30
Chrysene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.1	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	ND<0.077	ND<0.077	ND<0.077	ND<0.077	0.17	0.09	0.52	0.16	ND<0.077
Pyrene	110,000	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.3	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)												
Bromodichloromethane	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<0.50
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	15
Tetrachloroethene	88	1,500	3,820	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

Table 7
Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)								
		Residential	Industrial/ Commercial	MW-H		MW-I		MW-J		MW-K		MW-L
Sample Collection Date				5-29-01	9-13-01	5-29-01	9-14-01	7-25-01	9-11-01	7-25-01	9-11-01	10-15-02
Total Metals												
Arsenic	4	NC	NC	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4
Barium	NC	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	72	71	ND<50
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	ND<13	ND<13	ND<13	ND<13	ND<13	ND<13	19	ND<13	ND<13
Nickel	880	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	23	ND<10	18	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10
Vanadium	NC	NC	NC	NT	NT	NT	NT	NT	NT	NT	NT	ND<50
Zinc	123	NC	NC	ND<10	ND<10	18	18	25	ND<10	46	ND<10	13
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	220	ND<100	200	200	480	ND<100	250	150	330

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA results found outside of recommended control limits.
- (1) = Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**

Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)					
		Residential	Industrial/ Commercial	MW-M	MW-N	MW-O	MW-P	RW-1 (6-in.)	
Sample Collection Date				10-15-02	10-15-02	10-15-02	10-15-02	6-1-01	9-12-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)									
Acenaphthene	NC	NC	NC	1.6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	NC	NC	0.74	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Anthracene	1,100,000	NC	NC	2.4	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[a]anthracene	0.3	NC	NC	3.4	0.70	ND<0.06	ND<0.06	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	NC	NC	3.9	0.69	ND<0.20	ND<0.20	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	NC	NC	4.3	0.79	ND<0.08	ND<0.08	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	NC	NC	2.2	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	NC	NC	1.8	0.38	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	NC	NC	5.3	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Dibenz[a,h]anthracene	NC	NC	NC	0.67	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Fluoranthene	3,700	NC	NC	11	1.3	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluorene	140,000	NC	NC	1.7	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	NC	NC	2.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	NC	NC	6.2	0.81	ND<0.077	ND<0.077	ND<0.077	ND<0.077
Pyrene	110,000	NC	NC	9.3	1.6	ND<1.0	ND<1.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)									
Bromodichloromethane	NC	NC	NC	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<1.0
Chloroform	14,100	287	710	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1-Dichloroethane	NC	34,600	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.0	4.5
1,1-Dichloroethene	96	1	6	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
cis-1,2-Dichloroethene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
4-Isopropyltoluene	NC	NC	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Tetrachloroethene	88	1,500	3,820	3.1	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
1,1,1-Trichloroethane	62,000	20,400	50,000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.7	ND<1.0
Trichloroethene	2,340	219	540	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0

**Comparison of Ground Water Sample Analyte Concentrations
to DEP Remediation Standard Regulations Numerical Criteria
QE/English Station, New Haven, CT**


Analyte	Surface Water Protection Criteria (µg/L)	Volatilization Criteria for Ground Water (ppb)		Ground Water Sample Concentrations (ppb)					
		Residential	Industrial/ Commercial	MW-M	MW-N	MW-O	MW-P	RW-1 (6-in.)	
Sample Collection Date				10-15-02	10-15-02	10-15-02	10-15-02	6-1-01	9-12-01
Total Metals									
Arsenic	4	NC	NC	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4
Barium	NC	NC	NC	ND<50	210	66	57	ND<50	ND<50
Cadmium	6	NC	NC	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
Copper	48	NC	NC	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40
Lead	13	NC	NC	ND<13	ND<13	ND<13	ND<13	ND<13	ND<13
Nickel	880	NC	NC	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
Selenium	50	NC	NC	ND<10	ND<10	ND<10	ND<10	16	15
Vanadium	NC	NC	NC	ND<50	ND<50	ND<50	250	NT	NT
Zinc	123	NC	NC	ND<10	ND<10	17	ND<10	290	300
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NC	NC	1,000	4,400	ND<100	ND<100	520	360

Notes:

- NC = No criterion established.
- ND = Not detected above laboratory minimum detection limit.
- NT = Not tested.
- ppb = parts per billion.
- µg/L = micrograms per liter (comparable to ppb).
- R = Analyte was tested for, but data validation findings indicate that the testing results are unusable
- J = based on QA/QC for that test.
The reported concentration is an estimated quantity due to associated QA
- (1) = results found outside of recommended control limits.
Duplicate sample for quality control (QC) purposes.
- = Concentration exceeds associated criterion.

NOTES:

- THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE REGULATIONS OF CONNECTICUT STATE AGENCIES, SECTIONS 20-200B-1 THRU 20-200B-10, THE ANNUAL STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC., (A) THE HORIZONTAL ACCURACY CONFORMS TO CLASS 3-3, THE REPRESENTATIVE ACCURACY CONFORMS TO CLASS 7-3 AND THE VERTICAL ACCURACY CONFORMS TO CLASS 7-3; (B) THE BEARING DETERMINATION CATEGORY IS A "RESURVEY"; (C) THE TYPE OF SURVEY IS A "GENERAL LOCATION SURVEY";
- ALL MONUMENTATION FOUND OR SET ARE DEPICTED ON THIS MAP;
- THE NORTH ARROW, BEARINGS AND THE COORDINATES REFER TO REFERENCE MAP A;
- REFERENCE MAPS:
A.U.S. HARBOR LINES, NEW HAVEN HARBOR, CONNECTICUT BY THE U.S. ARMY CORPS OF ENGINEERS DATED 1951;
LIMITED ALLEMANCING CO. BY CHARLES A. CARP DATED MARCH 1951
CLEVELAND STATION BY GEORGE BULLOCK REVISION JUNE 4, 2000
- BOUNDARIES, ELEVATIONS AND CONTIGUOUS ARE BASED ON NAD 83 NATIONAL GEODETIC DATUM (NAD 83).



GENERAL NOTES:

- GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEJ WERE NOT LOCATED.
- RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEJ.

LEGEND

- SED-1-0 SEDIMENT SAMPLE COLLECTED BY GEJ
- MA-1-0 SURFACE SOIL SAMPLE COLLECTED BY GEJ
- HA-1-0 HAND AUGER SOIL SAMPLE COLLECTED BY GEJ
- CS-1-A CONCRETE CHIP SAMPLE COLLECTED BY GEJ
- SS-A-0 SURFACE SOIL SAMPLE COLLECTED BY AEI
- CS1-A CONFIRMATION SOIL SAMPLE COLLECTED BY AEI
- TB-A-0 TEST BORING INSTALLED BY AEI
- TB-1-0 TEST BORING INSTALLED BY GEJ
- TB-W/AW-H GROUND WATER MONITORING WELL INSTALLED BY AEI
- MW-1-0 GROUND WATER MONITORING WELL INSTALLED BY OTHERS
- GP-4 GROUND WATER MONITORING WELL INSTALLED BY OTHERS

RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEJ.

GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEJ ARE NOT PRESENT.

KEY TO ANALYTICAL RESULTS

0.2-0.8' — SAMPLE DEPTH BELOW GRADE IN FEET
As 30 ppm — CONSTITUENT/CONCENTRATION IN PPM

ppm PARTS PER MILLION
As ARSENIC
Pb LEAD
PCBs POLYCHLORINATED BIPHENYLS
Be BERYLLIUM
ETPH/TPH EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS/
TOTAL PETROLEUM HYDROCARBONS
PAHs POLYAROMATIC HYDROCARBONS

NOTES:

- ONLY CONCENTRATIONS ABOVE OR ANALYTES THAT EXCEED REMEDIATION STANDARD REGULATIONS (RSR) INDUSTRIAL/COMMERCIAL (I/C) DIRECT EXPOSURE CRITERIA (DEC) ARE SHOWN.
- A COLORED CIRCLE AROUND SAMPLE LOCATION INDICATES EXCEEDANCE OF THE I/C DEC OF THE ASSOCIATED ANALYTE.

BASE MAP TAKEN FROM:
GENERAL LOCATION SURVEY
PROPERTY OF
QUINNIPIAC ENERGY, LLC
310 GRAND AVENUE
NEW HAVEN, CONNECTICUT
SCALE: 1"=40' JANUARY 4, 2002

GODFREY-HOFFMAN ASSOCIATES, LLC
PROFESSIONAL LAND SURVEYORS, ENGINEERS & DESIGNERS
801 DUFFELL AVENUE - SUITE 1901 HARTFORD, CONNECTICUT
06118 PH: 803-848-4217 FAX: 803-848-6381
www.godfreyhoffman.com
PROJECT: 01-162 SHEET 1 OF 1





PLATE 3-2a	SOIL SAMPLE ANALYTICAL SUMMARY (NORTHERN PORTION OF SITE): EXCEEDANCES OF INDUSTRIAL/COMMERCIAL DIRECT EXPOSURE CRITERIA	
DATE 1/17/03	PREPARED FOR QUINNIPIAC ENERGY LLC	
SITE ID -	ENGLISH STATION, NEW HAVEN, CT	
	PROJECT No. AEI-00T-030	DRAWING No. 00T-03C.1
	DRAWN BY J.J.S.	CHECKED BY T.N.W.
SIZE D	SCALE AS SHOWN	

NOTES:

1. THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE REGULATIONS OF CONNECTICUT STATE AGENCIES, SECTIONS 20-300a-1 THRU 20-300a-10, THE HANDBOOK STANDARDS FOR SURVEYS AND MAPS BY THE STATE OF CONNECTICUT ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC., AND THE HORIZONTAL ACCURACY CONFORMS TO CLASS 2-1 THE TOPOGRAPHIC ACCURACY CONFORMS TO CLASS 2-2 AND THE VERTICAL ACCURACY CONFORMS TO CLASS 2-2.
2. THE BOUNDARY DETERMINATION CATEGORY IS A "RESURVEY".
3. THE TYPE OF SURVEY IS A "GENERAL LOCATION SURVEY".
4. ALL MONUMENTATION FOUND OR SET ARE DEPICTED ON THIS MAP.
5. THE NORTH ARROW, BEARINGS AND THE COORDINATES REFER TO REFERENCE MAP A.
6. REFERENCE MAPS:
 - A.U.S. HARBOR LINES, NEW HAVEN HARBOR, CONNECTICUT BY THE U.S. ARMY CORPS OF ENGINEERS DATED 1951
 - UNLIMITED ILLUMINATING CO. BY CHARLES A. COYNE DATED MARCH 1951
 - CONDUIT STATION BY GODFREY HOFFMAN ASSOCIATES, INC. REVISED JUNE 1, 2000
7. BENCHMARKS, ELEVATIONS AND CONTIGUOUS ARE BASED ON 1989 NATIONAL GEODETIC VERTICAL DATUM (NGVD 89).

EAST BRANCH MILL RIVER



GENERAL NOTES:

1. GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI WERE NOT LOCATED.
2. RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

LEGEND

- RED-1 □ SEDIMENT SAMPLE COLLECTED BY GEI
- PCB-1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100
- MA-10 □ HAND AUGER SOIL SAMPLE COLLECTED BY GEI
- CS-1 △ CONCRETE CHIP SAMPLE COLLECTED BY GEI
- SS-A ○ SURFACE SOIL SAMPLE COLLECTED BY AEI
- CS1 △ CONFIRMATION SOIL SAMPLE COLLECTED BY AEI
- TB-A ○ TEST BORING INSTALLED BY AEI
- TB-1 ○ TEST BORING INSTALLED BY GEI
- TB-W/MW-1 □ GROUND WATER MONITORING WELL INSTALLED BY AEI
- MW-1 ○ GROUND WATER MONITORING WELL INSTALLED BY OTHERS
- GP-1 □ GEOPROBE GROUND WATER MONITORING WELL INSTALLED BY OTHERS

RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI ARE NOT PRESENT.

KEY TO ANALYTICAL RESULTS

0.2-0.8' → SAMPLE DEPTH BELOW GRADE IN FEET
As 30 ppm → CONSTITUENT/CONCENTRATION IN PPM

ppm PARTS PER MILLION

- As ○ ARSENIC
- Pb ○ LEAD
- PCBs ○ POLYCHLORINATED BIPHENYLS
- Bp ○ BERYLLIUM
- ETHP/Tp ○ EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS/ TOTAL PETROLEUM HYDROCARBONS
- PAHs ○ POLYAROMATIC HYDROCARBONS

NOTES:

1. ONLY CONCENTRATIONS ABOVE OR ANALYTES THAT EXCEED RECOMMENDATION STANDARD REGULATIONS (RSR) INDUSTRIAL/COMMERCIAL (I/C) DIRECT EXPOSURE CRITERIA (DEC) ARE SHOWN.
2. A COLORED CIRCLE AROUND SAMPLE LOCATION INDICATES EXCEEDANCE OF THE I/C DEC OF THE ASSOCIATED ANALYTE.

BASE MAP TAKEN FROM:
GENERAL LOCATION SURVEY
PROPERTY OF
QUINNIPIAC ENERGY, LLC
310 GRAND AVENUE
NEW HAVEN, CONNECTICUT
SCALE: 1"=40' JANUARY 4, 2002

GODFREY-HOFFMAN ASSOCIATES, LLC
PROFESSIONAL LAND SURVEYORS, ENGINEERS & DESIGNERS
801 DIXWELL AVENUE - SUITE #301 HARTFORD, CONNECTICUT
06118 PH: 863-848-4217 FAX: 863-848-4381
www.godfreyhoffman.com
PROJECT: 01-158 SHEET 1 OF 1




PLATE 3-2b	SOIL SAMPLE ANALYTICAL SUMMARY (SOUTHERN PORTION OF SITE): EXCEEDANCES OF INDUSTRIAL/COMMERCIAL DIRECT EXPOSURE CRITERIA	
DATE 1/17/02	PREPARED FOR QUINNIPIAC ENERGY LLC ENGLISH STATION, NEW HAVEN, CT	
SITE ID. -	PROJECT No. AEI-00T-030	DRAWING No. 00T-03C.2
	DRAWN BY J.J.S.	CHECKED BY T.N.W.
	SIZE D	SCALE AS SHOWN

Table D-1

GROUND WATER SAMPLING RESULTS FOR SEVEN STATION B PARCEL WELLS

Analyte	Surface Water Protection Criteria (µg/L)	Ground Water Sample Concentrations (ppb)							
		MW-04S			MW-05			MW-6S	
Sample Collection Date		6-18-98	5-31-01	9-14-01	6-18-98	5-30-01	9-14-01	5-31-01	9-11-01
USEPA Method 8082 PolychlorinatedBiphenyls (PCBs)	0.5	NT	ND<0.50	ND<0.50	NT	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)									
Acenaphthene	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Benzo[a]anthracene	0.3	ND<0.30	ND<0.06	ND<0.06	ND<0.30	ND<0.06	ND<0.06	ND<0.06	ND<0.06
Benzo[a]pyrene	0.3	ND<0.30	ND<0.20	ND<0.20	ND<0.30	ND<0.20	ND<0.20	ND<0.20	ND<0.20
Benzo[b]fluoranthene	0.3	ND<0.30	ND<0.08	ND<0.08	ND<0.30	ND<0.08	ND<0.08	ND<0.08	ND<0.08
Benzo[g,h,i]perylene	NC	ND<20	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Chrysene	NC	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluoranthene	3,700	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluorene	140,000	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	ND<20	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	ND<0.07	ND<0.07	ND<0.07	ND<0.07	ND<0.07	ND<0.07	ND<0.07	0.14
Pyrene	110,000	ND<5.0	ND<1.0	ND<1.0	ND<5.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)									
Chloroform	14,100	ND<1.0	ND<1.0	ND<1.0	4.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Total Metals									
Arsenic	4	ND<50	ND<4	ND<4	ND<50	ND<4	ND<4	ND<4	ND<4
Barium	NC	ND<500	ND<50	81	ND<500	ND<50	ND<50	ND<50	ND<50
Copper	48	NT	ND<40	ND<40	NT	ND<40	ND<40	ND<40	ND<40
Lead	13	ND<5	ND<13	ND<13	ND<22	ND<13	ND<13	ND<13	ND<13
Selenium	50	ND<10	ND<10	ND<10	ND<10	14	ND<10	ND<10	ND<10
Zinc	123	NT	120	40	NT	ND<10	ND<10	75	140
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	NT	ND<100	ND<100	NT	ND<100	ND<100	ND<100	320

NC	=	No criterion established.
ND	=	Not detected above laboratory minimum detection limit.
NT	=	Not tested.
ppb	=	parts per billion.
µg/L	=	micrograms per liter (comparable to ppb).
(1)	=	Duplicate sample for quality control (QC) purposes.
.	=	Concentration exceeds associated criterion.

Note 1: Other monitoring wells exist on the Station B Parcel; sample results for those are all included in the previous report documenting widespread polluted fill.
 Note 2: Other analytes on the 8260 and 8270 scans, and ten other metals, were tested for, but are not included in this table because there were no hits in any of these seven monitoring wells.

Table D-1 (cont)

Analyte	Surface Water Protection Criteria (µg/L)	Ground Water Sample Concentrations (ppb)							
		MW-C		MW-D		MW-E		MW-K	
		5-29-01	9-11-01	5-29-01	9-11-01	5-29-01	9-11-01	3-14-01	9-11-01
Sample Collection Date		5-29-01	9-11-01	5-29-01	9-11-01	5-29-01	9-11-01	3-14-01	9-11-01
USEPA Method 8082 Polychlorinated Biphenyls (PCBs)	0.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
USEPA Method 8270 Polynuclear Aromatics (PAHs)									
Acenaphthene	NC	ND<1.0	3.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Acenaphthylene	0.3	ND<0.30	0.42	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30
Benzo[a]anthracene	0.3	ND<0.06	0.99	ND<0.06	ND<0.06	ND<0.06	0.28	0.59	0.60
Benzo[a]pyrene	0.3	ND<0.20	0.78	ND<0.20	ND<0.20	ND<0.20	ND<0.20	0.48	0.43
Benzo[b]fluoranthene	0.3	ND<0.08	0.92	ND<0.08	ND<0.08	ND<0.08	0.14	0.63	0.46
Benzo[g,h,i]perylene	NC	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Benzo[k]fluoranthene	0.3	ND<0.30	0.47	ND<0.30	ND<0.30	ND<0.30	ND<0.30	ND<0.30	0.30
Chrysene	NC	ND<1.0	1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Fluoranthene	3,700	ND<1.0	2.5	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.1	ND<1.0
Fluorene	140,000	ND<1.0	2.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Indeno[1,2,3-cd]pyrene	NC	ND<0.50	0.53	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
Phenanthrene	0.3	0.16	3.2	ND<0.07	ND<0.07	ND<0.07	0.22	0.52	0.16
Pyrene	110,000	ND<1.0	2.1	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.3	ND<1.0
USEPA Method 8021B/8260 Volatile Organic Compounds (VOCs)									
Chloroform	14,100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Total Metals									
Arsenic	4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4	ND<4
Barium	NC	ND<50	ND<50	ND<50	ND<50	57	73	72	71
Copper	48	71	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40	ND<40
Lead	13	55	ND<13	ND<13	ND<13	ND<13	ND<13	19	ND<13
Selenium	50	58	ND<10	32	ND<10	21	ND<10	ND<10	ND<10
Zinc	123	220	38	ND<10	13	ND<10	ND<10	46	ND<10
Connecticut Extractable Total Petroleum Hydrocarbons (CTETPH)	NC	ND<100	160	ND<100	140	ND<100	ND<100	250	150

NC	=	No criterion established.
ND	=	Not detected above laboratory minimum detection limit.
NT	=	Not tested.
ppb	=	parts per billion.
µg/L	=	micrograms per liter (comparable to ppb).
(1)	=	Duplicate sample for quality control (QC) purposes.
(1)	=	Concentration exceeds associated criterion.

Note: Other monitoring wells exist on the Station B Parcel; sample results for those are all included in the previous report documenting widespread polluted fill.
 Note 2: Other analytes on the 8260 and 8270 scans, and ten other metals, were tested for, but are not included in this table because there were no hits in any of these seven monitoring wells.

Table 1
PCB Cleanup Specifications for Historical Spills at QE English Station

Federal Regulation Matrix				
Nature of Usage / Access (a)	Nature of PCB Matrix Material	Cleanup Options (b)	Numerical PCB Decon Specification (c)	Citation (40 CFR 761...)
High occupancy (worker presence ≥840 hr/yr or ≥16.8 hr/wk)	Non-porous	Wash and rinse surface, dispose of waste solution	10 µg/100 cm ² on wipe sample	61(a)(4)(ii)
	Concrete (or other porous)	Scarify concrete surface, dispose of waste concrete	1 ppm in concrete remaining	61(a)(4)(iii); 61(a)(4)(i)(A)
		Encapsulate with soil/asphalt/concrete (d), with deed restriction	10 ppm in concrete remaining	above + 61(a)(7)+(8)
		Double-wash concrete surface, let dry, paint over, apply ML mark	— (e)	61(a)(4)(iii); 30(p)(1)
	Soil	Remove and dispose, with no further constraints	≤ 1ppm in soil remaining	61(a)(4)(i)(A)
Remove and dispose, cap remaining soil, with deed restriction		≤ 10 ppm in soil remaining	above + 61(a)(7)+(8)	
Low occupancy (worker presence <840 hr/yr or <16.8 hr/wk)	Non-porous	Wash and rinse surface, dispose of waste solution	100 µg/100 cm ² on wipe sample	61(a)(4)(ii)
	Concrete (or other porous)	Scarify concrete surface and dispose of waste concrete	1 ppm in concrete remaining	61(a)(4)(iii); 61(a)(4)(i)(A)
		Encapsulate with soil/asphalt/concrete (d), with deed restriction	10 ppm in concrete remaining	above + 61(a)(7)+(8)
		Double-wash concrete surface, let dry, paint over, apply ML mark	— (e)	61(a)(4)(iii); 30(p)(1)
	Soil	Remove and dispose, with no further constraints	≤ 25 ppm in soil remaining	61(a)(4)(i)(B)(1)
		Remove and dispose, fence off, apply ML mark	≤ 50 ppm in soil remaining	61(a)(4)(i)(B)(2)
		Remove and dispose, cap remaining soil (d), with deed restriction	≤ 100 ppm in soil remaining	61(a)(4)(i)(B)(3); 61(a)(7)+(8)

CT Regulation Matrix (RSRs) (Applies Only to Soils)

Nature of Usage / Access (f)	Cleanup Options (g)	Numerical PCB Decon Specification (h)	Citation (RCSA 22a-133k-...)
Residential use per RSRs	Excavate and remove soil	1 ppm in soil remaining	2(b)(1); Appendix A
Industrial/commercial use per RSRs in a non-restricted access area	Cap to make soil inaccessible (i), apply ELUR (j)	10 ppm in soil remaining (k)	2(b)(2)(B); Appendix A; EPOC Review, Mar 2003 (k)
Industrial/commercial use per RSRs in an other restricted access area	Cap to make soil inaccessible (i), apply ELUR (j)	25 ppm in soil remaining	2(b)(3)(A); Appendix A
Industrial/commercial use per RSRs in an outdoor electrical substation	Cap to make soil inaccessible (i), apply ELUR (j)	25 ppm in soil remaining	2(b)(3)(B); Appendix A
	Cap to make soil inaccessible (i), apply ELUR (j), apply ML mark	50 ppm in soil remaining	2(b)(3)(B); Appendix A

- (a) All areas of the English Station site where PCB contamination has been found presently are low occupancy areas (a defined term, meaning that a person is present in the area less than 840 hrs/yr and also present less than 16.8 hrs/wk). Since the Station B Parcel is to be sold (for future industrial use), the federal cleanup specifications for high occupancy areas apply to this portion of the site.
- (b) For the Station B Parcel, concrete surfaces will be scarified down to the 1 ppm level (and confirmed) rather than the other options, whenever practicable, and debris will be removed for appropriate offsite disposal. Soil will be excavated to achieve a 10 ppm level, with a cap and an ELUR. The 10 ppm level is consistent with the PCB direct exposure criteria for industrial/commercial sites under the Connecticut Remediation Standards Regulations (RSRs). The 1 ppm level is consistent with the PCB direct exposure criteria for residential sites under the RSRs. The ELUR will identify (among other types of residual contamination zones) any PCB residual areas requiring a deed restriction under 40 CFR 761.61. An ELUR is the appropriate CT vehicle for deed restrictions (see below); it will be structured and worded to satisfy the federal requirements, including a designation of property usage.

Table 1 (continued)

PCB Cleanup Specifications for Historical Spills at QE English Station

- (c) These are the specifications in the PCB rules at 40 CFR 761.61 for cleanup of historical spills; not the rules for cleanup of fresh spills under the EPA policy at 40 CFR 761.125. "In soil remaining" or "in concrete remaining" means the residual PCB content in those media left onsite unremediated.
- (d) A cap comprised of 10 inches of compacted fill, or 6 inches of concrete, or 6 inches of asphalt constitutes satisfactory encapsulation under the federal PCB rules. (The cap required for compliance with the Connecticut RSRs is somewhat different (see below) but satisfies the federal requirement.)
- (e) There is no numerical cleanup criterion, because the underlying presumption is that the specified double-wash/rinse technique will render the surface suitable for painting and that the paint will adhere well enough to prevent any contact exposure with residual PCBs remaining in the concrete. If the concrete staining is known to have occurred from contact with oil containing less than 50 ppm PCBs, then cleanup and surface sealing of this sort is not required.
- (f) The Connecticut RSRs define just two kinds of uses with respect to direct exposure cleanup criteria: residential use, and commercial/industrial use. The sections of the RSRs that relate to cleanup of PCB-contaminated soils, however, contain provisions that refer (either directly or inferentially) to definitions in the EPA spill cleanup policy at 40 CFR 761.123, as follows:
- "*Residential/commercial area*" means areas where people live or reside, including roads and sidewalks to which the public has access. The nearest area to English Station that is actually zoned residential or commercial is northeast of Grand Ave and Haven St; all the areas closer to the Station are zoned IH or IL (heavy industrial or light industrial). However, Grand Avenue itself is a *residential/commercial area* under this definition because it is open to public access; in addition to transient vehicles and pedestrians, there is occasional public fishing off the Grand Avenue bridge.
 - "*Outdoor electrical substation*" means an outdoor, fenced-off restricted access area used for electrical transmission/distribution, and more than 100 m from a residential/commercial area. All of the capacitor and transformer pads at English Station fit this definition; none are closer than 100 m to a zoned residential/commercial area or to Grand Avenue. These areas are delineated on Figure 1.
 - "*Other restricted access location*" means areas other than substations that are at least 100 m from a residential/commercial area, and are limited by manmade barriers such as fences and walls, or natural barriers. All of English Station is further than 100 m from the nearest zoned residential/commercial area north of Grand Ave and Haven St. Most of English Station (the area south of the approximate center of the coal yard) is further than 100 m from Grand Avenue. The island is surrounded by water on three sides, with a vertical bulkhead wall, and has security gates at the Grand Avenue access. These areas are delineated on Figure 1.
 - "*Nonrestricted access area*" means anything not in the above two definitions. At English Station this is the area north of an approximate east-west midline through the coal yard, including Station B and the planned parking area to the south of Station B. These areas are delineated on Figure 1.
- (g) The cleanup options in the Connecticut RSRs only apply to soils, not to cleanup of concrete or non-porous materials, and not to sediments. Sediments exist in catch basins on the Station B Parcel; generally, these will be removed if >1 ppm; but if not easily accessible may be left in place (up to the 10 ppm criterion) and simply sealed off. There is a general provision in the RSRs for a variance to allow other cleanup options. Such a variance may be applied for, and reviewed and approved by DEP on a case-by-case basis, but there is no particular expectation that a variance outside of the above numerical cleanup standards would be applied for in this case.
- (h) These are the standards for remediation specified in the Connecticut RSRs at RCSA 22a-133k. "In soil remaining" means the residual PCB content in the soils left onsite unremediated.
- (i) Rendering the soil "inaccessible" as defined in the RSRs means installing a cap consisting of four feet of soil, or a cap consisting of two feet of soil including a 3-inch concrete or asphalt layer on top. Alternatively, a building can be built over an area to render it inaccessible.
- (j) The environmental land use restriction (ELUR) specified in the RSRs has a prescriptive form and content developed by DEP explicitly for site remediation purposes; in this situation, the appropriate language also will be added to comport with federal requirements.
- (k) The language discrepancy between RCSA 22a-133k-2(b)(2)(B) for PCBs in residential or "non-restricted access" areas, and RCSA 22a-133k-2(b)(2)(A) for contaminants other than PCBs in those same areas was clarified in a DEP workshop presentation to the Environmental Professionals Organization of Connecticut on March 25, 2003, page 13. So long as the soil is rendered "inaccessible" (which includes an environmental land use restriction), the cleanup criterion is 10 ppm.

Table A1.1a

Sampling and Analysis Data: Station B Interior—Overhead Crane

Area 1.1: Station B—Overhead Crane

AOC #:	1
PCB Area Description:	Overhead crane: motor and non-porous steel surface
Location Reference:	Figure A1.1 (Individual sample locations not shown.)
Sample Matrix:	Motor oil; hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg); micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results in:	Appendix A

Characterization Samples			Verification Samples			Cleanup Criterion
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result	
MOTOR OIL			MOTOR OIL			MOTOR OIL
NEM ⁽¹⁾	07-18-01 (07-25-01)	6.6 ⁽¹⁾	RS-CS1 ⁽¹⁾	03-21-02 (03-28-02)	ND < 2.0 ⁽¹⁾	2.0
SEM ⁽¹⁾	07-18-01 (07-25-01)	6.6 ⁽¹⁾				2.0
11-16-MISC-113 ⁽²⁾	11-18-99 (11-29-99)	4.0 ⁽²⁾				2.0
HEXANE WIPE OF STEEL SURFACE			HEXANE WIPE OF STEEL SURFACE			HEXANE WIPE
CR-CS01	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS02	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS03	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS04	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS05	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS06	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS07	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS08	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS09	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS10	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS11	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS12	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS13	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS14	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS15	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS16	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS17	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS18	03-21-02 (04-04-02)	ND < 5.0	CR-CS18B	04-19-02 (04-23-02)	ND < 5.0	10.0
CR-CS19	03-21-02 (03-26-02)	25	CR-CS19B	04-19-02 (04-23-02)	ND < 5.0	10.0
CR-CS20	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS21	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS22	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS23	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS24	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS25	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS26	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS27	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS28	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS29	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS30	03-21-02 (03-26-02)	ND < 5.0				10.0

Table A1.1a (continued)

Sampling and Analysis Data: Station B Interior—Overhead Crane

Characterization Samples			Verification Samples			Cleanup Criterion
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result	
HEXANE WIPE OF STEEL SURFACE			HEXANE WIPE OF STEEL SURFACE			HEXANE WIPE
CR-CS31	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS32	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS33	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS34	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS35	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS36	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS37	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS38	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS39	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS40	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS41	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS42	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS43	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS44	03-21-02 (03-26-02)	ND < 5.0				10.0
CR-CS45	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS46	03-21-02 (04-04-02)	ND < 5.0				10.0
CR-CS47	03-21-02 (03-26-02)	ND < 5.0				10.0
Field Blank 1	03-21-02 (03-26-02)	ND < 5.0				NA
Field Blank 2	03-21-02 (04-12-02)	ND < 5.0				NA
Field Blank 3	03-21-02 (04-12-02)	ND < 5.0				NA

Notes for Table A1.1a:

(1) = Sample of oil from a motor on the crane. Result reported as milligrams per kilogram (mg/kg), wet weight.

(2) = Result reported by GEI Consultants, Inc., who did not indicate that the result is reported as wet weight.

NA = Not applicable.

ND = Not detected.

< = Less than minimum detection limit.

Bold indicates that detected concentration exceeds associated cleanup criterion.

Table A1.1b

Sampling and Analysis Data: Station B Interior—Mezzanine and First Floor

Area 1.1: Station B—Mezzanine and first floor

AOC #:	I
PCB Area Description:	Mezzanine and first floor, excluding Annex III
Location Reference:	Figure A1.1 (AEI Sample Points only)
Sample Matrix:	Concrete; wood
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
FIRST FLOOR: CONCRETE FLOOR				CONCRETE
11-16-MISC-121 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0	1.0
ICO-01	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-02	½ inch	06-16-2004 (06-22-2004)	0.57	1.0
ICO-03	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-04	½ inch	06-16-2004 (06-22-2004)	0.98	1.0
ICO-05	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-05D	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-06	½ inch	06-16-2004 (06-22-2004)	0.52	1.0
ICO-07	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-08	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-09	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-10	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
ICO-11	½ inch	06-16-2004 (06-22-2004)	ND < 0.50	1.0
FIRST FLOOR: WOOD CHIPS				WOOD
11-16-MISC-123 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0	1.0
MEZZANINE: WOOD CHIPS				WOOD
11-16-MISC-124 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0	1.0
11-16-MISC-125 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0	1.0

Notes for Table A1.1b:

(1) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.

ND = Not Detected.

NS = Not Specified.

< = Less than minimum detection limit.

Table A1.2

Sampling and Analysis Data: Station B Interior—Annex III Facility

Area 1.2: Station B—Annex III

AOC #:	I
PCB Area Description:	Annex III: porous concrete floor and containment berm
Location Reference:	Figures A1.1, A1.2 (AEI Sample Points only.)
Sample Matrix:	Concrete
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results in:	Appendix A

Characterization Samples			1 st and 2 nd Verification Samples ⁽¹⁾			Cleanup Criterion
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result	
ANNEX III CONCRETE FLOOR			ANNEX III CONCRETE FLOOR			CONCRETE
ICO-14	06-16-04 (06-22-04)	ND < 0.50				1.0
A-1	07-18-01 (07-20-01)	ND < 0.50				1.0
A-2	07-18-01 (07-20-01)	ND < 0.50				1.0
A-3	07-18-01 (07-20-01)	ND < 0.50				1.0
A-4	07-18-01 (07-20-01)	ND < 0.50				1.0
B-1	07-18-01 (07-20-01)	17.4				1.0
						1.0
B-2	07-18-01 (07-20-01)	45	J-1	05-09-02 (05-14-02)	ND < 0.50	1.0
			I-1	05-09-02 (05-14-02)	0.50	1.0
			K-1.5	08-26-02 (08-29-02)	ND < 0.50	1.0
B-3	07-18-01 (07-20-01)	2.4	J-2	05-09-02 (05-14-02)	ND < 0.50	1.0
			I-2	05-09-02 (05-14-02)	1.6	1.0
			K-2.5	08-26-02 (08-29-02)	1.4	1.0
			J-3	05-09-02 (05-14-02)	ND < 0.50	1.0
B-4	07-18-01 (07-20-01)	ND < 0.50	I-3	05-09-02 (05-14-02)	1.1	1.0
			I-3a ⁽²⁾	05-09-02 (05-14-02)	0.65	1.0
			K-3.5	08-26-02 (08-29-02)	ND < 0.50	1.0
			K-3.5 dup	08-26-02 (08-29-02)	ND < 0.50	1.0
ICO-13	06-16-04 (06-22-04)	ND < 0.50	J-4	05-09-02 (05-14-02)	ND < 0.50	1.0
ICO-15	06-16-04 (06-22-04)	ND < 0.50	I-4	05-09-02 (05-14-02)	ND < 0.50	1.0
C-1	07-18-01 (07-20-01)	1.3				1.0
			H-1	05-09-02 (05-14-02)	ND < 0.50	1.0
C-2	07-18-01 (07-20-01)	1.5	L-1.5	08-26-02 (08-29-02)	ND < 0.50	1.0
			H-2	05-09-02 (05-14-02)	ND < 0.50	1.0
			L-2.5	08-26-02 (08-29-02)	ND < 0.50	1.0
C-3	07-18-01 (07-20-01)	0.98	H-3	05-09-02 (05-14-02)	ND < 0.50	1.0
			L-3.5	08-26-02 (08-29-02)	ND < 0.50	1.0
C-4	07-18-01 (07-20-01)	ND < 0.50				1.0
D-1	07-18-01 (07-20-01)	0.94				1.0
D-2	07-18-01 (07-20-01)	0.77				1.0
D-3	07-18-01 (07-20-01)	ND < 0.50				1.0
D-4	07-18-01 (07-20-01)	ND < 0.50				1.0
E-1	07-18-01 (07-20-01)	0.69				1.0
E-2	07-18-01 (07-20-01)	0.98				1.0
E-3	07-18-01 (07-20-01)	0.51				1.0
E-4	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0

Table A1.2 (continued)

Sampling and Analysis Data: Station B Interior—Annex III Facility

Characterization Samples			1 st and 2 nd Verification Samples ⁽¹⁾			Cleanup Criterion
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result	
ANNEX III CONCRETE FLOOR			ANNEX III CONCRETE FLOOR			CONCRETE
ICO-16	06-16-04 (06-22-04)	ND < 0.50				1.0
SE-1	07-18-01 (07-20-01)	0.80				1.0
ICO-12	06-16-04 (06-22-04)	ND < 0.50				1.0
F-2	07-18-01 (07-20-01)	ND < 0.50				1.0
F-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
F-4	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
SF-1	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
SF-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
G-2	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
G-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾				1.0
						1.0
			Field blank	05-09-02 (05-13-02)	ND < 0.50 ⁽⁴⁾	NA
			Equip. Blank	08-26-02 (08-29-02)	ND < 10 ⁽⁴⁾	NA
						1.0
ICO-EB01	06-16-04 (06-21-04)	ND < 12 ⁽⁴⁾				1.0
CS-5 ⁽⁵⁾	06-11-98 (06-23-98)	15				1.0
11-16-MISC- 114 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0				1.0
11-16-MISC- 115 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0				1.0
11-16-MISC- 116 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0				1.0

Notes for Table A1.2:

- (1) = Sample locations selected using a 5-foot grid.
 - (2) = Duplicate sample.
 - (3) = Minimum detection limit (MDL) affected by matrix interference.
 - (4) = Water matrix. Units are micrograms per liter (µg/L).
 - (5) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.
- ND = Not Detected.
 < = Less than minimum detection limit.
Bold indicates that detected concentration exceeds associated cleanup criterion.
 Depth = ½ inch for all AEI samples. Depth not specified for GEI samples.

Table A1.3

Sampling and Analysis Data: Station B Interior—Basement

Area 1.3: Station B—Basement

AOC #:	1
PCB Area Description:	Basement: concrete pads and former earthen floor
Location Reference:	Figure A1.3 (AEI Sample Points only)
Sample Matrix:	Concrete; soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
CONCRETE				CONCRETE
11-16-MISC-117 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0	1.0
11-16-MISC-118 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0	1.0
11-16-MISC-119 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0	1.0
11-16-MISC-120 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	1.0	1.0
11-16-MISC-122 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0	1.0
SOIL				SOIL
SS-N	0.0-1.0	05-02-2001 (05-18-2001)	ND < 0.50	10.0
SS-O	0.0-0.5	05-02-2001 (05-04-2001)	ND < 0.50	10.0
SS-P	0.0-0.5	05-02-2001 (05-04-2001)	ND < 0.50	10.0
SS-Q	0.0-0.5	05-02-2001 (05-04-2001)	ND < 0.50	10.0
SS-R	0.0-0.5	05-02-2001 (05-18-2001)	ND < 0.50	10.0
SS-S	0.0-0.5	05-02-2001 (05-04-2001)	ND < 0.50	10.0
SS-T	0.0-0.5	05-02-2001 (05-18-2001)	ND < 0.50	10.0

Notes for Table A1.3:

(1) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.

ND = Not Detected.

NS = Not Specified.

< = Less than minimum detection limit.

Table A2.1

Sampling and Analysis Data: Station B Yard Areas—Elevated Tracks

Area 2.1: Former Coal Yard

AOC #:	12W
PCB Area Description:	Elevated railroad tracks and foundations
Location Reference:	Figure 6
Sample Matrix:	Soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results in:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
SOIL				
2HA-139	0.0-0.25	11-08-2004 (11-13-2004)	ND < 0.50	10.0
2HA-139	0.25-1.25	11-08-2004 (11-13-2004)	ND < 0.50	10.0
2HA-140	0.0-0.25	11-08-2004 (11-13-2004)	ND < 0.50	10.0
2HA-140	0.25-1.25	11-08-2004 (11-13-2004)	ND < 0.50	10.0
SS-II	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
SS-JJ	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
SS-KK ⁽¹⁾	0.0-0.3	04-03-2002 (04-06-2002)	0.83	10.0
SS-LL	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
SS-MM	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
SS-NN	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
SS-OO	0.0-0.3	04-02-2002 (04-11-2002)	ND < 0.50	10.0
SS-X	0.0-0.6	05-14-2001 (05-22-2001)	ND < 0.50	10.0
SS-Y	0.0-0.6	05-14-2001 (05-22-2001)	ND < 0.50	10.0
SS-Z	0.0-0.6	05-14-2001 (05-22-2001)	ND < 0.50	10.0

Notes for Table A2.1:

(1) = Sample also tested for leachable PCBs using the Synthetic Precipitation Leachate Procedure (SPLP). SPLP PCBs were not detected.

ND = Not Detected.

< = Less than minimum detection limit.

Table A2.2

Sampling and Analysis Data: Station B Yard Areas—Former Coal Yard

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure 6
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
ASPHALT ⁽¹⁾				ASPHALT
2HA-241	0.0-0.3	12-16-2004 (12-28-2004)	ND < 0.50	1.0
2HA-242	0.0-0.3	12-16-2004 (12-28-2004)	ND < 0.50	1.0
2TB-207	0.0-0.3	11-18-2004 (12-03-2004)	ND < 0.50	1.0
TB-CCCC	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	1.0
TB-DDDD	0.0-0.3	04-03-2002 (04-06-2002)	ND < 0.50	1.0
TB-EEEE	0.0-0.3	04-04-2002 (04-08-2002)	ND < 0.50	1.0
TB-JJJJ	0.0-0.3	04-04-2002 (04-08-2002)	ND < 0.50	1.0
TB-KKKK	0.0-0.3	04-04-2002 (04-09-2002)	ND < 0.50	1.0
TB-MMMM	0.0-0.3	04-04-2002 (04-09-2002)	ND < 0.50	1.0
TB-NNNN	0.0-0.3	04-04-2002 (04-09-2002)	ND < 0.50	1.0
TB-OOOO	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
TB-PPPP	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
TB-RRRR	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
TB-SSSS	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
CONCRETE				CONCRETE
2CO-129	½ inch	11-30-2004 (12-07-2004)	ND < 0.50	1.0
2CO-130	½ inch	11-30-2004 (12-07-2004)	ND < 0.50	1.0
2CO-131	½ inch	11-30-2004 (12-07-2004)	ND < 0.50	1.0
2CO-177	½ inch	12-16-2004 (12-28-2004)	ND < 0.50	1.0
2CO-504	½ inch	11-30-2004 (12-07-2004)	ND < 0.50	1.0
SEDIMENT				SEDIMENT
CB-2	0.0-0.3	05-10-2001 (05-15-2001)	3.8	1.0
CB-3	0.0-0.3	05-10-2001 (05-15-2001)	ND < 0.50	1.0
SOIL				SOIL
2HA-241	0.3-0.6	12-16-2004 (12-28-2004)	ND < 0.50	10.0
2HA-242	0.3-0.5	12-16-2004 (12-28-2004)	ND < 0.50	10.0
2TB-206 ⁽³⁾	0.0-0.3	11-18-2004 (12-03-2004)	3.0	10.0
2TB-206	0.3-2.3	11-18-2004 (12-03-2004)	ND < 0.50	10.0
2TB-206 ⁽³⁾	4.3-6.3	11-18-2004 (12-03-2004)	1.44	10.0
2TB-207	0.3-1.3	11-18-2004 (12-03-2004)	ND < 0.50	10.0
2TB-207	1.3-2.3	11-18-2004 (12-03-2004)	ND < 0.50	10.0
2TB-207 ⁽⁴⁾	2.3-4.3	11-18-2004 (12-03-2004)	0.55	10.0
2TB-207	4.3-6.3	11-18-2004 (12-03-2004)	ND < 0.50	10.0
MW-07 ⁽²⁾	7-9	06-04-1998 (06-12-1998)	ND < 1.0	10.0
MW-22 ⁽²⁾	7-9	06-09-1998 (06-19-1998)	ND < 1.0	10.0

Table A2.2 (continued)

Sampling and Analysis Data: Station B Yard Areas—Former Coal Yard

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
SOIL				SOIL
SS-CC	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50	10.0
SS-CC	0.3-1.3	04-03-2002 (04-08-2002)	ND < 0.50	10.0
SS-DD	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50	10.0
SS-DD	0.3-1.3	04-03-2002 (04-18-2002)	ND < 0.50	10.0
SS-EE	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50	10.0
SS-EE	0.3-1.3	04-03-2002 (04-08-2002)	ND < 0.50	10.0
TB-09 ⁽¹⁾	3-7	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-10 ⁽²⁾	11-13	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-C	2-4	05-10-2001 (05-15-2001)	ND < 0.50	10.0
TB-CCCC	2.5-2.8	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-CCCC	2.8-3.8	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-CCCC	4.5-6.0	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-CCCC	10-12	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-D	2-4	05-11-2001 (05-18-2001)	ND < 0.50	10.0
TB-DDDD	1.3-1.6	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-DDDD	1.6-2.6	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-DDDD	3.3-4.3	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-DDDD	15-17	04-03-2002 (04-06-2002)	ND < 0.50	10.0
TB-EEEE	1.5-1.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-EEEE	1.8-2.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-EEEE	3.8-5.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-EEEE	10-12	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-F	0-2	05-11-2001 (05-18-2001)	ND < 0.50	10.0
TB-JJJJ	1.5-1.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-JJJJ	1.8-2.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-JJJJ	3.5-5.0	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-JJJJ	5.0-5.5	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-KKKK	1.0-1.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-KKKK	1.3-2.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-KKKK	5-6	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-KKKK	5-6 D	04-02-2002 (04-11-2002)	ND < 0.50	10.0
TB-LLLL	0.0-0.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-LLLL	0.3-0.6	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-LLLL	0.6-1.6	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-LLLL	3.3-4.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-LLLL	4.3-6.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-MMMM	0.5-0.8	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-MMMM	0.8-1.8	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-MMMM	4.5-6.5	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-NNNN	1.0-1.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-NNNN	1.3-2.3	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-NNNN	4-5	04-04-2002 (04-09-2002)	ND < 0.50	10.0
TB-OOOO	2.0-2.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-OOOO	4-5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-PPPP	0.3-0.6	04-05-2002 (04-11-2002)	ND < 0.50	10.0

Table A2.2 (continued)

Sampling and Analysis Data: Station B Yard Areas—Former Coal Yard

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
SOIL				SOIL
TB-PPPP	0.9-1.0	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-PPPP	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-QQQQ	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-QQQQ	0.3-2.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-QQQQ	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-RRRR	1.0-1.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-RRRR	3.3-3.9	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-RRRR	3.9-4.0	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-SSSS	2.2-2.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-SSSS	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-TTTT	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-TTTT	1.0-1.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-TTTT	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0

Notes for Table A2.2:

- (1) = Asphalt samples may include some base material (e.g., cobbles or gravel).
 - (2) = Result reported by GEI Consultants, Inc.
 - (3) = Sample also tested for leachable PCBs using the Synthetic Precipitation Leachate Procedure (SPLP). SPLP PCBs were ND < 0.50 micrograms per liter (µg/L).
- ND = Not detected. < = Less than minimum detection limit.

Table A6.1

Sampling and Analysis Data: Station B Yard Areas—South And West Adjacent

Area 6.1: Former Coal Yard and Area Adjacent to Station B

AOC #:	2, 3, 12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure 6
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results in:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
ASPHALT ⁽¹⁾				ASPHALT
AOC2-CS6	0.0-0.25	03-12-2002 (03-14-2002)	ND < 0.50	1.0
TB-AAAAA	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-BBBBB	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-CCCCC	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-DDDDD	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-FFFF	0.0-0.3	04-04-2002 (04-08-2002)	ND < 0.50	1.0
TB-FFFFF	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-GGGGG	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-HHHHH	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-IIIII	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-JJJJJ	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-KKKKK	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	1.0
TB-UUUUU	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
TB-WWWWW	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
TB-YYYY	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	1.0
6AS-001	½ inch	08-26-2004 (08-30-2004)	ND < 0.50	1.0
6AS-001D	½ inch	08-26-2004 (08-30-2004)	ND < 0.50	1.0
EB-06*	NA	08-26-2004 (08-31-2004)	ND < 12 **	NA
CONCRETE				CONCRETE
6CO-065	½ inch	08-26-2004 (08-30-2004)	ND < 0.50	1.0
SOIL				SOIL
AOC2-CS2	0-2	03-12-2002 (03-14-2002)	ND < 0.50	10.0
AOC2-CS2	2-4	03-12-2002 (03-14-2002)	ND < 0.50	10.0
AOC2-CS2	5-7	03-12-2002 (03-14-2002)	ND < 0.50	10.0
AOC2-CS6	0.25-2.0	03-12-2002 (03-14-2002)	ND < 0.50	10.0
AOC2-CS6	2-4	03-12-2002 (03-14-2002)	ND < 0.50	10.0
AOC2-CS6	5-7	03-12-2002 (03-14-2002)	ND < 0.50	10.0
MW-02 ⁽²⁾	13-17	06-02-1998 (06-10-1998)	ND < 1.0	10.0
MW-03 ⁽²⁾	15-17	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-01 ⁽²⁾	7-8	06-02-1998 (06-10-1998)	ND < 1.0	10.0
TB-05 ⁽²⁾	4-6	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-06 ⁽²⁾	1-7	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-07 ⁽²⁾	5	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-07A ⁽²⁾	7-9	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-08A ⁽²⁾	1-3	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-08B ⁽²⁾	9-11	06-04-1998 (06-12-1998)	ND < 1.0	10.0
TB-08B ⁽²⁾	15-17	06-04-1998 (06-12-1998)	ND < 1.0	10.0

Table A6.1 (continued)

Sampling and Analysis Data: Station B Yard Areas—South And West Adjacent

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
SOIL				SOIL
TB-AAAAA	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-BBBBB	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-BBBBB	2.5-4.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-BBBBB	4.5-5.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-CCCCC	2-4	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-CCCCC	4-5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-DDDDD	0.5-0.8	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-EEEE	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-EEEE	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-EEEE	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-FFFF	0.5-0.8	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-FFFF	2.5-3.5	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-FFFF	3.5-4.5	04-04-2002 (04-08-2002)	ND < 0.50	10.0
TB-FFFFF	0.5-0.8	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-GGGGG	0.5-1.2	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-HHHHH	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-HHHHH	2.5-4.5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-I	2-4	05-14-2001 (05-18-2001)	ND < 0.50	10.0
TB-J	2-4	05-14-2001 (05-18-2001)	ND < 0.50	10.0
TB-JJJJ	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-JJJJ	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-KKKKK	1-2	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-KKKKK	4-5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-L	2-4	05-14-2001 (05-18-2001)	ND < 0.50	10.0
TB-UUUU	1.2-1.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-UUUU	5-7	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-VVVV	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-VVVV	0.5-2.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-VVVV	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-WWWW	2.2-2.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-WWWW	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-XXXX	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-XXXX	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-XXXX	4.3-6.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-YYYY	2.0-2.3	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-YYYY	2.5-3.0	04-05-2002 (04-11-2002)	ND < 0.50	10.0
TB-YYYY	3-5	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-YYYY	5-7	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-ZZZZ	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-ZZZZ	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0
TB-ZZZZ	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50	10.0

Table A6.1 (continued)

Sampling and Analysis Data: Station B Yard Areas—South And West Adjacent

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
CATCH BASIN SEDIMENT				SEDIMENT
CB-1	0.0-0.8	05-10-2001 (05-15-2001)	ND < 0.50	1.0
HEXANE WIPE OF STEEL SURFACE				HEXANE WIPE
6HX-007	NA	08-26-2004 (09-01-2004)	ND < 10	10.0
6HX-007D	NA	08-26-2004 (09-01-2004)	ND < 10	10.0
Field Blank 2	NA	08-26-2004 (09-01-2004)	ND < 5.0	NA

Notes for Table A6.1:

(1) = Asphalt samples may include some base material (e.g., cobbles or gravel).

(2) = Result reported by GEI Consultants, Inc.

NA = Not applicable. ND = Not detected.

< = Less than minimum detection limit.

* = Equipment Blank, matrix water. ** = Detection limit based on sample size supplied for analysis.

Table A6.2

Sampling and Analysis Data: Station B Yard Areas—Mill River East Branch

Area 6.2: Mill River East Branch Area

AOC #:	12E
PCB Area Description:	Mill River East Branch area
Location Reference:	Figure 6
Sample Matrix:	Soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results in:	Appendix A

Characterization Samples				Cleanup Criterion
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result	
SOIL				SOIL
MW-04D ⁽¹⁾	36-40	06-10-1998 (06-18-1998)	ND < 1.0	10.0
MW-05 ⁽¹⁾	2-4	05-26-1998 (06-07-1998)	ND < 1.0	10.0

Notes for Table A6.2:

(1) = Result reported by GEI Consultants, Inc.

ND = Not Detected.

< = Less than minimum detection limit.

Table 1

SUMMARY OF PROCEDURES FOR PCB SAMPLING AND ANALYSIS

Sample Matrix	Sample Type	PCB Area(s)	Procedure^(1, 2)
Concrete	Cores (drilling dust)	1.1, 1.2, 2.2, 6.1	EPA's "Draft Standard Operating Procedure for Sampling Concrete in the Field", December 30, 1997.
Ground Water	Low Flow	2.2, 6.1, 6.2	AEI's Standard Operating Procedure (SOP) "Low Stress/Low Flow Ground Water Sampling", SOP-002.
Motor Oil	Grab	1.1	Oil was collected from motor reservoirs using suction bulbs and placed directly into sample containers. Samples were handled in general accordance with standard methods as shown in AEI SOP-002.
Sediment	Polyethylene scoop	2.2, 6.1	AEI's SOP "Sediment Sampling", SOP-003
Soil (test boring)	Split-spoon sampler	2.2, 6.1, 6.2	AEI's SOP "Soil Sampling with a Split-spoon Sampler", SOP-004.
Soil (surface)	Hand auger	1.3, 2.1	Undisturbed surface samples were collected using a hand auger or dedicated scoop. Samples were handled in general accordance with AEI SOP-003.
Steel (non-porous)	Hexane Wipe	1.1, 6.1	EPA's SOP for "Chip, Wipe, and Sweep Sampling", No. 2011, November 16, 1994.
Wood	Chips	1.1	Wood sampling was done by others; the procedure used is not available.

Notes:

(1) = Sampling was performed in general accordance with the procedures shown herein. The procedures cited above are in Appendix A.

(2) = Samples were laboratory-tested for polychlorinated biphenyls (PCBs) using USEPA Method 8082. The laboratory SOP for this procedure is also in Appendix A.

Table A1.1a (cont)

Area 1.1: Station B—Overhead Crane

AOC #:	1
PCB Area Description:	Overhead crane: motor and non-porous steel surface
Location Reference:	Figure A1.1 (Individual sample locations not shown.)
Sample Matrix:	Hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results in:	Appendix B

Characterization Samples			Verification Samples		
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result
HEXANE WIPE OF STEEL SURFACE			HEXANE WIPE OF STEEL SURFACE		
CR-CS30	03-21-02 (03-26-02)	ND < 5.0			
CR-CS31	03-21-02 (03-26-02)	ND < 5.0			
CR-CS32	03-21-02 (04-04-02)	ND < 5.0			
CR-CS33	03-21-02 (03-26-02)	ND < 5.0			
CR-CS34	03-21-02 (04-04-02)	ND < 5.0			
CR-CS35	03-21-02 (04-04-02)	ND < 5.0			
CR-CS36	03-21-02 (04-04-02)	ND < 5.0			
CR-CS37	03-21-02 (03-26-02)	ND < 5.0			
CR-CS38	03-21-02 (04-04-02)	ND < 5.0			
CR-CS39	03-21-02 (03-26-02)	ND < 5.0			
CR-CS40	03-21-02 (04-04-02)	ND < 5.0			
CR-CS41	03-21-02 (03-26-02)	ND < 5.0			
CR-CS42	03-21-02 (04-04-02)	ND < 5.0			
CR-CS43	03-21-02 (03-26-02)	ND < 5.0			
CR-CS44	03-21-02 (03-26-02)	ND < 5.0			
CR-CS45	03-21-02 (04-04-02)	ND < 5.0			
CR-CS46	03-21-02 (04-04-02)	ND < 5.0			
CR-CS47	03-21-02 (03-26-02)	ND < 5.0			
Field Blank 1	03-21-02 (03-26-02)	ND < 5.0			
Field Blank 2	03-21-02 (04-12-02)	ND < 5.0			
Field Blank 3	03-21-02 (04-12-02)	ND < 5.0			

Notes for Table A1.1a:

- (1) = Sample of oil from a motor on the crane. Result reported as milligrams per kilogram (mg/kg), wet weight.
- (2) = Result reported by GEI Consultants, Inc., who did not indicate that the result is reported as wet weight.
- NA = Not applicable.
- ND = Not detected.
- < = Less than minimum detection limit.
- Bold indicates that detected concentration exceeds associated cleanup criterion.**

Table A1.1b

SAMPLING AND ANALYSIS DATA: STATION B INTERIOR – MEZZANINE AND FIRST FLOOR

Area 1.1: Station B—Mezzanine and first floor

AOC #:	1
PCB Area Description:	Mezzanine and first floor, excluding Annex III
Location Reference:	Figure A1.1 (AEI Sample Points only)
Sample Matrix:	Concrete; wood
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples			
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
FIRST FLOOR: CONCRETE FLOOR			
11-16-MISC-121 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0
1CO-01	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-02	½ inch	06-16-2004 (06-22-2004)	0.57
1CO-03	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-04	½ inch	06-16-2004 (06-22-2004)	0.98
1CO-05	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-05D	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-06	½ inch	06-16-2004 (06-22-2004)	0.52
1CO-07	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-08	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-09	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-10	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
1CO-11	½ inch	06-16-2004 (06-22-2004)	ND < 0.50
FIRST FLOOR: WOOD CHIPS			
11-16-MISC-123 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0
MEZZANINE: WOOD CHIPS			
11-16-MISC-124 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0
11-16-MISC-125 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0

Notes for Table A1.1b:

(1) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.

ND = Not Detected.

NS = Not Specified.

< = Less than minimum detection limit.

Table A1.2

SAMPLING AND ANALYSIS DATA: STATION B INTERIOR – ANNEX III FACILITY

Area 1.2: Station B—Annex III

AOC #:	1
PCB Area Description:	Annex III: porous concrete floor and containment berm
Location Reference:	Figures A1.1, A1.2 (AEI Sample Points only.)
Sample Matrix:	Concrete
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples		
Sample Point	Sampling Date (Analysis Date)	Sample Result
ANNEX III CONCRETE FLOOR		
1CO-14	06-16-04 (06-22-04)	ND < 0.50
A-1	07-18-01 (07-20-01)	ND < 0.50
A-2	07-18-01 (07-20-01)	ND < 0.50
A-3	07-18-01 (07-20-01)	ND < 0.50
A-4	07-18-01 (07-20-01)	ND < 0.50
B-1	07-18-01 (07-20-01)	17.4
B-2	07-18-01 (07-20-01)	45
B-3	07-18-01 (07-20-01)	2.4
B-4	07-18-01 (07-20-01)	ND < 0.50
1CO-13	06-16-04 (06-22-04)	ND < 0.50
1CO-15	06-16-04 (06-22-04)	ND < 0.50
C-1	07-18-01 (07-20-01)	1.3
C-2	07-18-01 (07-20-01)	1.5
C-3	07-18-01 (07-20-01)	0.98
C-4	07-18-01 (07-20-01)	ND < 0.50
D-1	07-18-01 (07-20-01)	0.94
D-2	07-18-01 (07-20-01)	0.77
D-3	07-18-01 (07-20-01)	ND < 0.50
D-4	07-18-01 (07-20-01)	ND < 0.50
E-1	07-18-01 (07-20-01)	0.69
E-2	07-18-01 (07-20-01)	0.98
E-3	07-18-01 (07-20-01)	0.51

1 st and 2 nd Verification Samples ⁽¹⁾		
Sample Point	Sampling Date (Analysis Date)	Sample Result
ANNEX III CONCRETE FLOOR		
J-1	05-09-02 (05-13-02)	ND < 0.50
I-1	05-09-02 (05-13-02)	0.50
K-1.5	08-26-02 (08-29-02)	ND < 0.50
J-2	05-09-02 (05-13-02)	ND < 0.50
I-2	05-09-02 (05-13-02)	1.6
K-2.5	08-26-02 (08-29-02)	1.4
J-3	05-09-02 (05-13-02)	ND < 0.50
I-3	05-09-02 (05-13-02)	1.1
I-3a ⁽²⁾	05-09-02 (05-13-02)	0.65
K-3.5	08-26-02 (08-29-02)	ND < 0.50
K-3.5 dup	08-26-02 (08-29-02)	ND < 0.50
J-4	05-09-02 (05-13-02)	ND < 0.50
I-4	05-09-02 (05-13-02)	ND < 0.50
H-1	05-09-02 (05-13-02)	ND < 0.50
L-1.5	08-26-02 (08-29-02)	ND < 0.50
H-2	05-09-02 (05-13-02)	ND < 0.50
L-2.5	08-26-02 (08-29-02)	ND < 0.50
H-3	05-09-02 (05-13-02)	ND < 0.50
L-3.5	08-26-02 (08-29-02)	ND < 0.50

Table A1.2 (cont)

Area 1.2: Station B—Annex III

AOC #:	1
PCB Area Description:	Annex III: porous concrete floor and containment berm
Location Reference:	Figures A1.1, A1.2 (AEI Sample Points only)
Sample Matrix:	Concrete
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples			1 st and 2 nd Verification Samples ⁽¹⁾		
Sample Point	Sampling Date (Analysis Date)	Sample Result	Sample Point	Sampling Date (Analysis Date)	Sample Result
ANNEX III CONCRETE FLOOR			ANNEX III CONCRETE FLOOR		
E-4	07-18-01 (07-20-01)	ND < 1.0 ⁽²⁾			
1CO-16	06-16-04 (06-22-04)	ND < 0.50			
SE-1	07-18-01 (07-20-01)	0.80			
1CO-12	06-16-04 (06-22-04)	ND < 0.50			
F-2	07-18-01 (07-20-01)	ND < 0.50			
F-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
F-4	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
SF-1	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
SF-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
G-2	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
G-3	07-18-01 (07-20-01)	ND < 1.0 ⁽³⁾			
1CO-EB01	06-16-04 (06-21-04)	ND < 12 ⁽⁴⁾	Field blank	05-09-02 (05-13-02)	ND < 0.50 ⁽⁴⁾
CS-5 ⁽⁵⁾	06-11-98 (06-23-98)	15	Equip. Blank	08-26-02 (08-29-02)	ND < 10 ⁽⁴⁾
11-16-MISC-114 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0			
11-16-MISC-115 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0			
11-16-MISC-116 ⁽⁵⁾	11-18-99 (11-29-99)	ND < 1.0			

Notes for Table A1.2:

- (1) = Sample locations selected using a 5-foot grid.
- (2) = Duplicate sample.
- (3) = Minimum detection limit (MDL) affected by matrix interference.
- (4) = Water matrix. Units are micrograms per liter (µg/L).
- (5) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.
- ND = Not Detected.
- < = Less than minimum detection limit.
- Bold** indicates that detected concentration exceeds associated cleanup criterion.
- Depth = ½ inch for all AEI samples. Depth not specified for GEI samples.

Table A1.3

SAMPLING AND ANALYSIS DATA: STATION B INTERIOR – BASEMENT

Area 1.3: Station B—Basement

AOC #:	1
PCB Area Description:	Basement: concrete pads and former earthen floor
Location Reference:	Figure A1.3 (AEI Sample Points only)
Sample Matrix:	Concrete; soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
CONCRETE			
11-16-MISC-117 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0
11-16-MISC-118 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0
11-16-MISC-119 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	ND < 1.0
11-16-MISC-120 ⁽¹⁾	NS	11-18-1999 (11-29-1999)	1.0
11-16-MISC-122 ⁽¹⁾	NS	11-19-1999 (12-01-1999)	ND < 1.0
SOIL			
SS-N	0.0–1.0	05-02-2001 (05-18-2001)	ND < 0.50
SS-O	0.0–0.5	05-02-2001 (05-04-2001)	ND < 0.50
SS-P	0.0–0.5	05-02-2001 (05-04-2001)	ND < 0.50
SS-Q	0.0–0.5	05-02-2001 (05-04-2001)	ND < 0.50
SS-R	0.0–0.5	05-02-2001 (05-18-2001)	ND < 0.50
SS-S	0.0–0.5	05-02-2001 (05-04-2001)	ND < 0.50
SS-T	0.0–0.5	05-02-2001 (05-18-2001)	ND < 0.50

Notes for Table A1.3:

(1) = Result reported by GEI Consultants, Inc., who did not indicate that the results are reported as dry weight.

ND = Not Detected.

NS = Not Specified.

< = Less than minimum detection limit.

Table A2.1

SAMPLING AND ANALYSIS DATA: STATION B YARD AREAS – ELEVATED TRACKS

Area 2.1: Former Coal Yard

AOC #:	12W
PCB Area Description:	Elevated railroad tracks and foundations
Location Reference:	Figure
Sample Matrix:	Soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples			
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
2HA-139	0.0–0.25	11-08-2004 (11-13-2004)	ND < 0.50
2HA-139	0.25–1.25	11-08-2004 (11-13-2004)	ND < 0.50
2HA-140	0.0–0.25	11-08-2004 (11-13-2004)	ND < 0.50
2HA-140	0.25–1.25	11-08-2004 (11-13-2004)	ND < 0.50
SS-II	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
SS-JJ	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
SS-KK ⁽¹⁾	0.0–0.3	04-03-2002 (04-06-2002)	0.83
SS-LL	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
SS-MM	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
SS-NN	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
SS-OO	0.0–0.3	04-02-2002 (04-11-2002)	ND < 0.50
SS-X	0.0–0.6	05-14-2001 (05-22-2001)	ND < 0.50
SS-Y	0.0–0.6	05-14-2001 (05-22-2001)	ND < 0.50
SS-Z	0.0–0.6	05-14-2001 (05-22-2001)	ND < 0.50

Notes for Table A2.1:

(1) = Sample also tested for leachable PCBs using the Synthetic Precipitation Leachate Procedure (SPLP). SPLP PCBs were not detected.

ND = Not Detected.

< = Less than minimum detection limit.

Table A2.2

SAMPLING AND ANALYSIS DATA: STATION B YARD AREAS – FORMER COAL YARD

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure A
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; water
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; µg per liter (µg/L)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
ASPHALT ⁽¹⁾			
2HA-241	0.0–0.3	12-16-2004 (12-28-2004)	ND < 0.50
2HA-242	0.0–0.3	12-16-2004 (12-28-2004)	ND < 0.50
2TB-207	0.0–0.3	11-18-2004 (12-03-2004)	ND < 0.50
2TB-256	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
2TB-257	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
2TB-258	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
2TB-259	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
2TB-260	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.30
2TB-261	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.30
2TB-262	0.0–0.25	02-23-2006 (02-28-2006)	0.49
2TB-263	0.0–0.25	02-23-2006 (02-28-2006)	0.45
2TB-264	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
2TB-265	0.0–0.25	02-23-2006 (02-28-2006)	ND < 0.60
TB-CCCC	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
TB-DDDD	0.0–0.3	04-03-2002 (04-06-2002)	ND < 0.50
TB-EEEE	0.0–0.3	04-04-2002 (04-08-2002)	ND < 0.50
TB-JJJJ	0.0–0.3	04-04-2002 (04-08-2002)	ND < 0.50
TB-KKKK	0.0–0.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-MMMM	0.0–0.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-NNNN	0.0–0.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-OOOO	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-PPPP	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-RRRR	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-SSSS	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
CONCRETE			
2CO-129	½ inch	11-30-2004 (12-07-2004)	ND < 0.50
2CO-130	½ inch	11-30-2004 (12-07-2004)	ND < 0.50
2CO-131	½ inch	11-30-2004 (12-07-2004)	ND < 0.50
2CO-177	½ inch	12-16-2004 (12-28-2004)	ND < 0.50
2CO-504	½ inch	11-30-2004 (12-07-2004)	ND < 0.50
SEDIMENT			
CB-2	0.0–0.3	05-10-2001 (05-15-2001)	3.8
CB-3	0.0–0.3	05-10-2001 (05-15-2001)	ND < 0.50

Table A2.2 (cont)

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure A
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; water
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; µg per liter (µg/L)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
2HA-241	0.3-0.6	12-16-2004 (12-28-2004)	ND < 0.50
2HA-242	0.3-0.5	12-16-2004 (12-28-2004)	ND < 0.50
2TB-206 ⁽¹⁾	0.0-0.3	11-18-2004 (12-03-2004)	3.0
2TB-206	0.3-2.3	11-18-2004 (12-03-2004)	ND < 0.50
2TB-206 ⁽¹⁾	4.3-6.3	11-18-2004 (12-03-2004)	1.44
2TB-207	0.3-1.3	11-18-2004 (12-03-2004)	ND < 0.50
2TB-207	1.3-2.3	11-18-2004 (12-03-2004)	ND < 0.50
2TB-207 ⁽¹⁾	2.3-4.3	11-18-2004 (12-03-2004)	0.55
2TB-207	4.3-6.3	11-18-2004 (12-03-2004)	ND < 0.50
2TB-256	0.25-0.50	02-23-2006 (02-28-2006)	ND < 0.60
2TB-256	0.50-1.00	02-23-2006 (02-28-2006)	ND < 0.30
2TB-256	1.00-2.25	02-23-2006 (02-28-2006)	ND < 0.30
2TB-256	2.25-3.25	02-23-2006 (02-28-2006)	ND < 0.40
2TB-256	3.25-4.25	02-23-2006 (02-28-2006)	ND < 0.40
2TB-256	6.25-8.25	02-23-2006 (02-28-2006)	ND < 0.40
2TB-257	0.5-1.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-257	1.5-2.5	02-23-2006 (02-28-2006)	ND < 0.60
2TB-257	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-257	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-257D	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-258	0.5-2.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-258	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-258	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-259	0.5-1.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-259	1.5-2.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-259	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-259	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-260	0.5-1.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-260	1.5-2.5	02-23-2006 (02-28-2006)	0.30
2TB-260	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-260	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.70
2TB-261	0.5-1.0	02-23-2006 (02-28-2006)	ND < 0.30
2TB-261	1.5-3.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-261	3.5-5.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-262	0.5-1.0	02-23-2006 (02-28-2006)	ND < 0.30
2TB-262	1.0-2.5	02-23-2006 (02-28-2006)	0.41
2TB-262	2.5-3.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-262	3.5-4.5	02-23-2006 (02-28-2006)	ND < 1.0

Table A2.2 (cont)

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure A
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; water
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; µg per liter (µg/L)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
2TB-262D	1.0-2.5	02-23-2006 (02-28-2006)	0.44
2TB-263	0.5-1.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-263	1.5-2.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-263	2.5-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-263	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.50
2TB-264	0.5-1.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-264	1.5-2.5	02-23-2006 (02-28-2006)	ND < 0.60
2TB-264	2.5-4.0	02-23-2006 (02-28-2006)	ND < 0.30
2TB-264	4.0-4.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-264	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.40
2TB-265	0.5-2.5	02-23-2006 (02-28-2006)	ND < 0.30
2TB-265	1.5-4.0	02-23-2006 (02-28-2006)	ND < 0.60
2TB-265	4.5-6.5	02-23-2006 (02-28-2006)	ND < 0.50
MW-07 ⁽²⁾	7-9	06-04-1998 (06-12-1998)	ND < 1.0
MW-22 ⁽²⁾	7-9	06-09-1998 (06-19-1998)	ND < 1.0
SS-CC	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50
SS-CC	0.3-1.3	04-03-2002 (04-08-2002)	ND < 0.50
SS-DD	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50
SS-DD	0.3-1.3	04-03-2002 (04-18-2002)	ND < 0.50
SS-EE	0.0-0.3	04-03-2002 (04-08-2002)	ND < 0.50
SS-EE	0.3-1.3	04-03-2002 (04-08-2002)	ND < 0.50
TB-09 ⁽²⁾	3-7	06-04-1998 (06-12-1998)	ND < 1.0
TB-10 ⁽²⁾	11-13	06-04-1998 (06-12-1998)	ND < 1.0
TB-C	2-4	05-10-2001 (05-15-2001)	ND < 0.50
TB-CCCC	2.5-2.8	04-03-2002 (04-06-2002)	ND < 0.50
TB-CCCC	2.8-3.8	04-03-2002 (04-06-2002)	ND < 0.50
TB-CCCC	4.5-6.0	04-03-2002 (04-06-2002)	ND < 0.50
TB-CCCC	10-12	04-03-2002 (04-06-2002)	ND < 0.50
TB-D	2-4	05-11-2001 (05-18-2001)	ND < 0.50
TB-DDDD	1.3-1.6	04-03-2002 (04-06-2002)	ND < 0.50
TB-DDDD	1.6-2.6	04-03-2002 (04-06-2002)	ND < 0.50
TB-DDDD	3.3-4.3	04-03-2002 (04-06-2002)	ND < 0.50
TB-DDDD	15-17	04-03-2002 (04-06-2002)	ND < 0.50
TB-EEEE	1.5-1.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-EEEE	1.8-2.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-EEEE	3.8-5.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-EEEE	10-12	04-04-2002 (04-08-2002)	ND < 0.50
TB-F	0-2	05-11-2001 (05-18-2001)	ND < 0.50

Table A2.2 (cont)

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure A
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; water
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; µg per liter (µg/L)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
TB-JJJJ	1.5-1.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-JJJJ	1.8-2.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-JJJJ	3.5-5.0	04-04-2002 (04-08-2002)	ND < 0.50
TB-JJJJ	5.0-5.5	04-04-2002 (04-08-2002)	ND < 0.50
TB-KKKK	1.0-1.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-KKKK	1.3-2.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-KKKK	5-6	04-04-2002 (04-09-2002)	ND < 0.50
TB-KKKK	5-6 D	04-02-2002 (04-11-2002)	ND < 0.50
TB-LLLL	0.0-0.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-LLLL	0.3-0.6	04-04-2002 (04-09-2002)	ND < 0.50
TB-LLLL	0.6-1.6	04-04-2002 (04-09-2002)	ND < 0.50
TB-LLLL	3.3-4.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-LLLL	4.3-6.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-MMMM	0.5-0.8	04-04-2002 (04-09-2002)	ND < 0.50
TB-MMMM	0.8-1.8	04-04-2002 (04-09-2002)	ND < 0.50
TB-MMMM	4.5-6.5	04-04-2002 (04-09-2002)	ND < 0.50
TB-NNNN	1.0-1.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-NNNN	1.3-2.3	04-04-2002 (04-09-2002)	ND < 0.50
TB-NNNN	4-5	04-04-2002 (04-09-2002)	ND < 0.50
TB-OOOO	2.0-2.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-OOOO	4-5	04-05-2002 (04-11-2002)	ND < 0.50
TB-PPPP	0.3-0.6	04-05-2002 (04-11-2002)	ND < 0.50
TB-PPPP	0.9-1.0	04-05-2002 (04-11-2002)	ND < 0.50
TB-PPPP	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-QQQQ	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-QQQQ	0.3-2.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-QQQQ	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-RRRR	1.0-1.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-RRRR	3.3-3.9	04-05-2002 (04-11-2002)	ND < 0.50
TB-RRRR	3.9-4.0	04-05-2002 (04-11-2002)	ND < 0.50
TB-SSSS	2.2-2.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-SSSS	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-TTTT	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-TTTT	1.0-1.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-TTTT	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50

Area 2.2: Former Coal Yard

AOC #:	12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure A
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; water
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; µg per liter (µg/L)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
WATER ⁽⁴⁾			
2TB-257 EB	2.5-4.5	02-23-2006 (03-1-2006)	ND < 0.50
2TB-262 EB	1.0-2.5	02-23-2006 (03-1-2006)	ND < 0.50

Notes for Table A2.2:

- (1) = Asphalt samples may include some base material (e.g., cobbles or gravel).
 - (2) = Result reported by GEI Consultants, Inc.
 - (3) = Sample also tested for leachable PCBs using the Synthetic Precipitation Leachate Procedure (SPLP). SPLP PCBs were ND < 0.50.
 - (4) = Units are µg/L.
- ND = Not detected. < = Less than minimum detection limit.

Table A6.1

SAMPLING AND ANALYSIS DATA: STATION B YARD AREAS – SOUTH AND WEST

Area 6.1: Former Coal Yard and Area Adjacent to Station B

AOC #:	2, 3, 12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
ASPHALT ⁽¹⁾			
AOC2-CS6	0.0–0.25	03-12-2002 (03-14-2002)	ND < 0.50
TB-AAAAA	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-BBBBB	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-CCCCC	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-DDDDD	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-FFFFF	0.0–0.3	04-04-2002 (04-08-2002)	ND < 0.50
TB-FFFFFF	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-GGGGG	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-HHHHH	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-IIIII	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-JJJJJ	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-KKKKK	0.0–0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-UUUUU	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-VVVVV	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-YYYY	0.0–0.3	04-05-2002 (04-11-2002)	ND < 0.50
6AS-001	½ inch	08-26-2004 (08-30-2004)	ND < 0.50
6AS-001D	½ inch	08-26-2004 (08-30-2004)	ND < 0.50
EB-06*	NA	08-26-2004 (08-31-2004)	ND < 12 **
CONCRETE			
6CO-065	½ inch	08-26-2004 (08-30-2004)	ND < 0.50
SOIL			
AOC2-CS2	0–2	03-12-2002 (03-14-2002)	ND < 0.50
AOC2-CS2	2–4	03-12-2002 (03-14-2002)	ND < 0.50
AOC2-CS2	5–7	03-12-2002 (03-14-2002)	ND < 0.50
AOC2-CS6	0.25–2.0	03-12-2002 (03-14-2002)	ND < 0.50
AOC2-CS6	2–4	03-12-2002 (03-14-2002)	ND < 0.50
AOC2-CS6	5–7	03-12-2002 (03-14-2002)	ND < 0.50
MW-02 ⁽²⁾	13–17	06-02-1998 (06-10-1998)	ND < 1.0
MW-03 ⁽²⁾	15–17	06-04-1998 (06-12-1998)	ND < 1.0
TB-01 ⁽²⁾	7–8	06-02-1998 (06-10-1998)	ND < 1.0
TB-05 ⁽²⁾	4–6	06-04-1998 (06-12-1998)	ND < 1.0
TB-06 ⁽²⁾	1–7	06-04-1998 (06-12-1998)	ND < 1.0
TB-07 ⁽²⁾	5	06-04-1998 (06-12-1998)	ND < 1.0
TB-07A ⁽²⁾	7–9	06-04-1998 (06-12-1998)	ND < 1.0

Table A6.1 (cont)

Area 6.1: Former Coal Yard and Area Adjacent to Station B

AOC #:	2, 3, 12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL¹			
TB-08A ⁽²⁾	1-3	06-04-1998 (06-12-1998)	ND < 1.0
TB-08B ⁽²⁾	9-11	06-04-1998 (06-12-1998)	ND < 1.0
TB-08B ⁽²⁾	15-17	06-04-1998 (06-12-1998)	ND < 1.0
TB-AAAAA	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-BBBBB	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-BBBBB	2.5-4.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-BBBBB	4.5-5.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-CCCCC	2-4	04-05-2002 (04-10-2002)	ND < 0.50
TB-CCCCC	4-5	04-05-2002 (04-10-2002)	ND < 0.50
TB-DDDDD	0.5-0.8	04-05-2002 (04-10-2002)	ND < 0.50
TB-EEEE	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-EEEE	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-EEEE	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-FFFF	0.5-0.8	04-04-2002 (04-08-2002)	ND < 0.50
TB-FFFF	2.5-3.5	04-04-2002 (04-08-2002)	ND < 0.50
TB-FFFF	3.5-4.5	04-04-2002 (04-08-2002)	ND < 0.50
TB-FFFF	0.5-0.8	04-05-2002 (04-10-2002)	ND < 0.50
TB-GGGGG	0.5-1.2	04-05-2002 (04-10-2002)	ND < 0.50
TB-HHHHH	0.5-2.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-HHHHH	2.5-4.5	04-05-2002 (04-10-2002)	ND < 0.50
TB-I	2-4	05-14-2001 (05-18-2001)	ND < 0.50
TB-J	2-4	05-14-2001 (05-18-2001)	ND < 0.50
TB-JJJJJ	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-JJJJJ	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-KKKKK	1-2	04-05-2002 (04-10-2002)	ND < 0.50
TB-KKKKK	4-5	04-05-2002 (04-10-2002)	ND < 0.50
TB-L	2-4	05-14-2001 (05-18-2001)	ND < 0.50
TB-UUUU	1.2-1.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-UUUU	5-7	04-05-2002 (04-11-2002)	ND < 0.50
TB-VVVV	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50

Table A6.1 (cont)

Area 6.1: Former Coal Yard and Area Adjacent to Station B

AOC #:	2, 3, 12N
PCB Area Description:	Paved and unpaved areas south and west of Station B
Location Reference:	Figure
Sample Matrix:	Asphalt; concrete; soil; catch basin sediment; hexane wipe of steel surface
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight; micrograms per 100 square centimeters (µg/100 sq. cm)
Laboratory Results In:	Appendix B

Characterization Samples

Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
TB-VVVV	0.5-2.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-VVVV	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-WWWW	2.2-2.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-WWWW	2.5-4.5	04-05-2002 (04-11-2002)	ND < 0.50
TB-XXXX	0.0-0.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-XXXX	2.3-4.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-XXXX	4.3-6.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-YYYY	2.0-2.3	04-05-2002 (04-11-2002)	ND < 0.50
TB-YYYY	2.5-3.0	04-05-2002 (04-11-2002)	ND < 0.50
TB-YYYY	3-5	04-05-2002 (04-10-2002)	ND < 0.50
TB-YYYY	5-7	04-05-2002 (04-10-2002)	ND < 0.50
TB-ZZZZ	0.0-0.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-ZZZZ	0.3-2.3	04-05-2002 (04-10-2002)	ND < 0.50
TB-ZZZZ	2.3-4.3	04-05-2002 (04-10-2002)	ND < 0.50
CATCH BASIN SEDIMENT			
CB-1	0.0-0.8	05-10-2001 (05-15-2001)	ND < 0.50
HEXANE WIPE OF STEEL SURFACE			
6HX-007	NA	08-26-2004 (09-01-2004)	ND < 10
6HX-007D	NA	08-26-2004 (09-01-2004)	ND < 10
Field Blank 2	NA	08-26-2004 (09-01-2004)	ND < 5.0

Notes for Table A6.1:

(1) = Asphalt samples may include some base material (e.g., cobbles or gravel).

(2) = Result reported by GEI Consultants, Inc.

NA = Not applicable. ND = Not detected.

< = Less than minimum detection limit.

* = Equipment Blank, matrix water. ** = Detection limit based on sample size supplied for analysis.

Table A6.2

SAMPLING AND ANALYSIS DATA: STATION B YARD AREAS – EAST DRIVEWAY

Area 6.2: Mill River East Branch Area

AOC #:	12E
PCB Area Description:	Mill River East Branch area
Location Reference:	Figure A1.3 (AEI Sample Points only)
Sample Matrix:	Soil
Analysis:	US EPA Method 8082
Units:	Milligrams per kilogram (mg/kg), dry weight
Laboratory Results In:	Appendix B

Characterization Samples			
Sample Point	Depth (feet)	Sampling Date (Analysis Date)	Sample Result
SOIL			
MW-04D ⁽¹⁾	36-40	06-10-1998 (06-18-1998)	ND < 1.0
MW-05 ⁽¹⁾	2-4	05-26-1998 (06-07-1998)	ND < 1.0

Notes for Table A6.2:
 (1) = Result reported by GEI Consultants, Inc.
 ND = Not Detected.
 < = Less than minimum detection limit.

Sample Matrix	Sample Type	PCB Area(s)	Sample Collection	Sample Preparation and Extraction	Sample Analysis
Asphalt	Cores (drilling dust); Test boring; Hand auger	2.2, 6.1, 6.2	Sample collection using methods for concrete or soil, as appropriate. See below.	EPA 3550B	EPA 160.3 mo; EPA 8082
Concrete	Cores (drilling dust)	1.1, 1.2, 1.3, 2.2, 3.1, 6.1	EPA's "Draft Standard Operating Procedure for Sampling Concrete in the Field", December 30, 1997. Concrete Sampling: AEI SOP-011.	EPA 3545; EPA 3550B	EPA 160.3 mo; EPA 8082
Hexane	Wipe of steel (non-porous)	1.1, 1.4, 6.1	EPA's SOP for "Chip, Wipe, and Sweep Sampling", No. 2011, November 16, 1994. PCB Sampling with Hexane Wipes: AEI SOP-014.	EPA 3550B	EPA 8082
Oil	Grab	1.4	Sampled from motor reservoirs by using suction bulbs to transfer oil directly into sample containers.	None	EPA 8082
Paint	Scraping	1.4	Sampled by scraping painted surface down to bare metal. Sample collected on aluminum foil and transferred into sample jar.	EPA 3545	EPA 160.3 mo; EPA 8082
Sediment	Polyethylene scoop	2.2, 6.1	Sediment Sampling: AEI SOP-003	EPA 3545; EPA 3550B	EPA 8082
Soil	TEST BORING: Split-spoon sampler or Geoprobe ® SURFACE SAMPLE: Hand auger	1.3, 2.1, 2.2, 3.1, 3.2, 6.1, 6.2	Soil Sampling with a Split-spoon Sampler: AEI SOP-004. Soil Sampling with a Geoprobe ®: AEI SOP-013. Soil Sampling with Hand Tools: AEI SOP-019.	EPA 3545; EPA 3550B	EPA 160.3 mo; EPA 8082
Stone	Split-spoon sampler	3.2	Soil Sampling with a Split-spoon Sampler: AEI SOP-004.	EPA 3550B	EPA 8082
Water	Ground water Equipment Blank	2.2, 6.1, 6.2 1, 2, 3, 6	Low Stress and Low Flow Ground Water Sampling: AEI SOP-002. Equipment Blank Sample Collection: AEI SOP-009.	EPA 3510	EPA 8082
Wood	Cores (drilling dust)	1.1	Sampling procedure similar to Concrete Sampling: AEI SOP-011.	EPA 3545	EPA 160.3 mo; EPA 8082

Notes:

- (1) The sample collection procedures cited above are included in Appendix A; the sample extraction and analysis procedures are referenced to EPA SW-846. The laboratory procedures conforming to SW-846 are included in Appendix B, except EPA 160.3 mo which is currently in preparation.
- (2) Equipment decontamination procedures followed Equipment Decontamination: AEI SOP-012.
- (3) The data presented in this report span the period from 1998 through 2007. Either no or minimum details are available regarding sample collection, preparation and extraction, and analysis for work performed by other consultants. Some of the current methods and SOPs were developed after the initiation of this project. This Table represents only current and recent practice. The laboratory reports in Appendix D provide information on former analytical methods.

<u>Notes for All Sampling and Analysis Data Tables A1.1 Through A6.2:</u>	
1 = Result reported by GEI Consultants, Inc., who did not indicate the result is wet weight. Sample Point not shown on Figures—location not certain.	
2 = Result reported by GEI Consultants, Inc., who did not indicate the result is dry weight. Sample Point not shown on Figures—location not certain.	
3 = Detection limits were raised due to an interfering pattern of peaks.	
4 = Also tested for leachable PCBs using the Synthetic Precipitation Leachate Procedure (SPLP). All were ND except two: 3GP-306 @ 0.3–1.3 feet (= 0.16 µg/L) and 3GP-307 @ 1.3–2.5 feet (= 0.18 µg/L).	
5 = Duplicate sample.	
6 = Result reported by GEI Consultants, Inc.	
7 = Not enough residual sample to test for leachable PCBs using SPLP.	
8 = Matrix "stone" includes material identified as crushed stone, gravel, process, or stone.	
9 = Detection limits based on sample size supplied for analysis.	
10 = Due to the size of the gauze wipe, additional solvent was added to the analysis resulting in the detection limits being raised.	
11 = Result reported by United Illuminating laboratory; Minimum Detection Limit (MDL) reportedly = 1.0.	
12 = Paint scraped from crane down to bare metal.	
13 = Low surrogate recovery; no additional sample available for duplicate analysis.	
14 = Surrogate diluted out of curve (out of sample).	
15 = Elevated detection limit ≥ RSR criterion. See memo from Complete Environmental Testing, Inc. (CET) in Appendix D1.	
16 = Insufficient sample for total solids.	
17 = Historic sample—concrete removed by scarification or excision.	
18 = Verification sample (hexane wipe or oil) following clean-up of overhead crane, Area 1.4.	
<u>Symbols and Abbreviations:</u>	
BOLD (in analysis results column) = result exceeds cleanup criterion	
D or Dup = Duplicate sample	
EB = Equipment Blank	
NA = Not Applicable	
ND = Not Detected	
NS = Not Specified	
< = Less than minimum detection limit	
<u>Sample Matrix:</u> <u>Sample Result Units:</u>	
Asphalt, Concrete, Paint, Sediment, Soil, Stone, Wood	Milligrams per kilogram (mg/kg), dry weight
Hexane wipe of steel surface	Micrograms per 100 square centimeters (µg/100 sq. cm)
Oil	Milligrams per kilogram (mg/kg), wet weight
Water	Micrograms per liter (µg/L)

Table A1.1, page 1 of 4

Sampling and Analysis Data: Station B Interior—Mezzanine and First Floor

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	11-16-MISC-121	NS	Concrete	1	1.1	First floor	11-19-1999	CTL1199322	12-01-1999	ND < 1	1.0	2
B	1CO-01	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-02	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	0.57	1.0	—
B	1CO-03	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-04	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	0.98	1.0	—
B	1CO-05	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-05 D	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	5
B	1CO-06	½ inch	Concrete	1	1.1	Loading dock	06-16-2004	04060618r	06-22-2004	0.52	1.0	—
B	1CO-07	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-08	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-09	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-10	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-11	½ inch	Concrete	1	1.1	First floor	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-200	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-201	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.51	1.0	—
B	1CO-202	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-203	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-204	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-205	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.35	1.0	—
B	1CO-206	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-207	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.39	1.0	—
B	1CO-208	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-209	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.50	1.0	—
B	1CO-210	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-211	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-212	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-213	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-214	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-215	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-216	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-217	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—

Table A1.1, page 2 of 4

Sampling and Analysis Data: Station B Interior—Mezzanine and First Floor

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	1CO-218	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.86	1.0	—
B	1CO-219	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.51	1.0	—
B	1CO-219 D	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.62	1.0	5
B	1CO-220	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	1.00	1.0	—
B	1CO-221	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	1.4	1.0	—
B	1CO-222	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	0.54	1.0	—
B	1CO-223	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	2.0	1.0	—
B	1CO-224	½ inch	Concrete	1	1.1	Office roof	09-01-2006	06090116r	09-11-2006	ND < 0.30	1.0	—
B	1CO-225	½ inch	Concrete	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	43	1.0	15
B	1CO-226	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	0.71	1.0	—
B	1CO-227	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	0.91	1.0	—
B	1CO-228	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	2.4	1.0	—
B	1CO-229	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	1.7	1.0	—
B	1CO-230	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	1.5	1.0	—
B	1CO-231	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.44	1.0	—
B	1CO-232	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.40	1.0	—
B	1CO-233	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	2.4	1.0	—
B	1CO-234	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	1.04	1.0	—
B	1CO-235	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.79	1.0	—
B	1CO-236	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	2.3	1.0	—
B	1CO-237	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.45	1.0	—
B	1CO-238	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	1.6	1.0	—
B	1CO-239	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	2.2	1.0	—
B	1CO-240	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	2.1	1.0	—
B	1CO-241	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	1.7	1.0	—
B	1CO-242	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.42	1.0	—
B	1CO-243	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	2.3	1.0	—
B	1CO-244	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	3.7	1.0	—
B	1CO-245	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	1.85	1.0	—
B	1CO-245 D	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-12-2006	1.0	1.0	5
B	1CO-246	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-10-2006	0.34	1.0	—

Table A1.1, page 3 of 4

Sampling and Analysis Data: Station B Interior—Mezzanine and First Floor

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	1CO-247	½ inch	Concrete	1	1.1	Loading dock	09-28-2006	06091008r	10-12-2006	0.37	1.0	—
B	1CO-248	½ inch	Concrete	1	1.1	Loading dock	09-28-2006	06091008r	10-12-2006	0.48	1.0	—
B	1CO-249	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-11-2006	8.3	1.0	15
B	1CO-250	½ inch	Concrete	1	1.1	First floor	09-28-2006	06091008r	10-11-2006	2.9	1.0	—
B	1CO-251	½ inch	Concrete	1	1.1	Loading dock	09-28-2006	06091008r	10-11-2006	0.49	1.0	—
B	1CO-252	½ inch	Concrete	1	1.1	Loading dock	09-28-2006	06091008r	10-11-2006	0.38	1.0	—
B	1CO-253	½ inch	Concrete	1	1.1	Loading dock	09-28-2006	06091008r	10-11-2006	0.62	1.0	—
B	1CO-254	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-01-2006	0.98	1.0	—
B	1CO-255	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	0.96	1.0	—
B	1CO-256	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	2.0	1.0	—
B	1CO-257	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	0.80	1.0	—
B	1CO-258	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	0.60	1.0	—
B	1CO-259	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	ND < 0.30	1.0	—
B	1CO-260	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	0.95	1.0	—
B	1CO-261	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	2.4	1.0	—
B	1CO-262	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	1.29	1.0	—
B	1CO-263	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	2.7	1.0	—
B	1CO-264	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	0.30	1.0	—
B	1CO-265	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-07-2006	0.31	1.0	—
B	1CO-265 D	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	0.30	1.0	5
B	1CO-266	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	1.8	1.0	—
B	1CO-267	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	0.49	1.0	—
B	1CO-268	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	2.8	1.0	—
B	1CO-269	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-06-2006	ND < 0.30	1.0	—
B	1CO-270	½ inch	Concrete	1	1.1	First floor	10-25-2006	06100978r	11-07-2006	0.31	1.0	—
B	1CO-271	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	2.0	1.0	—
B	1CO-272	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.33	1.0	—
B	1CO-273	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	1.8	1.0	—
B	1CO-274	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.30	1.0	—
B	1CO-275	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.89	1.0	—
B	1CO-276	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.58	1.0	—

Table A1.1, page 4 of 4

Sampling and Analysis Data: Station B Interior—Mezzanine and First Floor

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	1CO-277	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.51	1.0	—
B	1CO-277 D	½ inch	Concrete	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	0.40	1.0	5
B	1HX-046	NA	Hexane	1	1.1	Stairs	10-25-2006	06100978r	11-07-2006	ND < 5.0	10.0	—
B	1HX-048	NA	Hexane	1	1.1	Stairs	10-25-2006	06100978r	11-07-2006	ND < 5.0	10.0	—
B	11-16-MISC-123	NS	Wood	1	1.1	First floor	11-19-1999	CTL1199322	12-01-1999	ND < 1	1.0	2
B	11-16-MISC-124	NS	Wood	1	1.1	Mezzanine	11-19-1999	CTL1199322	12-01-1999	ND < 1	1.0	2
B	11-16-MISC-125	NS	Wood	1	1.1	Mezzanine	11-19-1999	CTL1199322	12-01-1999	ND < 1	1.0	2
B	1XX-026	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	1.42	1.0	—
B	1XX-027	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	ND < 0.30	1.0	—
B	1XX-028	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	ND < 0.30	1.0	—
B	1XX-029	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	ND < 0.30	1.0	—
B	1XX-030	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	1.64	1.0	—
B	1XX-031	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	0.83	1.0	—
B	1XX-032	½ inch	Wood	1	1.1	First floor	10-25-2006	06100978r	11-04-2006	ND < 0.30	1.0	—
B	1XX-033	½ inch	Wood	1	1.1	First floor	11-13-2006	06110383r	11-17-2006	ND < 0.60	1.0	—
B	1CO-219 <u>EB</u>	NA	Water	1	1.1	First floor	09-01-2006	06090116r	09-11-2006	ND < 0.50	NA	—
B	1CO-245 <u>EB</u>	NA	Water	1	1.1	First floor	09-28-2006	06091008r	10-03-2006	ND < 0.50	NA	—
B	1CO-265 <u>EB</u>	NA	Water	1	1.1	First floor	10-25-2006	06100978r	11-01-2006	ND < 0.50	NA	—
B	1CO-277 <u>EB</u>	NA	Water	1	1.1	First floor	11-13-2006	06110383r	11-21-2006	ND < 0.50	NA	—
B	1CO- <u>EB</u> 01	NA	Water	1	1.1	First floor	06-16-2004	04060618r	06-21-2004	ND < 12	NA	9

Table A1.2, page 1 of 2

Sampling and Analysis Data: Station B Interior—Annex III Facility

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	11-16-MISC-114	NS	Concrete	1	1.2	Annex III	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	11-16-MISC-115	NS	Concrete	1	1.2	Annex III	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	11-16-MISC-116	NS	Concrete	1	1.2	Annex III	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	1CO-12	½ inch	Concrete	1	1.2	Annex III	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-13	½ inch	Concrete	1	1.2	Annex III	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-14	½ inch	Concrete	1	1.2	Annex III	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-15	½ inch	Concrete	1	1.2	Annex III	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	1CO-16	½ inch	Concrete	1	1.2	Annex III	06-16-2004	04060618r	06-22-2004	ND < 0.50	1.0	—
B	A-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	A-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	A-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	A-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	B-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	17.4	1.0	17
B	B-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	45	1.0	17
B	B-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	2.4	1.0	17
B	B-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	C-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	1.3	1.0	17
B	C-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	1.5	1.0	17
B	C-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.98	1.0	—
B	C-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	CS-5	(Chip)	Concrete	1	1.2	Annex III	06-11-1998	CTL698248	06-23-1998	15	1.0	2
B	D-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.94	1.0	—
B	D-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.77	1.0	—
B	D-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	D-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	E-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.69	1.0	—
B	E-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.98	1.0	—
B	E-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.51	1.0	—
B	E-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	F-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 0.50	1.0	—
B	F-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3

Table A1.2, page 2 of 2

Sampling and Analysis Data: Station B Interior—Annex III Facility

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	F-4	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	G-2	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	G-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	H-1	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	H-2	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	H-3	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	I-1	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	0.50	1.0	—
B	I-2	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	1.6	1.0	17
B	I-3	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	1.1	1.0	17
B	I-3a	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	0.65	1.0	5, 17
B	I-4	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	J-1	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	J-2	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	J-3	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	J-4	½ inch	Concrete	1	1.2	Annex III	05-09-2002	02050354	05-14-2002	ND < 0.50	1.0	—
B	K-1.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	—
B	K-2.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	1.4	1.0	17
B	K-3.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	—
B	K-3.5 Dup	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	5
B	L-1.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	—
B	L-2.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	—
B	L-3.5	½ inch	Concrete	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 0.50	1.0	—
B	SE-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	0.80	1.0	—
B	SF-1	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	SF-3	½ inch	Concrete	1	1.2	Annex III	07-18-2001	01070757	07-20-2001	ND < 1.0	1.0	3
B	Equip. Blank	NA	Water	1	1.2	Annex III	08-26-2002	02080881	08-29-2002	ND < 10	NA	—
B	Field Blank	NA	Water	1	1.2	Annex III	05-09-2002	02050355	05-13-2002	ND < 0.50	NA	—

Table A1.3, page 1 of 1

Sampling and Analysis Data: Station B Interior—Basement

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	11-16-MISC-117	NS	Concrete	1	1.3	Basement	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	11-16-MISC-118	NS	Concrete	1	1.3	Basement	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	11-16-MISC-119	NS	Concrete	1	1.3	Basement	11-18-1999	CTL1199286	11-29-1999	ND < 1	1.0	2
B	11-16-MISC-120	NS	Concrete	1	1.3	Basement	11-18-1999	CTL1199286	11-29-1999	1	1.0	2
B	11-16-MISC-122	NS	Concrete	1	1.3	Basement	11-19-1999	CTL1199322	12-01-1999	ND < 1	1.0	2
B	SS-N	0.0–1.0	Soil	1	1.3	Basement	05-02-2001	01050613	05-18-2001	ND < 0.50	1.0	—
B	SS-O	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050165	05-04-2001	ND < 0.50	1.0	—
B	SS-P	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050165	05-04-2001	ND < 0.50	1.0	—
B	SS-Q	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050165	05-04-2001	ND < 0.50	1.0	—
B	SS-R	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050665	05-18-2001	ND < 0.50	1.0	—
B	SS-S	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050165	05-04-2001	ND < 0.50	1.0	—
B	SS-T	0.0–0.5	Soil	1	1.3	Basement	05-02-2001	01050665	05-18-2001	ND < 0.50	1.0	—

Table A1.4, page 1 of 3

Sampling and Analysis Data: Station B Interior—Overhead Crane

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	1HX-030	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-031	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-032	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-033	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-034	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-035	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	10.0	—
B	1HX-035 <u>EB</u>	NA	Hexane	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 5.0	NA	—
B	1HX-036	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-037	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-038	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-039	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-040	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-041	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-22-2006	ND < 5.0	10.0	—
B	1HX-042	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	ND < 5.0	10.0	—
B	1HX-043	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	ND < 5.0	10.0	—
B	1HX-044	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	ND < 5.0	10.0	—
B	1HX-045	NA	Hexane	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	ND < 5.0	10.0	—
B	1HX-047	NA	Hexane	1	1.4	Crane	10-25-2006	06100978r	11-07-2006	ND < 5.0	10.0	—
B	CR-CS01	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS02	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS03	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS04	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS05	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS06	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS07	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS08	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS09	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS10	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS11	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS12	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS13	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—

Table A1.4, page 2 of 3

Sampling and Analysis Data: Station B Interior—Overhead Crane

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	CR-CS14	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS15	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS16	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS17	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS18	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS18B	NA	Hexane	1	1.4	Crane	04-19-2002	02040671	04-23-2002	ND < 5.0	10.0	18
B	CR-CS19	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	25	10.0	—
B	CR-CS19B	NA	Hexane	1	1.4	Crane	04-19-2002	02040671	04-23-2002	ND < 5.0	10.0	18
B	CR-CS20	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS21	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS22	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS23	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS24	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS25	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS26	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS27	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS28	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS29	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS30	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS31	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS32	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS33	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS34	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS35	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS36	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS37	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS38	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS39	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS40	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS41	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS42	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—

Table A1.4, page 3 of 3

Sampling and Analysis Data: Station B Interior—Overhead Crane

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
B	CR-CS43	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS44	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	CR-CS45	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS46	NA	Hexane	1	1.4	Crane	03-21-2002	02040116	04-04-2002	ND < 5.0	10.0	—
B	CR-CS47	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	10.0	—
B	Field Blank 1	NA	Hexane	1	1.4	Crane	03-21-2002	02030740	03-26-2002	ND < 5.0	NA	—
B	Field Blank 2	NA	Hexane	1	1.4	Crane	03-21-2002	02040371	04-12-2002	ND < 5.0	NA	—
B	Field Blank 3	NA	Hexane	1	1.4	Crane	03-21-2002	02040371	04-12-2002	ND < 5.0	NA	—
B	11-16-MISC-113	NA	Oil	1	1.4	Crane	11-18-1999	CTL1199286	11-29-1999	4	1.0	1
B	NEM	NA	Oil	1	1.4	Crane	07-18-2001	01070758	07-25-2001	6.6	1.0	—
B	SEM	NA	Oil	1	1.4	Crane	07-18-2001	01070758	07-25-2001	6.6	1.0	—
B	RS-CS1	NA	Oil	1	1.4	Crane	03-21-2002	02030740	03-28-2002	ND < 2.0	1.0	18
B	1XX-010	NA	Paint	1	1.4	Crane	09-01-2006	06090116r	09-11-2006	9.5	1.0	12
B	1XX-011	NA	Paint	1	1.4	Crane	09-07-2006	06090256	09-12-2006	18.2	1.0	12, 15
B	1XX-012	NA	Paint	1	1.4	Crane	09-07-2006	06090256	09-12-2006	17.6	1.0	12, 15
B	1XX-013	NA	Paint	1	1.4	Crane	09-07-2006	06090256	09-12-2006	19.3	1.0	12, 15
B	1XX-014	NA	Paint	1	1.4	Crane	09-07-2006	06090256	09-12-2006	13.1	1.0	12, 15
B	1XX-015	NA	Paint	1	1.4	Crane	09-07-2006	06090256	09-12-2006	20.4	1.0	12, 15
B	1XX-016	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	21	1.0	12, 15
B	1XX-017	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	21	1.0	12, 15
B	1XX-018	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	13.4	1.0	12, 15
B	1XX-019	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	12.5	1.0	12, 15
B	1XX-019 D	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	15.3	1.0	5, 12, 15
B	1XX-020	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	8.5	1.0	12, 15
B	1XX-021	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	10.4	1.0	12, 15
B	1XX-022	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	21	1.0	12, 15
B	1XX-023	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	22	1.0	12, 15
B	1XX-024	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	20	1.0	12, 15
B	1XX-025	NA	Paint	1	1.4	Crane	09-07-2006	06090605r3	09-23-2006	4.5	1.0	12, 15
B	1XX-015 <u>EB</u>	NA	Water	1	1.4	Crane	09-07-2006	06090256	09-12-2006	ND < 0.50	NA	—

Table A2.1, page 1 of 1

Sampling and Analysis Data: Former Coal Yard—Elevated Hopper Tracks

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2HA-139	0.0–0.25	Soil	2	2.1	Track C	11-08-2004	04110347	11-13-2004	ND < 0.50	1.0	—
A	2HA-139	0.25–1.25	Soil	2	2.1	Track C	11-08-2004	04110347	11-13-2004	ND < 0.50	1.0	—
A	2HA-140	0.0–0.25	Soil	2	2.1	Track C	11-08-2004	04110347	11-13-2004	ND < 0.50	1.0	—
A	2HA-140	0.25–1.25	Soil	2	2.1	Track C	11-08-2004	04110347	11-13-2004	ND < 0.50	1.0	—
A	SS-HH	0.0–0.3	Soil	2	2.1	Track A	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-II	0.0–0.3	Soil	2	2.1	Track B	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-JJ	0.0–0.3	Soil	2	2.1	Track E	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-KK	0.0–0.3	Soil	2	2.1	Track C	04-03-2002	02040166	04-06-2002	0.83	1.0	4
A	SS-LL	0.0–0.3	Soil	2	2.1	Track E	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-MM	0.0–0.3	Soil	2	2.1	Track D	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-NN	0.0–0.3	Soil	2	2.1	Track C	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	SS-OO	0.0–0.3	Soil	2	2.1	Track E	04-02-2002	02040305	04-11-2002	ND < 0.50	1.0	—
A	SS-X	0.0–0.6	Soil	2	2.1	Track B	05-14-2001	01050754	05-22-2001	ND < 0.50	1.0	—
A	SS-Y	0.0–0.6	Soil	2	2.1	Track C	05-14-2001	01050754	05-22-2001	ND < 0.50	1.0	—
A	SS-Z	0.0–0.6	Soil	2	2.1	Track D	05-14-2001	01050754	05-22-2001	ND < 0.50	1.0	—

Table A2.2, page 1 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2AS-053	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-054	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-055	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-056	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-056 D	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	0.34	1.0	5
A	2AS-057	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-058	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	0.41	1.0	—
A	2AS-059	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2AS-060	½ inch	Asphalt	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.30	1.0	—
A	2CO-129	½ inch	Concrete	2	2.2	P24	11-30-2004	04120055	12-07-2004	ND < 0.50	1.0	—
A	2CO-130	½ inch	Concrete	2	2.2	P24	11-30-2004	04120055	12-07-2004	ND < 0.50	1.0	—
A	2CO-131	½ inch	Concrete	2	2.2	P24	11-30-2004	04120055	12-07-2004	ND < 0.50	1.0	—
A	2CO-177	½ inch	Concrete	2	2.2	CB2	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	2CO-504	½ inch	Concrete	2	2.2	P24	11-30-2004	04120055	12-07-2004	ND < 0.50	1.0	—
A	2GP-272	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 1.2	1.0	15
A	2GP-272	0.3–1.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-272	1.3–1.8	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-272	1.8–2.5	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-272	2.5–3.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-272	3.0–4.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-272	4.0–6.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-272	6.0–8.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-273	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 1.1	1.0	15
A	2GP-273	0.3–1.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-273	1.3–2.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-273	2.0–2.5	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-273	2.5–4.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-273	4.0–6.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-273	6.0–8.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-274	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	3.8	1.0	15
A	2GP-274 D	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 1.1	1.0	5, 15

Table A2.2, page 2 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2GP-274	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-274	1.3-2.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-274	2.0-2.5	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-274	2.5-3.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-274	3.0-4.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-274	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-274 D	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	5
A	2GP-274	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.50	1.0	—
A	2GP-275	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	2.6	1.0	15
A	2GP-275	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-275	1.3-2.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-275	2.0-2.5	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-275	2.5-3.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-275	3.0-4.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-275	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-275	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-276	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 1.1	1.0	15
A	2GP-276	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-276	1.3-2.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-276	2.0-2.5	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-276	2.5-3.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-276	3.0-4.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-276	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-276	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.50	1.0	—
A	2GP-277	½ inch	Asphalt	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 1.1	1.0	15
A	2GP-277	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-277	1.3-2.5	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-277	2.5-2.8	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-277	2.8-4.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-277	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-277 D	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	5

Table A2.2, page 3 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2GP-277	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.40	1.0	—
A	2GP-278	0.0-0.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-278	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-278	1.3-2.2	Soil	2	2.2	—	01-25-2007	07010594	01-28-2007	ND < 0.30	1.0	—
A	2GP-278	2.2-2.5	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-278	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.30	1.0	—
A	2GP-278	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-278	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.40	1.0	—
A	2GP-279	0.0-0.3	Soil	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.40	1.0	—
A	2GP-279	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.30	1.0	—
A	2GP-279	1.3-2.2	Soil	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.30	1.0	—
A	2GP-279	2.2-2.5	Soil	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.40	1.0	—
A	2GP-279	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.40	1.0	—
A	2GP-279	4.0-5.5	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.40	1.0	—
A	2GP-279	5.5-7.0	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.40	1.0	—
A	2GP-280	0.0-0.3	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.40	1.0	—
A	2GP-280	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.30	1.0	—
A	2GP-280	1.3-2.2	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.30	1.0	—
A	2GP-280	2.2-2.5	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.30	1.0	—
A	2GP-280	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.40	1.0	—
A	2GP-280 D	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010595	01-30-2007	ND < 0.40	1.0	5
A	2GP-280	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-280	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-281	0.0-0.3	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-281	0.3-2.5	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-281	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-281	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-281	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-282	0.0-0.3	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-282	0.3-1.3	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-282	1.3-1.6	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—

Table A2.2, page 4 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2GP-282	1.6-2.5	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-282	2.5-4.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.30	1.0	—
A	2GP-282	4.0-6.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2GP-282	6.0-8.0	Soil	2	2.2	—	01-25-2007	07010595	01-31-2007	ND < 0.40	1.0	—
A	2HA-241	0.0-0.3	Asphalt	2	2.2	—	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	2HA-241	0.3-0.6	Soil	2	2.2	—	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	2HA-242	0.0-0.3	Asphalt	2	2.2	—	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	2HA-242	0.3-0.5	Soil	2	2.2	—	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	2TB-206	0.0-0.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	3.0	1.0	4
A	2TB-206	0.3-2.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	1.0	—
A	2TB-206	4.3-6.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	1.44	1.0	4
A	2TB-207	0.0-0.3	Asphalt	2	2.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	1.0	—
A	2TB-207	0.3-1.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	1.0	—
A	2TB-207	1.3-2.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	1.0	—
A	2TB-207	2.3-4.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	0.55	1.0	4
A	2TB-207	4.3-6.3	Soil	2	2.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	1.0	—
A	2TB-256	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-256	0.25-0.50	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-256	0.5-1.0	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-256	1.00-2.25	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-256	2.25-3.25	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-256	3.25-4.25	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-256	6.25-8.25	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-257	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-257	0.5-1.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-257	1.5-2.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-257	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-257 D	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-257	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-258	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-258	0.5-2.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—

Table A2.2, page 5 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2TB-258	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-258	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-259	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.60	1.0	—
A	2TB-259	0.5-1.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-259	1.5-2.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-259	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-259	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-260	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-260	0.5-1.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.30	1.0	—
A	2TB-260	1.5-2.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	0.30	1.0	—
A	2TB-260	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.40	1.0	—
A	2TB-260	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020567	02-28-2006	ND < 0.70	1.0	—
A	2TB-261	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-261	0.5-1.0	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-261	1.5-3.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-261	3.5-5.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.40	1.0	—
A	2TB-262	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020568	02-28-2006	0.49	1.0	—
A	2TB-262	0.5-1.0	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-262	1.0-2.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	0.41	1.0	—
A	2TB-262 D	1.0-2.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	0.44	1.0	—
A	2TB-262	2.5-3.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-262	3.5-4.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 1.0	1.0	15
A	2TB-263	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020568	02-28-2006	0.45	1.0	—
A	2TB-263	0.5-1.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-263	1.5-2.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-263	2.5-4.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.40	1.0	—
A	2TB-263	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.50	1.0	—
A	2TB-264	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.60	1.0	—
A	2TB-264	0.5-1.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-264	1.5-2.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.60	1.0	—
A	2TB-264	2.5-4.0	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—

Table A2.2, page 6 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	2TB-264	4.0-4.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.40	1.0	—
A	2TB-264	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.40	1.0	—
A	2TB-265	0.0-0.25	Asphalt	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.60	1.0	—
A	2TB-265	0.5-2.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.30	1.0	—
A	2TB-265	1.5-4.0	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.60	1.0	—
A	2TB-265	4.5-6.5	Soil	2	2.2	—	02-23-2006	06020568	02-28-2006	ND < 0.50	1.0	—
A	MW-07	7-9	Soil	2	2.2	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	MW-22	7-9	Soil	2	2.2	—	06-09-1998	CTL698180	06-19-1998	ND < 1.0	1.0	6
A	SS-BB	0.0-0.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-BB	0.3-1.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-CC	0.0-0.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-CC	0.3-1.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-D2	0.0-0.5	Soil	2	2.2	Surge basin	05-02-2001	01050164	05-04-2001	ND < 0.50	1.0	—
A	SS-DD	0.0-0.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-DD	0.3-1.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-EE	0.0-0.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	SS-EE	0.3-1.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	TB-09	3-7	Soil	2	2.2	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-10	11-13	Soil	2	2.2	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-C	2-4	Soil	2	2.2	—	05-10-2001	01050514	05-15-2001	ND < 0.50	1.0	—
A	TB-CCCC	0.0-0.3	Asphalt	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-CCCC	2.5-2.8	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-CCCC	2.8-3.8	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-CCCC	4.5-6.0	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-CCCC	10-12	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-D	2-4	Soil	2	2.2	—	05-11-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-DDDD	0.0-0.3	Asphalt	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-DDDD	1.3-1.6	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-DDDD	1.6-2.6	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-DDDD	3.3-4.3	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	TB-DDDD	15-17	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—

Table A2.2, page 7 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-EEEE	0.0-0.3	Asphalt	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-EEEE	1.5-1.8	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-EEEE	1.8-2.8	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-EEEE	3.8-5.8	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-EEEE	10-12	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-F	0-2	Soil	2	2.2	—	05-11-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-GGGG	0.0-0.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-GGGG	1-2	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-GGGG	2.3-4.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-HHHH	0.0-0.3	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-HHHH	1.3-2.3	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-HHHH	2.3-4.3	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-HHHH	5-6	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-JJJJ	0.0-0.3	Asphalt	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-JJJJ	1.5-1.8	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-JJJJ	1.8-2.8	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-JJJJ	3.5-5.0	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-JJJJ	5.0-5.5	Soil	2	2.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-KKKK	0.0-0.3	Asphalt	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-KKKK	1.0-1.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-KKKK	1.3-2.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-KKKK	5-6	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-KKKK	5-6	Soil	2	2.2	—	04-02-2002	02040305	04-11-2002	ND < 0.50	1.0	5
A	TB-LLLL	0.0-0.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-LLLL	0.3-0.6	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-LLLL	0.6-1.6	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-LLLL	3.3-4.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-LLLL	4.3-6.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-MMMM	0.0-0.3	Asphalt	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-MMMM	0.5-0.8	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-MMMM	0.8-1.8	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—

Table A2.2, page 8 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-MMMM	4.5-6.5	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-NNNN	0.0-0.3	Asphalt	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-NNNN	1.0-1.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-NNNN	1.3-2.3	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-NNNN	4-5	Soil	2	2.2	—	04-04-2002	02040244a	04-09-2002	ND < 0.50	1.0	—
A	TB-OOOO	0.0-0.3	Asphalt	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-OOOO	2.0-2.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-OOOO	4-5	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-PPPP	0.0-0.3	Asphalt	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-PPPP	0.3-0.6	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-PPPP	0.9-1.0	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-PPPP	2.3-4.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-QQQQ	0.0-0.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-QQQQ	0.3-2.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-QQQQ	2.3-4.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-R	5-7	Soil	2	2.2	—	05-15-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-RRRR	0.0-0.3	Asphalt	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-RRRR	1.0-1.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-RRRR	3.3-3.9	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-RRRR	3.9-4.0	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-SSSS	0.0-0.3	Asphalt	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-SSSS	2.2-2.5	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-SSSS	2.5-4.5	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-TTTT	0.0-0.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-TTTT	1.0-1.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-TTTT	2.3-4.3	Soil	2	2.2	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-ZZZ	0.0-0.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	TB-ZZZ	0.3-1.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	TB-ZZZ	2.3-4.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	TB-ZZZ	4.3-6.3	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—
A	TB-ZZZ	10-12	Soil	2	2.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	1.0	—

Table A2.2, page 9 of 9

Sampling and Analysis Data: Former Coal Yard

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-ZZZ	15-16	Soil	2	2.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	1.0	—
A	CB-2	0.0-0.3	Sediment	2	2.2	CB2	05-10-2001	01050508	05-15-2001	3.8	1.0	—
A	CB-3	0.0-0.3	Sediment	2	2.2	CB3	05-10-2001	01050508	05-15-2001	ND < 0.50	1.0	—
A	2AS-056 <u>EB</u>	½ inch	Water	2	2.2	—	02-27-2007	07020595	02-28-2007	ND < 0.50	NA	—
A	2GP-274 <u>EB</u>	0.0-0.5	Water	2	2.2	—	02-13-2007	07020278	02-17-2007	ND < 0.50	NA	—
A	2GP-274 <u>EB</u>	NA	Water	2	2.2	—	01-25-2007	07010594	01-29-2007	ND < 0.50	NA	13
A	2GP-277 <u>EB</u>	NA	Water	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.50	NA	—
A	2GP-280 <u>EB</u>	NA	Water	2	2.2	—	01-25-2007	07010595	01-29-2007	ND < 0.50	NA	13
A	2TB-257 <u>EB</u>	2.5-4.5	Water	2	2.2	—	02-23-2006	06020568	03-01-2006	ND < 0.50	NA	—
A	2TB-262 <u>EB</u>	1.0-2.5	Water	2	2.2	—	02-23-2006	06020568	03-01-2006	ND < 0.50	NA	—

Table A3.1, page 1 of 1

Sampling and Analysis Data: Former Capacitor Bank Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3CO-178	½ inch	Concrete	3	3.1	CP#3	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	3CO-179	½ inch	Concrete	3	3.1	CP#3	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	Cap3-A	½ inch	Concrete	3	3.1	CP#3	01-30-2002	02020002	02-04-2002	ND < 0.50	1.0	—
A	Cap3-B	½ inch	Concrete	3	3.1	CP#3	01-30-2002	02020002	02-04-2002	ND < 0.50	1.0	—
A	Cap3-C	½ inch	Concrete	3	3.1	CP#3	01-30-2002	02020002	02-04-2002	ND < 0.50	1.0	—
A	Cap3-D	½ inch	Concrete	3	3.1	CP#3	01-30-2002	02020002	02-04-2002	ND < 0.50	1.0	—
A	CS-4	(Scraping)	Concrete	3	3.1	CP#3	06-11-1998	CTL698248	06-23-1998	ND < 0.50	1.0	6
A	PCB-11	1	Soil	3	3.1	—	06-11-1998	CTL698248	06-23-1998	ND < 1.0	1.0	6
A	PCB-12	1	Soil	3	3.1	—	06-11-1998	CTL698248	06-23-1998	ND < 1.0	1.0	6
A	SS-PP	0.0-0.3	Soil	3	3.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	SS-PP	1.0-1.3	Soil	3	3.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—

Table A3.2, page 1 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-234	0.0-0.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-234	0.3-1.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-234 D	0.3-1.3	Soil	3	3.2	—	12-16-2004	04120611	12-27-2004	ND < 0.50	10.0	5
A	3GP-234	1.3-3.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-234	3.3-4.0	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-234	4-6	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-234	6-8	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-239	0.0-0.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-239	0.3-1.5	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	2.4	10.0	4
A	3GP-239	1.5-3.0	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	1.1	10.0	4
A	3GP-240	0.0-0.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-240	0.3-1.3	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	1.2	10.0	4
A	3GP-240	1.3-3.0	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	4.6	10.0	4
A	3GP-240	3-5	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	0.87	10.0	4
A	3GP-240	5-7	Soil	3	3.2	—	12-16-2004	04120609	12-21-2004	ND < 0.50	10.0	—
A	3GP-257	0.0-0.25	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-257	0.25-1.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-257	1.0-3.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-257	3.0-5.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-257	5.0-7.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.40	10.0	—
A	3GP-258	0.0-0.25	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-258	0.25-1.25	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-258	1.25-2.25	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-258	2.25-4.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-258	4.0-6.0	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.40	10.0	—
A	3GP-259	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.40	10.0	—
A	3GP-259	0.3-1.3	Soil	3	3.2	—	01-11-2007	07010304r	01-17-2007	ND < 0.30	10.0	—
A	3GP-259	1.3-2.3	Soil	3	3.2	—	01-11-2007	07010304r	01-17-2007	ND < 0.30	10.0	—
A	3GP-259	2.3-4.3	Soil	3	3.2	—	01-11-2007	07010304r	01-16-2007	ND < 0.30	10.0	—
A	3GP-259	4.3-6.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-259 D	4.3-6.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	5
A	3GP-259	6.3-8.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.40	10.0	—

Table A3.2, page 2 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-260	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-260	0.3-1.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-260	1.3-2.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-260	2.3-4.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	0.65	10.0	4
A	3GP-260	4.0-6.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-260	6.0-8.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.60	10.0	—
A	3GP-261	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-261	0.3-1.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-261	1.3-2.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-261	2.3-4.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-261	4.0-6.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-261	6.0-8.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	0.44	10.0	4
A	3GP-262	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-262	0.3-1.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-262	1.3-2.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	5.8	10.0	7, 15
A	3GP-262	2.3-4.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	1.3	10.0	7
A	3GP-262	4.0-6.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	0.60	10.0	4
A	3GP-262	6.0-8.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.40	10.0	—
A	3GP-263	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-263 D	0.0-0.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	5
A	3GP-263	0.3-1.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.40	10.0	—
A	3GP-263	1.3-2.3	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-263	2.3-4.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.30	10.0	—
A	3GP-263	4.0-6.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.40	10.0	—
A	3GP-263	6.0-8.0	Soil	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.40	10.0	—
A	3GP-264	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-264	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-264	1.3-2.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-264	2.3-4.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-264	2.5-2.8	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-264	4.0-6.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-264	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—

Table A3.2, page 3 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-265	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-265	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	1.1	10.0	7
A	3GP-265	1.3-2.5	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	9.6	10.0	7, 14, 15
A	3GP-265	2.5-2.8	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-265	2.8-4.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-265	4.0-6.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	0.42	10.0	4
A	3GP-265	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-266	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	ND < 0.30	10.0	—
A	3GP-266 D	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	ND < 0.30	10.0	5
A	3GP-266	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	ND < 0.30	10.0	—
A	3GP-266	1.3-2.5	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	0.52	10.0	4
A	3GP-266	2.5-4.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	0.75	10.0	4
A	3GP-266	4.0-4.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	16
A	3GP-266	4.3-6.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-266	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-267	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	ND < 0.30	10.0	—
A	3GP-267	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	3.8	10.0	4, 15
A	3GP-267	1.3-2.5	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	5.6	10.0	4, 15
A	3GP-267	2.5-2.8	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	0.48	10.0	7
A	3GP-267	2.8-4.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-19-2007	ND < 0.30	10.0	—
A	3GP-267	4.0-6.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-267	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-268	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-268	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-268	1.3-2.5	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-268	2.5-2.8	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-268	2.8-4.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.30	10.0	—
A	3GP-268	4.0-6.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	0.74	10.0	4
A	3GP-268	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	—
A	3GP-268 D	6.0-8.0	Soil	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.40	10.0	5
A	3GP-269	0.0-0.3	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—
A	3GP-269	0.3-1.3	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—

Table A3.2, page 4 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-269	1.3–2.5	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-269	2.5–2.8	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-269	2.8–4.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-269	4.0–6.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-269	6.0–8.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-270	0.0–0.3	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—
A	3GP-270	0.3–1.3	Soil	3	3.2	—	01-12-2007	07010327r	01-22-2007	3.2	10.0	4, 15
A	3GP-270	1.3–2.5	Soil	3	3.2	—	01-12-2007	07010327r	01-22-2007	2.5	10.0	4
A	3GP-270	2.5–4.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-270	4.0–4.3	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—
A	3GP-270	4.3–6.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—
A	3GP-270	6.0–8.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-271	0.0–0.3	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.30	10.0	—
A	3GP-271	0.3–1.3	Soil	3	3.2	—	01-12-2007	07010327r	01-22-2007	2.9	10.0	4, 15
A	3GP-271	1.3–2.5	Soil	3	3.2	—	01-12-2007	07010327r	01-22-2007	2.2	10.0	4
A	3GP-271	2.5–2.8	Soil	3	3.2	—	01-12-2007	07010327r	01-22-2007	ND < 0.30	10.0	—
A	3GP-271	2.8–4.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-271	4.0–6.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	—
A	3GP-271 D	4.0–6.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.40	10.0	5
A	3GP-271	6.0–8.0	Soil	3	3.2	—	01-12-2007	07010327r	01-19-2007	ND < 0.50	10.0	—
A	3GP-283	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-283	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-283	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-283	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-283 D	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	5
A	3GP-283	2.8–4.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-283	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.40	10.0	—
A	3GP-283	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.40	10.0	—
A	3GP-284	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-284	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-284	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-284	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.40	10.0	—

Table A3.2, page 5 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-284	2.8-4.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-284	4.0-6.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-284	6.0-8.0	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.40	10.0	—
A	3GP-285	0.0-0.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-285	0.3-1.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-285	1.3-2.5	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-285	2.5-2.8	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-285	2.8-4.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.40	10.0	—
A	3GP-285	4.0-6.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-285	6.0-8.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.40	10.0	—
A	3GP-286	0.0-0.3	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	0.32	10.0	7
A	3GP-286	0.3-1.3	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-286	1.3-2.5	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-286 D	1.3-2.5	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	0.58	10.0	4, 5
A	3GP-286	2.5-4.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-286	4.0-6.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.40	10.0	—
A	3GP-286	6.0-8.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.40	10.0	—
A	3GP-287	0.0-0.3	Soil	3	3.2	—	01-29-2007	07010666	01-31-2007	ND < 0.30	10.0	—
A	3GP-287	0.3-1.3	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-287	1.3-2.5	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-287	2.5-4.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-287	4.0-6.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.50	10.0	—
A	3GP-287	6.0-8.0	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.40	10.0	—
A	3GP-288	0.0-0.3	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-288	0.3-1.3	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-288	1.3-2.5	Soil	3	3.2	—	01-29-2007	07010666	02-01-2007	ND < 0.30	10.0	—
A	3GP-288	2.5-2.8	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.30	10.0	—
A	3GP-288	2.8-4.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-288	4.0-6.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-288	6.0-8.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.30	10.0	—
A	3GP-289	0.0-0.3	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	0.47	10.0	7
A	3GP-289	0.3-1.3	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	5.7	10.0	7, 15

Table A3.2, page 6 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-289	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	4.4	10.0	7, 15
A	3GP-289	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-289 D	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	0.54	10.0	5, 7
A	3GP-289	2.8–4.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-289	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-289	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010666	02-02-2007	ND < 0.40	10.0	—
A	3GP-290	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-290	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-290	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	1.6	10.0	7
A	3GP-290	2.5–3.7	Soil	3	3.2	—	01-29-2007	07010667	02-03-2007	7.2	10.0	7, 15
A	3GP-290	3.7–4.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-290	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.40	10.0	—
A	3GP-290	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.40	10.0	—
A	3GP-291	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-291	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-291	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	0.87	10.0	7
A	3GP-291	2.5–4.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	1.2	10.0	7
A	3GP-291	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-291	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.40	10.0	—
A	3GP-292	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-292	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-292	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-292	2.5–4.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-292 D	2.5–4.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	5
A	3GP-292	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-292	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.40	10.0	—
A	3GP-293	0.0–0.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-293	0.3–1.3	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-293	1.3–2.5	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	3.1	10.0	7, 15
A	3GP-293	2.5–2.8	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.30	10.0	—
A	3GP-293	2.8–4.0	Soil	3	3.2	—	01-29-2007	07010667	02-05-2007	ND < 0.30	10.0	—
A	3GP-293	4.0–6.0	Soil	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.40	10.0	—

Table A3.2, page 7 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-293	6.0–8.0	Soil	3	3.2	—	01-29-2007	07010667	02-06-2007	ND < 0.40	10.0	—
A	3GP-294	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.30	10.0	—
A	3GP-294	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	3.2	10.0	7, 15
A	3GP-294	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	1.9	10.0	7
A	3GP-294	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.30	10.0	—
A	3GP-294	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.30	10.0	—
A	3GP-294	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.40	10.0	—
A	3GP-294	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.40	10.0	—
A	3GP-295	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	1.0	10.0	7
A	3GP-295	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	0.41	10.0	7
A	3GP-295	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	1.6	10.0	7
A	3GP-295	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.30	10.0	—
A	3GP-295 D	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.30	10.0	5
A	3GP-295	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.30	10.0	—
A	3GP-295	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.40	10.0	—
A	3GP-295	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	ND < 0.40	10.0	—
A	3GP-296	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	1.0	10.0	7
A	3GP-296	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	1.4	10.0	7
A	3GP-296	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	0.95	10.0	7
A	3GP-296	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-08-2007	2.3	10.0	7
A	3GP-296	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.30	10.0	—
A	3GP-296	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.40	10.0	—
A	3GP-296	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.40	10.0	—
A	3GP-297	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.30	10.0	—
A	3GP-297	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	4.7	10.0	7
A	3GP-297	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	4.2	10.0	7
A	3GP-297	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-297	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.40	10.0	—
A	3GP-297	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.40	10.0	—
A	3GP-297	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.40	10.0	—
A	3GP-298	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-298	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—

Table A3.2, page 8 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-298	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-298 D	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	5
A	3GP-298	2.5–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-298	4.0–4.3	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-298	4.3–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.40	10.0	—
A	3GP-298	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.40	10.0	—
A	3GP-299	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-07-2007	ND < 0.30	10.0	—
A	3GP-299	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	0.30	10.0	7
A	3GP-299	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.30	10.0	—
A	3GP-299	2.5–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	0.42	10.0	7
A	3GP-299	4.0–4.3	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.30	10.0	—
A	3GP-299	4.3–6.0	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.40	10.0	—
A	3GP-299	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.40	10.0	—
A	3GP-300	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.30	10.0	—
A	3GP-300	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.40	10.0	—
A	3GP-300	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	0.79	10.0	7
A	3GP-300	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.30	10.0	—
A	3GP-300	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010698r	02-06-2007	ND < 0.30	10.0	—
A	3GP-301	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010698r	02-05-2007	ND < 0.30	10.0	—
A	3GP-301	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	2.6	10.0	7, 15
A	3GP-301	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	4.8	10.0	7, 15
A	3GP-301	2.5–3.7	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	—
A	3GP-301 D	2.5–3.7	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	5
A	3GP-301	3.7–4.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	—
A	3GP-301	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.40	10.0	—
A	3GP-301	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.40	10.0	—
A	3GP-302	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.40	10.0	—
A	3GP-302	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	—
A	3GP-302	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	3.4	10.0	7
A	3GP-302	2.5–3.7	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	—
A	3GP-302	3.7–4.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.30	10.0	—
A	3GP-302	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.40	10.0	—

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-302	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010699	02-06-2007	ND < 0.40	10.0	—
A	3GP-303	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	7
A	3GP-303	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	0.86	10.0	—
A	3GP-303	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-303	2.5–2.8	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	1.4	10.0	7
A	3GP-303	2.8–4.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-303	4.0–6.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	—
A	3GP-303	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	—
A	3GP-304	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-304	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-304	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-304 D	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	5
A	3GP-304	2.5–4.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	0.35	10.0	7
A	3GP-304	4.0–4.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	—
A	3GP-304	4.3–6.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	—
A	3GP-304	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.40	10.0	—
A	3GP-305	0.0–0.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-305	0.3–1.3	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-305	1.3–2.5	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	ND < 0.30	10.0	—
A	3GP-305	2.5–4.0	Soil	3	3.2	—	01-30-2007	07010699	02-07-2007	0.49	10.0	4
A	3GP-305	4.0–4.3	Soil	3	3.2	—	01-30-2007	07010699	02-08-2007	ND < 0.30	10.0	—
A	3GP-305	4.3–6.0	Soil	3	3.2	—	01-30-2007	07010699	02-08-2007	ND < 0.40	10.0	—
A	3GP-305	6.0–8.0	Soil	3	3.2	—	01-30-2007	07010699	02-08-2007	ND < 0.40	10.0	—
A	3GP-306	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.30	10.0	—
A	3GP-306	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020030	02-09-2007	3.0	10.0	4, 15
A	3GP-306	1.3–2.5	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	1.1	10.0	4
A	3GP-306	2.5–4.0	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	0.64	10.0	7
A	3GP-306	4.0–4.3	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.30	10.0	—
A	3GP-306	4.3–6.0	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.40	10.0	—
A	3GP-306	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.40	10.0	—
A	3GP-307	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.30	10.0	—
A	3GP-307	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.40	10.0	—

Table A3.2, page 10 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-307 D	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020030	02-08-2007	ND < 0.40	10.0	5
A	3GP-307	1.3–2.5	Soil	3	3.2	—	01-31-2007	07020030	02-09-2007	1.5	10.0	4
A	3GP-307	2.5–3.7	Soil	3	3.2	—	01-31-2007	07020030	02-09-2007	1.3	10.0	4
A	3GP-307	3.7–4.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-307	4.0–5.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-307	5.0–6.0	Soil	3	3.2	—	01-31-2007	07020030	02-09-2007	ND < 0.40	10.0	—
A	3GP-307	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.40	10.0	—
A	3GP-308	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-308	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	0.93	10.0	4
A	3GP-308	1.3–2.5	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-308	2.5–4.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-308	4.0–6.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.40	10.0	—
A	3GP-308	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	1.3–2.5	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	2.5–4.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	0.66	10.0	7
A	3GP-309	4.0–4.3	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	4.3–5.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.30	10.0	—
A	3GP-309	5.0–6.0	Soil	3	3.2	—	01-31-2007	07020030	02-10-2007	ND < 0.40	10.0	—
A	3GP-309	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.40	10.0	—
A	3GP-309 D	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	5
A	3GP-310	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-310	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-310	1.3–2.5	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-310	2.5–2.8	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-310	2.8–4.0	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-310	4.0–6.0	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.40	10.0	—
A	3GP-310	6.0–8.0	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.40	10.0	—
A	3GP-311	0.0–0.3	Soil	3	3.2	—	01-31-2007	07020031	02-10-2007	ND < 0.30	10.0	—
A	3GP-311	0.3–1.3	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-311	1.3–1.6	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—

Table A3.2, page 11 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-311	1.6-2.5	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-311	2.5-4.0	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.40	10.0	—
A	3GP-311	4.0-6.0	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.40	10.0	—
A	3GP-312	0.0-0.3	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-312	0.3-1.3	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-312	1.3-2.5	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-312	2.5-4.0	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.30	10.0	—
A	3GP-312	4.0-6.0	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.40	10.0	—
A	3GP-312	6.0-8.0	Soil	3	3.2	—	01-31-2007	07020031	02-07-2007	ND < 0.40	10.0	—
A	3HA-191	0.5-0.6	Soil	3	3.2	—	11-17-2004	04110658	11-29-2004	ND < 0.50	10.0	—
A	3TB-092	0.0-0.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-092	0.3-1.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-092	1.3-2.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-092	2.3-4.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-092	4.3-6.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	1.5	10.0	4
A	3TB-093	0.0-0.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-093	0.5-0.8	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-093	0.8-1.8	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	0.81	10.0	7
A	3TB-093	2.3-4.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-093	4.3-6.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-094	0.0-0.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-094	0.3-1.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	5.0	10.0	4
A	3TB-094	1.3-2.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	5.7	10.0	4
A	3TB-094	2.3-2.6	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	4.8	10.0	4
A	3TB-094 D	2.3-2.6	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	2.1	10.0	4, 5
A	3TB-094	2.6-4.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	14	10.0	3, 4
A	3TB-094	3-4	Soil	3	3.2	—	01-12-2007	07010325r	01-18-2007	ND < 0.30	10.0	—
A	3TB-094	4-5	Soil	3	3.2	—	01-12-2007	07010325r	01-18-2007	ND < 0.40	10.0	—
A	3TB-094	6.0-6.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-095	0.0-0.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	0.52	10.0	4
A	3TB-095	0.3-2.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	4.2	10.0	3, 7
A	3TB-095	2.3-3.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	4.6	10.0	3, 7

Table A3.2, page 12 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3TB-095	3.3-4.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-095	4.3-6.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-096	0.0-0.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-096	0.3-2.0	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	1.3	10.0	3, 7
A	3TB-096	2.0-2.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	3.3	10.0	3, 7
A	3TB-096	2.3-3.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 1.0	10.0	3
A	3TB-096	3.3-4.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-096	4.3-5.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 1.0	10.0	3
A	3TB-096	5.3-6.3	Soil	3	3.2	—	09-09-2004	04090341	09-17-2004	ND < 0.50	10.0	—
A	3TB-196	0.0-0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	8
A	3TB-196	0.3-1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	1.57	10.0	4
A	3TB-196	1.3-2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	3.2	10.0	4
A	3TB-196	2.3-4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-196	4.3-6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-197	0.3-1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	2.31	10.0	4
A	3TB-197	0.0-0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	8
A	3TB-197	1.3-2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	1.6	10.0	4
A	3TB-197	2.3-4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 1.0	10.0	3
A	3TB-197 D	2.3-4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 1.0	10.0	3, 5
A	3TB-197	4.3-5.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 1.0	10.0	3
A	3TB-197	5.3-6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-198	0.0-0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	8
A	3TB-198	0.3-1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	7.4	10.0	4
A	3TB-198	1.3-2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-198	2.3-4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	1.2	10.0	3, 4
A	3TB-198	4.3-5.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-198	5.3-6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-199	0.0-0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	0.74	10.0	8
A	3TB-199	0.3-1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	3.5	10.0	4
A	3TB-199	1.3-2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	0.58	10.0	4
A	3TB-199	2.3-3.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	0.54	10.0	4
A	3TB-199	4.0-5.0	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—

Table A3.2, page 13 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3TB-199	5.0–6.0	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-200	0.0–0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	8
A	3TB-200	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	2.81	10.0	4
A	3TB-200	1.3–2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	5.3	10.0	4
A	3TB-200	2.3–4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-200	4.3–5.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-200	5.3–6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	1.2	10.0	4
A	3TB-201	0.0–0.3	Stone	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	8
A	3TB-201	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	4.4	10.0	4
A	3TB-201 D	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	5.6	10.0	4, 5
A	3TB-201	1.3–2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	8.1	10.0	4
A	3TB-201	2.3–3.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	6.8	10.0	4
A	3TB-201	3.3–4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	0.53	10.0	4
A	3TB-201	4.3–6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-202	0.0–0.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-202	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-202	1.3–2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	0.53	10.0	4
A	3TB-202	2.3–4.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-202	4.3–6.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	0.95	10.0	4
A	3TB-203	0.0–0.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-203	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-203	1.3–2.3	Soil	3	3.2	—	11-18-2004	04110779	12-01-2004	ND < 0.50	10.0	—
A	3TB-203	2.3–4.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	2.1	10.0	4
A	3TB-203	4.3–6.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	17	10.0	3, 4
A	3TB-204	0.0–0.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204	0.3–1.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204	1.3–2.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204	2.3–3.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204	3.3–4.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204	4.3–6.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-204 D	4.3–6.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	5
A	3TB-205	0.0–0.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—

Table A3.2, page 14 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3TB-205	0.3-1.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-205	1.3-2.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	3TB-205	4.3-6.3	Soil	3	3.2	—	11-18-2004	04110780	12-03-2004	ND < 0.50	10.0	—
A	GP-30	0-2	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	ND	10.0	11
A	GP-30	2-4	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	ND	10.0	11
A	GP-30	4-6	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	3.8	10.0	11
A	GP-30	6-8	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	5.4	10.0	11
A	GP-30	8-10	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	ND	10.0	11
A	GP-30	10-12	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-26-1999	ND	10.0	11
A	GP-33	0-2	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-33	2-4	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-33	4-6	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-33	6-8	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-33	8-10	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-33	10-11	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-35	0-2	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-35	2-4	Soil	3	3.2	—	04-22-1999	UI, July 1999	04-29-1999	ND	10.0	11
A	GP-40	0-2	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-04-1999	ND	10.0	11
A	GP-40	2-4	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-04-1999	ND	10.0	11
A	GP-40	4-6	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-04-1999	ND	10.0	11
A	GP-40	6-8	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-05-1999	ND	10.0	11
A	GP-41	0-2	Soil	3	3.2	—	04-23-1999	UI, July 1999	04-30-1999	ND	10.0	11
A	GP-41	2-4	Soil	3	3.2	—	04-23-1999	UI, July 1999	04-30-1999	ND	10.0	11
A	GP-41	4-6	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-03-1999	ND	10.0	11
A	GP-41	6-8	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-03-1999	ND	10.0	11
A	GP-41	8-10	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-04-1999	ND	10.0	11
A	GP-41	10-12	Soil	3	3.2	—	04-23-1999	UI, July 1999	05-04-1999	ND	10.0	11
A	MW-06	5-9	Soil	3	3.2	—	06-09-1998	CTL698180	06-19-1998	ND < 1.0	10.0	6
A	MW-50	0-2	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	ND	10.0	11
A	MW-50	2-4	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	ND	10.0	11
A	MW-50	4-6	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	1.4	10.0	11
A	MW-50	8-10	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	ND	10.0	11

Table A3.2, page 15 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	MW-50	10-12	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	ND	10.0	11
A	MW-51	0-2	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-25-1999	ND	10.0	11
A	MW-51	2-4	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-25-1999	ND	10.0	11
A	MW-51	4-6	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-26-1999	ND	10.0	11
A	MW-51	6-8	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-26-1999	1.7	10.0	11
A	MW-51	8-10	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-26-1999	ND	10.0	11
A	MW-51	10-12	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-26-1999	ND	10.0	11
A	MW-52	4-6	Soil	3	3.2	—	10-12-1999	UI, March 2000	10-27-1999	ND	10.0	11
A	SS-D1	0.0-1.0	Soil	3	3.2	—	05-02-2001	01050164	05-04-2001	ND < 0.50	10.0	—
A	TB-AAAA	0.0-0.3	Soil	3	3.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	10.0	—
A	TB-AAAA	0.3-1.3	Soil	3	3.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	10.0	—
A	TB-AAAA	2.5-3.0	Soil	3	3.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	10.0	—
A	TB-AAAA	4-6	Soil	3	3.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	10.0	—
A	TB-AAAA	15-17	Soil	3	3.2	—	04-03-2002	02040165	04-08-2002	ND < 0.50	10.0	—
A	TB-BBBB	0.0-0.3	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-BBBB	0.3-1.3	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-BBBB	2.3-4.3	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-BBBB	4.3-6.3	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-BBBB	10-12	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-BBBB	15-17	Soil	3	3.2	—	04-03-2002	02040166	04-06-2002	ND < 0.50	10.0	—
A	TB-III	0.0-0.3	Soil	3	3.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	10.0	—
A	TB-III	0.3-1.3	Soil	3	3.2	—	04-04-2002	02040244	04-08-2002	1.9	10.0	4
A	TB-III	4.3-6.3	Soil	3	3.2	—	04-04-2002	02040244	04-08-2002	ND < 0.50	10.0	—
A	TB-S	0-1	Soil	3	3.2	—	05-15-2001	01050752	05-18-2001	ND < 0.50	10.0	—
A	TB-S	2.0-3.3	Soil	3	3.2	—	05-15-2001	01050752	05-18-2001	ND < 0.50	10.0	—
A	TB-S	5-7	Soil	3	3.2	—	05-15-2001	01050752	05-18-2001	ND < 0.50	10.0	—
A	TB-S	10-12	Soil	3	3.2	—	05-15-2001	01050752	05-18-2001	ND < 0.50	10.0	—
A	3GP-234 <u>EB</u>	0.3-1.3	Water	3	3.2	—	12-16-2004	04120611	12-23-2004	ND < 0.50	NA	—
A	3GP-259 <u>EB</u>	NA	Water	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.50	NA	—
A	3GP-263 <u>EB</u>	NA	Water	3	3.2	—	01-11-2007	07010304r	01-18-2007	ND < 0.50	NA	—
A	3GP-267 <u>EB</u>	NA	Water	3	3.2	—	01-12-2007	07010326r2	01-18-2007	ND < 0.50	NA	—
A	3GP-268 <u>EB</u>	NA	Water	3	3.2	—	01-12-2007	07010327r	01-18-2007	ND < 0.50	NA	—

Table A3.2, page 16 of 16

Sampling and Analysis Data: Former Coal Yard—Southwest Corner

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	3GP-271 <u>EB</u>	NA	Water	3	3.2	—	01-12-2007	07010327r	01-18-2007	ND < 0.50	NA	—
A	3GP-283 <u>EB</u>	NA	Water	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.50	NA	—
A	3GP-286 <u>EB</u>	NA	Water	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.50	NA	13
A	3GP-289 <u>EB</u>	NA	Water	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.50	NA	—
A	3GP-292 <u>EB</u>	NA	Water	3	3.2	—	01-29-2007	07010667	02-02-2007	ND < 0.50	NA	—
A	3GP-295 <u>EB</u>	NA	Water	3	3.2	—	01-30-2007	07010699	02-02-2007	ND < 0.50	NA	13
A	3GP-298 <u>EB</u>	NA	Water	3	3.2	—	01-30-2007	07010699	02-02-2007	ND < 0.50	NA	—
A	3GP-301 <u>EB</u>	NA	Water	3	3.2	—	01-30-2007	07010699	02-02-2007	ND < 0.50	NA	13
A	3GP-305 <u>EB</u>	NA	Water	3	3.2	—	01-30-2007	07010699	02-02-2007	ND < 0.50	NA	13
A	3GP-307 <u>EB</u>	NA	Water	3	3.2	—	01-31-2007	07020030	02-05-2007	ND < 0.50	NA	13
A	3GP-309 <u>EB</u>	NA	Water	3	3.2	—	01-31-2007	07020031	02-05-2007	ND < 0.50	NA	—
A	3TB-094 <u>EB</u>	2.3–2.6	Water	3	3.2	—	09-09-2004	04090341	09-13-2004	ND < 0.50	NA	—
A	3TB-197 <u>EB</u>	2.3–4.3	Water	3	3.2	—	11-18-2004	04110780	12-01-2004	ND < 0.50	NA	—
A	3TB-201 <u>EB</u>	0.3–1.3	Water	3	3.2	—	11-18-2004	04110780	12-01-2004	ND < 0.50	NA	—
A	3TB-204 <u>EB</u>	4.3–6.3	Water	3	3.2	—	11-18-2004	04110780	12-01-2004	ND < 0.50	NA	—

Table A6.1, page 1 of 3

Sampling and Analysis Data: Station B Yard Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	6AS-001	½ inch	Asphalt	6	6.1	EN01	08-26-2004	04080838r3	08-30-2004	ND < 0.50	1.0	—
A	6AS-001 D	½ inch	Asphalt	6	6.1	EN01	08-26-2004	04080838r3	08-30-2004	ND < 0.50	1.0	5
A	6CO-065	½ inch	Concrete	6	6.1	EN01	08-26-2004	04080838r3	08-30-2004	ND < 0.50	1.0	—
A	6CO-176	½ inch	Concrete	6	6.1	CB1	12-16-2004	04120627	12-28-2004	ND < 0.50	1.0	—
A	AOC2-CS2	0-2	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS2	2-4	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS2	5-7	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS6	0.0-0.25	Asphalt	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS6	0.25-2.0	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS6	2-4	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	AOC2-CS6	5-7	Soil	6	6.1	—	03-12-2002	02030429	03-14-2002	ND < 0.50	1.0	—
A	MW-02	13-17	Soil	6	6.1	—	06-02-1998	CTL698057	06-10-1998	ND < 1.0	1.0	6
A	MW-03	15-17	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-01	7-8	Soil	6	6.1	—	06-02-1998	CTL698057	06-10-1998	ND < 1.0	1.0	6
A	TB-05	4-6	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-06	1-7	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-07	5	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-07A	7-9	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-08A	1-3	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-08B	9-11	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-08B	15-17	Soil	6	6.1	—	06-04-1998	CTL698067	06-12-1998	ND < 1.0	1.0	6
A	TB-AAAAA	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-AAAAA	0.5-2.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-BBBBB	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-BBBBB	0.5-2.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-BBBBB	2.5-4.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-BBBBB	4.5-5.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-CCCCC	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-CCCCC	2-4	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-CCCCC	4-5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-DDDDD	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—

Table A6.1, page 2 of 3

Sampling and Analysis Data: Station B Yard Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-DDDDD	0.5-0.8	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-EEEE	0.0-0.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-EEEE	0.3-2.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-EEEE	2.3-4.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-FFFF	0.0-0.3	Asphalt	6	6.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-FFFF	0.5-0.8	Soil	6	6.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-FFFF	2.5-3.5	Soil	6	6.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-FFFF	3.5-4.5	Soil	6	6.1	—	04-04-2002	02040244	04-08-2002	ND < 0.50	1.0	—
A	TB-FFFFF	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-FFFFF	0.5-0.8	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-GGGGG	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-GGGGG	0.5-1.2	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-HHHHH	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-HHHHH	0.5-2.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-HHHHH	2.5-4.5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-I	2-4	Soil	6	6.1	—	05-14-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-IIIII	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-J	2-4	Soil	6	6.1	—	05-14-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-JJJJJ	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-JJJJJ	0.3-2.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-JJJJJ	2.3-4.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-KKKKK	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-KKKKK	1-2	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-KKKKK	4-5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-L	2-4	Soil	6	6.1	—	05-14-2001	01050751	05-18-2001	ND < 0.50	1.0	—
A	TB-UUUU	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-UUUU	1.2-1.5	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-UUUU	5-7	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-VVVV	0.0-0.3	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-VVVV	0.5-2.5	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-VVVV	2.5-4.5	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—

Table A6.1, page 3 of 3

Sampling and Analysis Data: Station B Yard Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-WWWW	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-WWWW	2.2-2.5	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-WWWW	2.5-4.5	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-XXXX	0.0-0.3	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-XXXX	2.3-4.3	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-XXXX	4.3-6.3	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-YYYY	0.0-0.3	Asphalt	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-YYYY	2.0-2.3	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-YYYY	2.5-3.0	Soil	6	6.1	—	04-05-2002	02040301	04-11-2002	ND < 0.50	1.0	—
A	TB-YYYY	3-5	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-YYYY	5-7	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-ZZZZ	0.0-0.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-ZZZZ	0.3-2.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	TB-ZZZZ	2.3-4.3	Soil	6	6.1	—	04-05-2002	02040302	04-10-2002	ND < 0.50	1.0	—
A	6HX-007	NA	Hexane	6	6.1	EN01	08-26-2004	04080838r3	09-01-2004	ND < 10	10.0	10
A	6HX-007 D	NA	Hexane	6	6.1	EN01	08-26-2004	04080838r3	09-01-2004	ND < 10	10.0	5, 10
A	Field Blank 2	NA	Hexane	6	6.1	EN01	08-26-2004	04080838r3	09-01-2004	ND < 5.0	NA	—
A	CB-1	0.0-0.8	Sediment	6	6.1	CB1	05-10-2001	01050508	05-15-2001	ND < 0.50	1.0	—
A	EB-06	NA	Water	6	6.1	EN01	08-26-2004	04080838r3	08-31-2004	ND < 12	NA	9

Table A6.2, page 1 of 2

Sampling and Analysis Data: East Drive Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	MW-04D	36-40	Soil	6	6.2	—	06-10-1998	CTL698208	06-18-1998	ND < 1.0	1.0	6
A	MW-05	2-4	Soil	6	6.2	—	05-26-1998	CTL598435	06-07-1998	ND < 1.0	1.0	6
A	MW-09A	0-2	Soil	6	6.2	—	05-26-1998	CTL598435	06-07-1998	ND < 1.0	1.0	6
A	TB-II	5-7	Soil	6	6.2	—	02-08-2002	02020321	02-14-2002	ND < 0.50	1.0	—
A	TB-MM	2-4	Soil	6	6.2	—	02-08-2002	02020321	02-14-2002	ND < 0.50	1.0	—
A	TB-OOO	0.0-0.3	Asphalt	6	6.2	—	04-01-2002	02040044	04-02-2002	ND < 0.50	1.0	—
A	TB-OOO	0.3-1.3	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-OOO	3.0-3.5	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-OOO	4-6	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-PPP	0.0-0.3	Asphalt	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-PPP	0.3-2.3	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-PPP	2.5-3.0	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-PPP	3.5-4.0	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-PPP	4.3-6.3	Soil	6	6.2	—	04-01-2002	02040045	04-03-2002	ND < 0.50	1.0	—
A	TB-QQ	0-2	Soil	6	6.2	—	02-08-2002	02020321	02-14-2002	ND < 0.50	1.0	—
A	TB-QQ	10-12	Soil	6	6.2	—	02-08-2002	02020321	02-14-2002	ND < 0.50	1.0	—
A	TB-SSS	0.0-0.3	Asphalt	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-SSS	0.3-0.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-SSS	2.6-4.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-SSS	6.6-8.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-TTT	0.0-0.3	Asphalt	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-TTT	0.3-0.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-TTT	0.6-2.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-TTT	4.6-6.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-UUU	0.0-0.3	Asphalt	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-UUU	0.3-0.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-UUU	4.6-6.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-UUU	15-17	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-VVV	0.0-0.3	Asphalt	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-VVV	0.3-0.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-VVV	2.0-2.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—

Table A6.2, page 2 of 2

Sampling and Analysis Data: East Drive Area

Plate	Sample Point	Depth (feet)	Sample Matrix	PCB Area	PCB Subarea	Site Feature	Sampling Date	Laboratory Report	Analysis Date	Analysis Result	Cleanup Criterion	Notes
A	TB-VVV	2.6-4.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-VVV	4.6-6.6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-W	2-4	Soil	6	6.2	—	05-15-2001	01050752	05-18-2001	ND < 0.50	1.0	—
A	TB-WWW	0.0-0.3	Asphalt	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-WWW	0.3-2.0	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-WWW	2-4	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-WWW	4-6	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—
A	TB-WWW	20-22	Soil	6	6.2	—	04-02-2002	02040117	04-05-2002	ND < 0.50	1.0	—

Data Table for Figure 3

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
1CO-608	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 23, 2008	ND < 0.30	1.0
1CO-609	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 23, 2008	0.41	1.0
1CO-610	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 23, 2008	ND < 0.30	1.0
1CO-611	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.83	1.0
1CO-612	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.43	1.0
1CO-613	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 23, 2008	ND < 0.30	1.0
1CO-614	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-615	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.69	1.0
1CO-616	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-617	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-618	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-619	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-620	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.76	1.0
1CO-621	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.94	1.0
1CO-622	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.37	1.0
1CO-623	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.72	1.0
1CO-624	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.34	1.0
1CO-625	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 26, 2008	ND < 0.30	1.0
1CO-626	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-627	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-627	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-628	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	0.55	1.0
1CO-629	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-630	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-631	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-632	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.85	1.0
1CO-633	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-634	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-635	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-636	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	ND < 0.30	1.0
1CO-637	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 25, 2008	0.37	1.0
1CO-638	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 26, 2008	ND < 0.30	1.0
1CO-639	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-640	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-641	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-642	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-643	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 24, 2008	ND < 0.30	1.0
1CO-644	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 26, 2008	0.32	1.0
1CO-645	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 26, 2008	ND < 0.30	1.0
1CO-646	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020440	Feb 26, 2008	1.48	1.0

Data Table for Figure 3 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
1CO-647	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.6	1.0
1CO-647	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.6	1.0
1CO-648	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.40	1.0
1CO-649	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.07	1.0
1CO-650	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	0.32	1.0
1CO-651	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.37	1.0
1CO-652	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.23	1.0
1CO-653	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.42	1.0
1CO-654	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.00	1.0
1CO-655	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.81	1.0
1CO-656	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	ND < 0.30	1.0
1CO-657	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.74	1.0
1CO-658	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	ND < 0.30	1.0
1CO-659	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	ND < 0.30	1.0
1CO-660	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.89	1.0
1CO-661	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.80	1.0
1CO-662	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	ND < 0.30	1.0
1CO-663	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	ND < 0.30	1.0
1CO-664	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.81	1.0
1CO-665	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	0.43	1.0
1CO-666	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.51	1.0
1CO-667	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.50	1.0
1CO-667	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.41	1.0
1CO-668	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	ND < 0.30	1.0
1CO-669	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	2.1	1.0
1CO-670	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	0.46	1.0
1CO-671	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.08	1.0
1CO-672	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	1.23	1.0
1CO-673	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 26, 2008	ND < 0.30	1.0
1CO-674	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.47	1.0
1CO-675	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	1.26	1.0
1CO-676	½ inch	Concrete	1.1	First floor	Feb 20, 2008	08020441	Feb 27, 2008	ND < 0.30	1.0
BW-606	NA	Water	1.1	First floor	Feb 20, 2008	08020441	Feb 25, 2008	< 0.50 ug/l	NA
BW-607	NA	Water	1.1	First floor	Feb 20, 2008	08020441	Feb 25, 2008	< 0.50 ug/l	NA
BW-608	NA	Water	1.1	First floor	Feb 20, 2008	08020441	Feb 25, 2008	< 0.50 ug/l	NA
1CO-677	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-678	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-679	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-680	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	1.17	1.0
1CO-681	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	4.5	1.0

Data Table for Figure 3 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
1CO-682	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	6.1	1.0
1CO-683	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.98	1.0
1CO-684	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.39	1.0
1CO-685	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.57	1.0
1CO-686	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	ND < 0.30	1.0
1CO-687	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	ND < 0.30	1.0
1CO-687	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	ND < 0.30	1.0
1CO-688	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.93	1.0
1CO-689	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	1.76	1.0
1CO-690	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	2.3	1.0
1CO-691	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 10, 2008	4.4	1.0
1CO-692	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.70	1.0
1CO-693	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	ND < 0.30	1.0
1CO-694	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	ND < 0.30	1.0
1CO-695	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-696	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	1.1	1.0
1CO-697	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	16,000	1.0
1CO-698	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	3.2	1.0
1CO-699	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	1.2	1.0
1CO-700	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-701	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	ND < 0.30	1.0
1CO-702	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	0.36	1.0
1CO-703	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	0.36	1.0
1CO-703	½ inch	Concrete	1.1	First floor	Feb 25, 2008	08020603	Mar 03, 2008	0.38	1.0
BW-609	NA	Water	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	< 0.50 ug/l	NA
BW-610	NA	Water	1.1	First floor	Feb 25, 2008	08020603	Mar 04, 2008	< 0.50 ug/l	NA
1XX-606	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.30	1.0
1XX-607	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.30	1.0
1XX-608	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-609	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-610	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-611	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-612	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-613	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-614	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-615	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-615	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-616	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-617	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-618	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0

Data Table for Figure 3 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
1XX-619	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-620	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-621	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-622	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-623	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
1XX-624	½ inch	Wood	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	ND < 0.50	1.0
BW-611	NA	Water	1.1	First floor	Feb 25, 2008	08020604	Mar 11, 2008	< 0.50 ug/l	NA

Hexane Wipe Samples of Steel Floor Girders


Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (ug/100 sq cm)	Cleanup Criterion (ug/100 sq cm)
1HX-600	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-601	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-602	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-603	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-604	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-605	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-606	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-607	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-608	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-609	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-610	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-611	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-612	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-613	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-614	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-615	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-616	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-617	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-618	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-619	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-620	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-621	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-622	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-623	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-624	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-625	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-626	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	2.3	10.0
1HX-627	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	7.9	10.0

Data Table for Figure 3 (cont)

Hexane Wipe Samples of Steel Floor Girders

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (ug/100 sq cm)	Cleanup Criterion (ug/100 sq cm)
1HX-628	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-629	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-630	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 18, 2008	ND < 5.0	10.0
1HX-631	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-632	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-633	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-634	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-635	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 14, 2008	ND < 5.0	10.0
1HX-636	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-637	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-638	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-639	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-640	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-641	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-642	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	10.0
1HX-643	NA	Hexane	1.1	Girder	Feb 29, 2008	08030008	Mar 15, 2008	ND < 5.0	NA


Figure 4
COOLING WATER DISCHARGE TUNNEL: CLEANUP STATUS
(compare to Plan Figure A2.2c)



Data Table for Figure 4


Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
2SW-602	Surface	Water	2.2	Frac tank	Dec 07, 2007	07120202	Dec 10, 2007	1.39 ug/l	NA
2SD-600	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	3.6	1.0
2SD-601	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	ND < 0.80	1.0
2SD-602	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	ND < 1.0	1.0
2SD-603	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	2.6	1.0
2SD-604	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	1.7	1.0
2SD-604	0-4 in	Sediment	2.2	Tunnel	Dec 04, 2007	07120140	Dec 07, 2007	1.63	1.0
2CO-600	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.50	1.0
2CO-601	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.30	1.0
2CO-602	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.30	1.0
2CO-603	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.40	1.0
2CO-604	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.40	1.0
2CO-605	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.40	1.0
2CO-606	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.30	1.0
2CO-607	½ inch	Concrete	2.2	Tunnel	Dec 04, 2007	07120141	Dec 07, 2007	ND < 0.30	1.0

**Figure 5
CENTRAL COAL YARD: EXCAVATION CLEANUP STATUS
(compare to Plan Figure A2.2b)**



- Surface water sample from excavation
- Headspace sample at bottom of excavation -0.5 feet below grade
- Headspace sample of sidewall -1 feet below grade
- ▽ Asphalt sample of paved surface around perimeter

**Asphalt Removal Area at Track B:
Perimeter Samples on 5-foot grid around
Excised Asphalt Areas**



Data Table for Figure 5

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
2BW-601	NA	Water	2.2	@ Track B	Nov 29, 2007	07120018	Dec 06, 2007	ND < 0.50	NA
2AS-600	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 04, 2007	ND < 0.40	1.0
2AS-600	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 04, 2007	ND < 0.30	1.0
2AS-601	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-602	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	0.82	1.0
2AS-603	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-604	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-605	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-606	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	0.31	1.0
2AS-607	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-608	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-609	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-610	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	1.1	1.0
2AS-611	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	6.9	1.0
2AS-612	~1 inch	Asphalt	2.2	@ Track B	Nov 29, 2007	07120019	Dec 05, 2007	3.5	1.0
2AS-627	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	0.42	1.0
2AS-627	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	0.39	1.0
2AS-628	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	ND < 0.30	1.0
2AS-629	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	0.34	1.0
2AS-630	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	1.03	1.0
2AS-631	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 13, 2007	1.5	1.0
2AS-632	~1 inch	Asphalt	2.2	@ Track B	Dec 11, 2007	07120299	Dec 14, 2007	2.7	1.0
2BW-605	NA	Water	2.2	@ Track B	Dec 11, 2007	07120299	Dec 14, 2007	< 0.50 ug/l	NA
2AS-633	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.63	1.0
2AS-634	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.71	1.0
2AS-635	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	1.1	1.0
2AS-636	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.59	1.0
2AS-637	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.78	1.0
2AS-638	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2AS-639	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2AS-640	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2AS-641	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.60	1.0
2AS-642	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	0.81	1.0
2AS-643	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 28, 2007	ND < 0.30	1.0
2AS-644	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2AS-645	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2AS-645	~1 inch	Asphalt	2.2	@ Track B	Dec 21, 2007	07120612	Dec 27, 2007	ND < 0.30	1.0
2HA-651	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	1.0
2HA-652	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	1.0


Data Table for Figure 5 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
2HA-653	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.40	1.0
2HA-654	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.40	1.0
2HA-655	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	1.0
2HA-656	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	1.0
2HA-657	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	1.0
2HA-658	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-659	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.30	1.0
2HA-660	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.30	1.0
2HA-661	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-662	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-662	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-663	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-664	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-665	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-666	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-667	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.50	1.0
2HA-668	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.30	1.0
2HA-669	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.30	1.0
2HA-670	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-671	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-672	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-673	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-674	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2HA-675	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.30	1.0
2HA-676	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.30	1.0
2HA-677	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-678	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 05, 2007	ND < 0.40	1.0
2HA-679	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-680	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-681	1-1.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.30	1.0
2HA-682	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-683	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 03, 2007	ND < 0.40	1.0
2HA-683	6-6.25	Soil	2.2	@ Track C	Nov 28, 2007	07110872	Dec 04, 2007	ND < 0.40	1.0
2AS-613	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-614	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-615	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-616	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-617	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-618	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	0.33	1.0
2AS-619	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 04, 2007	ND < 0.40	1.0

Data Table for Figure 5 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
2AS-620	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 04, 2007	ND < 0.40	1.0
2AS-620	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 04, 2007	ND < 0.30	1.0
2AS-621	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-622	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-623	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-624	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	0.48	1.0
2AS-625	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2AS-626	~1 inch	Asphalt	2.2	@ Track C	Nov 29, 2007	07120019	Dec 05, 2007	ND < 0.40	1.0
2SW-601	Surface	Water	2.2	@ Track C	Dec 04, 2007	07120142r	Dec 07, 2007	< 0.50 ug/l	NA
2BW-602	NA	Water	2.2	@ Track C	Dec 04, 2007	07120142r	Dec 07, 2007	< 0.50 ug/l	NA
2SW-602	Surface	Water	2.2	Frac tank	Dec 07, 2007	07120202	Dec 10, 2007	1.39	NA

Figure 6
COAL YARD SOUTHWEST CORNER: EXCAVATION CLEANUP STATUS
(compare to Plan Figure A3)



- Hand super sample at bottom of initial excavation -6 feet below grade
- Hand super sample of sidewall -1 foot below grade. Exceptions: 311A-705 and 311A-706, -2 feet below grade, and 311A-601 and 311A-602, from just below the track structure -3 feet below grade
- Follow-up hand super sample at bottom of additional excavation -7.5 feet below grade
- Surface water sample from excavation

Data Table for Figure 6

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
3HA-600	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	1.7	10.0
3HA-601	3-3.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-602	3-3.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.30	10.0
3HA-603	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	3.4	10.0
3HA-604	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	ND < 0.40	10.0
3HA-605	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	5.8	10.0
3HA-606	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	1.3	10.0
3HA-607	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	1.6	10.0
3HA-608	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	4.6	10.0
3HA-609	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	1.3	10.0
3HA-610	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-611	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	2.1	10.0
3HA-612	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-613	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	2.3	10.0
3HA-614	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	5.5	10.0
3HA-615	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	0.47	10.0
3HA-616	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-617	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-618	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.40	10.0
3HA-619	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Nov 30, 2007	ND < 0.30	10.0
3HA-620	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	ND < 0.40	10.0
3HA-620	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	0.49	10.0
3HA-621	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	4.4	10.0
3HA-622	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	0.63	10.0
3HA-623	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	ND < 0.40	10.0
3HA-624	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	ND < 0.40	10.0
3HA-625	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	0.83	10.0
3HA-626	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	0.48	10.0
3HA-627	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	6.2	10.0
3HA-627	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 03, 2007	6.2	10.0
3HA-628	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110870	Dec 01, 2007	ND < 0.30	10.0
3HA-629	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 01, 2007	ND < 0.40	10.0
3HA-630	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 01, 2007	ND < 0.40	10.0
3HA-631	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 01, 2007	ND < 0.40	10.0
3HA-632	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 01, 2007	ND < 0.40	10.0
3HA-633	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 05, 2007	10	10.0
3HA-634	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 05, 2007	4.5	10.0
3HA-635	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-636	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-637	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.40	10.0

Data Table for Figure 6 (cont)

Sample Point	Depth (feet)	Sample Matrix	PCB Area	Site Feature	Sampling Date	Lab Analysis Report #	Analysis Date	Analysis Result (mg/kg unless noted)	Cleanup Criterion (mg/kg unless noted)
3HA-638	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-639	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-640	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	1.9	10.0
3HA-641	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	2.1	10.0
3HA-641	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	2.0	10.0
3HA-642	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	0.31	10.0
3HA-643	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-644	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	0.30	10.0
3HA-645	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-646	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-647	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 05, 2007	0.45	10.0
3HA-648	1-1.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
3HA-649	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	0.32	10.0
3HA-650	6-6.25	Soil	3.2	@ Track A	Nov 28, 2007	07110871	Dec 04, 2007	ND < 0.30	10.0
BW-600	NA	Water	3.2	@ Track A	Nov 28, 2007	07110874	Dec 01, 2007	<0.50 ug/l	NA
3SW-600	Surface	Water	3.2	@ Track A	Dec 04, 2007	07120142r	Dec 07, 2007	1.6 ug/l	NA
3HA-703	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 14, 2007	1.7	10.0
3HA-704	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.40	10.0
3HA-705	2-2.25	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.30	10.0
3HA-706	2-2.25	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	0.57	10.0
3HA-707	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.40	10.0
3HA-708	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.40	10.0
3HA-709	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.40	10.0
3HA-709	7.5-7.75	Soil	3.2	@ Track A	Dec 11, 2007	07120300	Dec 13, 2007	ND < 0.40	10.0

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1410683																									
Lab Sample No.:			1410683-01SITE																									
Sample Depth (ft.)	Date Collected		SB-091614-01A	SB-091614-01B	SB-091614-01C	SB-091614-02A	SB-091614-02B	SB-091614-02C	SB-091614-03A	SB-091614-03B	SB-091614-03C	SB-091614-04A	SB-091614-04B	SB-091614-04C	SB-091614-05A	SB-091614-05B	SB-091614-05C	SB-091614-06A	SB-091614-06B	SB-091614-06C	SB-091614-07A	SB-091614-07B	SB-091614-07C	SB-091614-08A	SB-091614-08B	SB-091614-08C	SB-091714-09A	SB-091714-09B
0.0- 0.5	09/16/14		0.0- 1.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	0.7- 1.0	3.7- 4.0	0.0- 0.3	1.0- 1.3	3.7- 4.0	0.0- 0.5	0.8- 1.2	3.7- 4.0	0.0- 0.4	1.0- 1.3	3.7- 4.0	0.0- 0.5	0.8- 1.2	3.7- 4.0	0.0- 0.3	1.0- 1.5	3.8- 4.0	0.0- 0.3	1.0- 1.5
SOIL-PCBs-8082																												
PCB-1016	12674-11-2	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1221	11104-28-2	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1232	11141-16-5	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1242	53469-21-9	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1248	12672-29-6	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1254	11097-69-1	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	0.34	<0.11
PCB-1260	11096-82-5	mg/kg	1.8	0.35	<0.1	0.65	3.4	<0.11	<0.11	0.13	0.4	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	0.81	0.22	<0.1	<0.11	0.11	0.26	<0.11
PCB-1262	37324-23-5	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	<0.11
PCB-1268	11100-14-4	mg/kg	<0.21	<0.11	<0.1	<0.1	<0.53	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.13	<0.1	<0.11	<0.12	<0.1	<0.11	<0.11	<0.1	0.23
PCBs-Total		mg/kg	1.8	0.35	<BRL	0.65	3.4	<BRL	<BRL	0.13	0.4	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.17	<BRL	0.12	<BRL	<BRL	0.81	0.22	<BRL	<BRL	0.11	0.6
SOIL-Misc																												
Solids, Total	TotSolids	%	92.9	95.2	95.5	95.5	95.2	87.3	90.3	95.2	88.3	96.4	90	89.6	96.1	94.3	87.2	96	95.3	77.2	97.5	91.2	82.1	98.4	90.2	90.1	96.5	91.5

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes
 mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1410773																											
Lab Sample No.:			1410773-03SITE																											
			1410773-03SITE	1410773-04SITE	1410773-05SITE	1410773-06SITE	1410773-07SITE	1410773-08SITE	1410773-09SITE	1410773-10SITE	1410773-11SITE	1410773-12SITE	1410773-13SITE	1410773-14SITE	1410773-15SITE	1410773-16SITE	1410773-17SITE	1410773-18SITE	1410773-19SITE	1410773-20SITE	1410773-21SITE	1410773-22SITE	1410773-23SITE	1410773-24SITE	1410773-25SITE	1410773-26SITE	1410773-27SITE	1410773-28SITE		
			SB-091714-09C	SB-091714-10A	SB-091714-10B	SB-091714-10C	SB-091714-11A	SB-091714-11B	SB-091714-11C	SB-091714-12A	SB-091714-12B	SB-091714-12C	SB-091714-13A	SB-091714-13B	SB-091714-13C	SB-091714-14A	SB-091714-14B	SB-091714-14C	SB-091714-15A	SB-091714-15B	SB-091714-15C	SB-091714-16A	SB-091714-16B	SB-091714-16C	SB-091714-17A	SB-091714-17B	SB-091714-17C	SB-091714-18A		
Sample Depth (ft.)			3.7- 4.0	0.0- 0.5	0.8- 1.2	3.7- 4.0	0.0- 0.5	1.0- 1.5	3.7- 4.0	0.0- 0.5	1.0- 1.3	3.7- 4.0	0.0- 0.5	1.0- 1.5	3.7- 4.0	0.0- 0.5	1.0- 1.5	3.7- 4.0	0.0- 0.5	1.0- 1.5	3.7- 4.0	0.0- 1.0	1.0- 1.5	3.7- 4.0	0.0- 0.5	1.0- 1.3	3.7- 4.0	0.0- 0.3		
Date Collected			09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14		
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC																											
			2008 - 2013 CT DEEP RSR - I/C DEC																											
PCB-1016	12674-11-2	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1221	11104-28-2	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1232	11141-16-5	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1242	53469-21-9	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1248	12672-29-6	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1254	11097-69-1	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1260	11096-82-5	mg/kg	<0.11	0.64	5.1	<0.1	0.49	1.4	5.1	0.24	0.31	<0.11	0.23	1	<0.11	0.45	<0.1	<0.11	0.45	0.13	<0.11	13	5.7	<0.11	0.36	<0.1	<0.11	0.19		
PCB-1262	37324-23-5	mg/kg	<0.11	<0.1	<1	<0.1	<0.1	<0.21	<1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<2.1	<1	<0.11	<0.1	<0.1	<0.11	<0.1	
PCB-1268	11100-14-4	mg/kg	<0.11	0.82	<1	<0.1	0.48	0.93	<1	<0.1	<0.1	<0.11	0.18	0.82	<0.11	0.61	<0.1	<0.11	0.23	<0.1	<0.11	<2.1	<1	<0.11	0.34	0.11	<0.11	<0.1		
PCBs-Total		mg/kg	1	10	<BRL	1.46	5.1	<BRL	0.97	2.33	5.1	0.24	0.31	<BRL	0.41	1.82	<BRL	1.06	<BRL	<BRL	0.68	0.13	<BRL	13	5.7	<BRL	0.7	0.11	<BRL	0.19
SOIL-Misc																														
Solids, Total	TotSolids	%	89.9	98	95.4	93.7	97.5	95.5	96.6	95.2	95.3	91.6	93.2	97.1	89.1	97.2	96.7	89.6	95.1	97	87.9	95.6	95.6	94.6	97.1	96	89.5	95.9		

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410773	1410867	1410867	1410867	1410867	1410867	1410867				
Lab Sample No.:			1410773-29SITE	1410773-30SITE	1410773-31SITE	1410773-32SITE	1410773-33SITE	1410773-34SITE	1410773-35SITE	1410773-36SITE	1410773-37SITE	1410773-38SITE	1410773-39SITE	1410773-40SITE	1410773-41SITE	1410773-42SITE	1410773-43SITE	1410773-44SITE	1410773-45SITE	1410773-46SITE	1410773-47SITE	1410773-48SITE	1410867-01SITE	1410867-02SITE	1410867-03SITE	1410867-04SITE	1410867-05SITE	1410867-06SITE		
			SB-091714-18B	SB-091714-18C	SB-091714-19A	SB-091714-19B	SB-091714-19C	SB-091714-20A	SB-091714-20B	SB-091714-20C	SB-091714-21A	SB-091714-21B	SB-091714-21C	SB-091714-22A	SB-091714-22B	SB-091714-22C	SB-091714-23A	SB-091714-23B	SB-091714-23C	SB-091714-24A	SB-091714-24B	SB-091714-24C	SB-091814-25A	SB-091814-25B	SB-091814-25C	SB-091814-26A	SB-091814-26B	SB-091814-26C		
Sample Depth (ft.)			1.0- 1.3	3.7- 4.0	0.0- 0.5	1.0- 1.3	3.7- 4.0	0.0- 1.0	1.0- 2.0	3.5- 4.0	Surface Asphalt	1.0- 1.3	3.7- 4.0	Surface Asphalt	1.0- 1.3	3.7- 4.0	Surface Asphalt	0.8- 1.2	3.7- 4.0	Surface Asphalt	0.8- 1.2	3.7- 4.0	Surface Asphalt	1.0- 1.3	3.7- 4.0	Surface Asphalt	0.8- 1.3	3.7- 4.0		
Date Collected			09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/17/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14		
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																										
PCB-1016	12674-11-2	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1221	11104-28-2	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1232	11141-16-5	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1242	53469-21-9	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1248	12672-29-6	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1254	11097-69-1	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1260	11096-82-5	mg/kg			<0.11	<0.13	0.27	<0.1	<0.11	0.41	0.33	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1262	37324-23-5	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCB-1268	11100-14-4	mg/kg			<0.11	<0.13	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.099	<0.11	<0.12	<0.1	<0.1	<0.14	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.099	<0.11	<0.12			
PCBs-Total		mg/kg	1	10	<BRL	<BRL	0.27	<BRL	<BRL	0.41	0.33	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL		
SOIL-Misc																														
Solids, Total	TotSolids	%			92.8	77.4	95.5	94.9	92.9	95.9	97.5	80.4	99.7	93.6	80.3	99.7	91.5	80.5	99.7	94.3	68.8	99.7	93.7	76.9	99.8	94.5	64.2	99.7	92	82.9

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes
mg/kg = milligrams per kilogram
(ft.) = feet
I/C DEC = Industrial/Commercial Direct Exposure Criteria
Res DEC = Residential Direct Exposure Criteria
NA = Not Submitted for Analysis
CT DEEP = Connecticut Department of Energy and Environmental Protection
RSR = Remediation Standard Regulations
PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	1410867	141002	141002	141002	141002	141002	141002	141002	141002			
Lab Sample No.:			1410867-07SITE	1410867-08SITE	1410867-09SITE	1410867-10SITE	1410867-11SITE	1410867-12SITE	1410867-13SITE	1410867-14SITE	1410867-15SITE	1410867-16SITE	1410867-17SITE	1410867-18SITE	1410867-19SITE	1410867-20SITE	1410867-21SITE	1410867-22SITE	1410867-23SITE	1410867-24SITE	141002-01SITE	141002-02SITE	141002-03SITE	141002-04SITE	141002-05SITE	141002-06SITE	141002-07SITE	141002-08SITE	
			SB-091814-27A	SB-091814-27B	SB-091814-27C	SB-091814-28A	SB-091814-28B	SB-091814-28C	SB-091814-29A	SB-091814-29B	SB-091814-29C	SB-091814-30A	SB-091814-30B	SB-091814-30C	SB-091814-31A	SB-091814-31B	SB-091814-31C	SB-091814-32A	SB-091814-32B	SB-091814-32C	SB-091914-33A	SB-091914-33B	SB-091914-33C	SB-091914-34A	SB-091914-34B	SB-091914-34C	SB-091914-35A	SB-091914-35B	
Sample Depth (ft.)			Surface Asphalt	1.0- 1.5	3.7- 4.0	Surface Asphalt	1.0- 1.5	3.7- 4.0	Surface Asphalt	1.0- 1.5	3.7- 4.0	Surface Asphalt	1.0- 1.5	3.7- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 1.5	0.5- 1.0
Date Collected			09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/18/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																									
PCB-1016	12674-11-2	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1221	11104-28-2	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1232	11141-16-5	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1242	53469-21-9	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1248	12672-29-6	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1254	11097-69-1	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1260	11096-82-5	mg/kg	<0.1	<0.11	<0.13	0.15	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	0.17	<0.11	<0.11	<0.099	<0.1	<0.11	0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1262	37324-23-5	mg/kg	<0.1	<0.11	<0.13	<0.099	<0.11	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCB-1268	11100-14-4	mg/kg	<0.1	<0.11	<0.13	<0.099	0.16	<0.13	<0.1	<0.11	<0.15	<0.1	<0.11	<0.11	<0.099	<0.11	<0.11	<0.099	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1
PCBs-Total		mg/kg	1	10	<BRL	0.15	0.16	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.17	<BRL	<BRL	<BRL	<BRL	<BRL	0.11	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL
SOIL-Misc																													
Solids, Total	TotSolids	%	99.8	92.1	76.3	99.8	89.3	76.3	99.8	93.9	68.5	99.8	94.5	94.2	99.7	92.1	90.4	99.8	93.5	92.5	99.6	95.7	93.2	99.7	96.5	93.9	99.6	97.2	

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes
mg/kg = milligrams per kilogram
(ft.) = feet
I/C DEC = Industrial/Commercial Direct Exposure Criteria
Res DEC = Residential Direct Exposure Criteria
NA = Not Submitted for Analysis
CT DEEP = Connecticut Department of Energy and Environmental Protection
RSR = Remediation Standard Regulations
PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411002	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004
Lab Sample No.:			1411002-09SITE	1411002-10SITE	1411002-11SITE	1411002-12SITE	1411002-13SITE	1411002-14SITE	1411002-15SITE	1411002-16SITE	1411002-17SITE	1411002-18SITE	1411002-19SITE	1411002-20SITE	1411002-21SITE	1411002-22SITE	1411002-23SITE	1411002-24SITE	1411002-25SITE	1411002-26SITE	1411002-27SITE	1411004-01SITE	1411004-02SITE	1411004-03SITE	1411004-04SITE	1411004-05SITE	1411004-06SITE	1411004-07SITE
			SB-091914-35C	SB-091914-36A	SB-091914-36B	SB-091914-36C	SB-091914-37A	SB-091914-37B	SB-091914-37C	SB-091914-38A	SB-091914-38B	SB-091914-38C	SB-091914-39A	SB-091914-39B	SB-091914-39C	SB-091914-40A	SB-091914-40B	SB-091914-40C	SB-091914-41A	SB-091914-41B	SB-091914-41C	SB-092214-42A	SB-092214-42B	SB-092214-42C	SB-092214-43A	SB-092214-43B	SB-092214-43C	SB-092214-44A
Sample Depth (ft.)			3.5- 4.0	Surface Asphalt	1.0- 2.0	3.5- 4.0	Surface Asphalt	0.5- 1.0	3.5- 4.0	Surface Asphalt	0.5- 1.0	3.5- 4.0	Surface Asphalt	1.0- 2.0	3.0- 4.0	Surface Asphalt	1.0- 2.0	3.5- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 2.0	3.5- 4.0	Surface Asphalt	1.0- 2.0	3.5- 4.0	Surface Asphalt
Date Collected			09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/19/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																								
PCB-1016	12674-11-2	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1221	11104-28-2	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1232	11141-16-5	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1242	53469-21-9	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1248	12672-29-6	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1254	11097-69-1	mg/kg	<0.1	0.17	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1260	11096-82-5	mg/kg	<0.1	0.68	<0.11	<0.1	<0.1	<0.1	<0.11	0.12	0.43	<0.1	<0.1	<0.11	<0.11	0.37	<0.1	<0.1	<0.099	<0.1	<0.11	0.13	<0.11	<0.11	0.48	<0.12	<0.1	0.26
PCB-1262	37324-23-5	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	<0.11	<0.12	<0.1	<0.097
PCB-1268	11100-14-4	mg/kg	<0.1	0.28	<0.11	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.1	<0.1	<0.1	<0.099	<0.1	<0.11	<0.099	<0.11	<0.11	0.23	<0.12	<0.1	<0.097
PCBs-Total		mg/kg	1	10	<BRL	1.13	<BRL	<BRL	<BRL	<BRL	<BRL	0.12	0.43	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.71	<BRL	<BRL	<BRL	0.26
SOIL-Misc																												
Solids, Total	TotSolids	%	97.4	98.8	93.6	97	99.2	95.3	89.7	99.7	98	96.7	99.2	94.5	94.2	99.2	95	97.2	99.7	95.7	93.6	99.7	91.6	91.6	91.6	82.9	93.9	99.6

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411004	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005	1411005		
Lab Sample No.:			1411004-08SITE	1411004-09SITE	1411004-10SITE	1411004-11SITE	1411004-12SITE	1411004-13SITE	1411004-14SITE	1411004-15SITE	1411004-16SITE	1411004-17SITE	1411004-18SITE	1411004-19SITE	1411004-20SITE	1411005-01SITE	1411005-02SITE	1411005-03SITE	1411005-04SITE	1411005-05SITE	1411005-06SITE	1411005-07SITE	1411005-08SITE	1411005-09SITE	1411005-10SITE	1411005-11SITE	1411005-12SITE	1411005-13SITE		
			SB-092214-44B	SB-092214-44C	SB-092214-45A	SB-092214-45B	SB-092214-45C	SB-092214-46A	SB-092214-46B	SB-092214-46C	SB-092214-47A	SB-092214-47B	SB-092214-47C	SB-092214-48A	SB-092214-48B	SB-092214-48C	SB-092214-49A	SB-092214-49B	SB-092214-49C	SB-092214-50A	SB-092214-50B	SB-092214-50C	SB-092214-51A	SB-092214-51B	SB-092214-51C	SB-092214-52A	SB-092214-52B	SB-092214-52C		
Sample Depth (ft.)			1.0- 2.0	3.5- 4.0	Surface Asphalt	2.0- 3.0	3.5- 4.0	Surface Asphalt	0.5- 1.2	3.5- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	0.3- 0.6	1.0- 1.5	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	0.5- 1.0	3.5- 4.0	Surface Asphalt	0.3- 0.5	0.7- 1.0	Surface Asphalt	1.0- 1.5	3.5- 4.0		
Date Collected			09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14	09/22/14		
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																										
PCB-1016	12674-11-2	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1221	11104-28-2	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1232	11141-16-5	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1242	53469-21-9	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1248	12672-29-6	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1254	11097-69-1	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1260	11096-82-5	mg/kg			<0.1	<0.1	0.49	<0.12	<0.11	0.31	0.41	<0.1	0.32	<0.11	<0.1	0.59	0.43	<0.1	<0.1	0.18	<0.1	0.42	0.12	<0.1	0.16	0.28	<0.1	<0.1	<0.099	
PCB-1262	37324-23-5	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCB-1268	11100-14-4	mg/kg			<0.1	<0.1	<0.099	<0.12	<0.11	<0.099	<0.1	<0.1	<0.099	<0.11	<0.1	<0.099	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.099	<0.099	
PCBs-Total		mg/kg	1	10	<BRL	<BRL	0.49	<BRL	<BRL	0.31	0.41	<BRL	0.32	<BRL	<BRL	0.59	0.43	<BRL	<BRL	0.18	<BRL	0.76	0.12	<BRL	0.16	0.28	<BRL	<BRL	<BRL	
SOIL-Misc																														
Solids, Total	TotSolids	%			94.8	93.5	99.7	82.3	88.2	99.7	97.3	94.5	99.7	88.3	95.3	99.7	95.9	97.5	99.4	98.6	97.9	99.2	98.1	98.8	99.4	98.5	96.9	99.5	99	98.5

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes
mg/kg = milligrams per kilogram
(ft.) = feet
I/C DEC = Industrial/Commercial Direct Exposure Criteria
Res DEC = Residential Direct Exposure Criteria
NA = Not Submitted for Analysis
CT DEEP = Connecticut Department of Energy and Environmental Protection
RSR = Remediation Standard Regulations
PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1411116																											
Lab Sample No.:			1411116-14SITE																											
			SB-092414-70B	SB-092414-70C	SB-092414-71A	SB-092414-71B	SB-092414-71C	SB-092414-72A	SB-092414-72B	SB-092414-72C	SB-092414-73A	SB-092414-73B	SB-092414-73C	SB-092414-74A	SB-092414-74B	SB-092414-74C	SB-092614-75A	SB-092614-75B	SB-092614-75C	SB-092614-76A	SB-092614-76B	SB-092614-76C	SB-092614-77A	SB-092614-77B	SB-092614-77C	SB-092614-78A	SB-092614-78B	SB-092614-78C		
Sample Depth (ft.)			0.5- 1.5	3.0- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	0.5- 2.0	3.5- 4.0	Surface Asphalt	0.5- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 2.0	3.5- 4.0		
Date Collected			09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/24/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14		
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC																											
			2008 - 2013 CT DEEP RSR - I/C DEC																											
PCB-1016	12674-11-2	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1221	11104-28-2	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1232	11141-16-5	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1242	53469-21-9	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1248	12672-29-6	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1254	11097-69-1	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	0.15	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11	<0.11		
PCB-1260	11096-82-5	mg/kg	<0.1	<0.11	<0.096	0.33	<0.1	<0.096	<0.1	<0.1	0.19	2.1	<0.1	14	<0.1	<0.11	0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.73	<0.11	<0.11	<0.1	<0.11		
PCB-1262	37324-23-5	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11		
PCB-1268	11100-14-4	mg/kg	<0.1	<0.11	<0.096	<0.1	<0.1	<0.096	<0.1	<0.1	<0.099	<0.21	<0.1	<2	<0.1	<0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.11	<0.11	<0.1	<0.11		
PCBs-Total		mg/kg	1	10	<BRL	0.33	<BRL	<BRL	<BRL	<BRL	0.34	2.1	<BRL	14	<BRL	<BRL	0.11	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.73	<BRL	<BRL	<BRL	<BRL		
SOIL-Misc																														
Solids, Total	TotSolids	%	94.7	90.8	99.7	94.8	92.9	99.7	96.1	94.9	99.8	94	94	93.9	94.5	94.7	94.7	95.6	93.8	96.4	97.6	94.8	94	92.4	88.7	96	94.2	93.9		

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.: 1411244			1411244	1411244	1411244	1411244	1411244	1411244	1411244	1411244	1411244	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245	1411245			
Lab Sample No.:			1411244-13SITE	1411244-14SITE	1411244-15SITE	1411244-16SITE	1411244-17SITE	1411244-18SITE	1411244-19SITE	1411244-20SITE	1411245-01SITE	1411245-02SITE	1411245-03SITE	1411245-04SITE	1411245-05SITE	1411245-06SITE	1411245-07SITE	1411245-08SITE	1411245-09SITE	1411245-10SITE	1411245-11SITE	1411245-12SITE	1411245-13SITE	1411245-14SITE	1411245-15SITE	1411245-16SITE	1411245-17SITE	1411245-18SITE	
Sample Depth (ft.)			SB-092614-79A	SB-092614-79B	SB-092614-79C	SB-092614-80A	SB-092614-80B	SB-092614-80C	SB-092614-81A	SB-092614-81B	SB-092614-81C	SB-092614-82A	SB-092614-82B	SB-092614-82C	SB-092614-83A	SB-092614-83B	SB-092614-83C	SB-092614-84A	SB-092614-84B	SB-092614-84C	SB-092614-85A	SB-092614-85B	SB-092614-85C	SB-092614-86A	SB-092614-86B	SB-092614-86C	SB-092614-87A	SB-092614-87B	
Date Collected			09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																									
PCB-1016	12674-11-2	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1221	11104-28-2	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1232	11141-16-5	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1242	53469-21-9	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1248	12672-29-6	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1254	11097-69-1	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1260	11096-82-5	mg/kg	0.15	<0.1	<0.11	0.2	<0.1	<0.12	<0.11	<0.1	<0.11	0.11	<0.11	<0.11	0.16	<0.1	<0.11	0.24	<0.1	<0.11	0.13	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	0.12	<0.11
PCB-1262	37324-23-5	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCB-1268	11100-14-4	mg/kg	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.11	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.11
PCBs-Total		mg/kg	1	10	0.15	<BRL	<BRL	0.2	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.11	<BRL	<BRL	0.16	<BRL	<BRL	0.13	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL
SOIL-Misc																													
Solids, Total	TotSolids	%	95.9	95	93.7	95.7	95.1	78.6	92.9	94	93.5	95	93.4	91.6	93.8	93.7	92.5	97.3	96.4	93.2	98.1	95.2	92.2	94.3	93.4	90.8	94.8	91.4	

Legend

1	Parameter reported at a concentration greater than applicable regulatory standard/criterion
---	---

Notes

mg/kg = milligrams per kilogram	NA = Not Submitted for Analysis
(ft.) = feet	CT DEEP = Connecticut Department of Energy and Environmental Protection
I/C DEC = Industrial/Commercial Direct Exposure Criteria	RSR = Remediation Standard Regulations
Res DEC = Residential Direct Exposure Criteria	PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			1411245	1411245	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411246	1411331	1411331	1411331	1411331	1411331	1411331	1411331	1411331	1411331	1411331	1411331	
Lab Sample No.:			1411245-19SITE	1411245-20SITE	1411246-01SITE	1411246-02SITE	1411246-03SITE	1411246-04SITE	1411246-05SITE	1411246-06SITE	1411246-07SITE	1411246-08SITE	1411246-09SITE	1411246-10SITE	1411246-11SITE	1411246-12SITE	1411246-13SITE	1411246-14SITE	1411331-01SITE	1411331-02SITE	1411331-03SITE	1411331-04SITE	1411331-05SITE	1411331-06SITE	1411331-07SITE	1411331-08SITE	1411331-09SITE	1411331-10SITE	
			SB-092614-87C	SB-092614-88A	SB-092614-88B	SB-092614-88C	SB-092614-89A	SB-092614-89B	SB-092614-89C	SB-092614-90A	SB-092614-90B	SB-092614-90C	SB-092614-91A	SB-092614-91B	SB-092614-91C	SB-092614-92A	SB-092614-92B	SB-092614-92C	SB-092914-93A	SB-092914-93B	SB-092914-93C	SB-092914-94A	SB-092914-94B	SB-092914-94C	SB-092914-95A	SB-092914-95B	SB-092914-95C	SB-092914-96A	
Sample Depth (ft.)			3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.0- 4.0	0.0- 0.5	1.0- 1.5	3.0- 4.0	0.0- 1.0	1.0- 2.0	3.0- 4.0	0.0- 0.5	1.0- 2.0	3.0- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 0.5	
Date Collected			09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/26/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																									
PCB-1016	12674-11-2	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1221	11104-28-2	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1232	11141-16-5	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1242	53469-21-9	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1248	12672-29-6	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1254	11097-69-1	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1260	11096-82-5	mg/kg	<0.11	0.11	<0.11	<0.11	0.27	<0.1	<0.11	0.19	0.12	<0.11	0.4	<0.1	<0.11	0.19	<0.1	<0.12	0.11	<0.1	<0.13	0.13	<0.1	<0.12	0.25	<0.1	<0.11	0.25	
PCB-1262	37324-23-5	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCB-1268	11100-14-4	mg/kg	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.12	<0.1	<0.1	<0.13	<0.1	<0.1	<0.12	<0.1	<0.1	<0.11	<0.1	
PCBs-Total		mg/kg	1	10	<BRL	<BRL	0.27	<BRL	<BRL	0.19	0.12	<BRL	0.4	<BRL	<BRL	0.19	<BRL	<BRL	0.11	<BRL	<BRL	0.13	<BRL	<BRL	0.25	<BRL	<BRL	0.25	
SOIL-Misc																													
Solids, Total	TotSolids	%	91.3	93.8	91.2	91.6	94.3	96.9	92.7	97.2	90	89.9	95.3	96.8	91.6	95.7	95.2	81	96.9	95.3	77	97.5	95.2	79.7	96.9	96.5	91.9	97.8	

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
 Soil and Asphalt Analytical Results- PCBs
 Former English Station
 510 Grand Avenue, New Haven, CT
 HRP # UNI3932.P2

Lab Report No.:			14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1331	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332	14I1332						
Lab Sample No.:			14I1331-11SITE	14I1331-12SITE	14I1331-13SITE	14I1331-14SITE	14I1331-15SITE	14I1331-16SITE	14I1331-17SITE	14I1331-18SITE	14I1331-19SITE	14I1331-20SITE	14I1332-01SITE	14I1332-02SITE	14I1332-03SITE	14I1332-04SITE	14I1332-05SITE	14I1332-06SITE	14I1332-07SITE	14I1332-08SITE	14I1332-09SITE	14I1332-10SITE	14I1332-11SITE	14I1332-12SITE	14I1332-13SITE	14I1332-14SITE	14I1332-15SITE	14I1332-16SITE						
Sample Depth (ft.)			SB-092914-96B	SB-092914-96C	SB-092914-97A	SB-092914-97B	SB-092914-97C	SB-092914-98A	SB-092914-98B	SB-092914-98C	SB-092914-99A	SB-092914-99B	SB-092914-99C	SB-092914-100A	SB-092914-100B	SB-092914-100C	SB-092914-101A	SB-092914-101B	SB-092914-101C	SB-092914-102A	SB-092914-102B	SB-092914-102C	SB-092914-103A	SB-092914-103B	SB-092914-104A	SB-092914-104B	SB-092914-104C	SB-092914-105A						
Date Collected			09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14						
			2008 - 2013 CT DEEP RSR - Res DEC		2008 - 2013 CT DEEP RSR - I/C DEC																													
PCB-1016	12674-11-2	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1221	11104-28-2	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1232	11141-16-5	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1242	53469-21-9	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1248	12672-29-6	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1254	11097-69-1	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1260	11096-82-5	mg/kg	<0.1	<0.11	4	<0.1	<0.11	0.21	<0.11	<0.11	0.11	NA	<0.11	<0.1	<0.1	<0.11	0.3	<0.11	<0.11	0.13	0.43	<0.11	<0.1	<0.11	<0.17	0.21	<0.11	<0.1						
PCB-1262	37324-23-5	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCB-1268	11100-14-4	mg/kg	<0.1	<0.11	<0.5	<0.1	<0.11	<0.1	<0.11	<0.11	<0.099	NA	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.11	<0.1	<0.1	<0.11	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1						
PCBs-Total		mg/kg	1	10	<BRL	<BRL	4	<BRL	<BRL	0.21	<BRL	<BRL	0.11	NA	<BRL	<BRL	<BRL	<BRL	0.3	<BRL	<BRL	0.13	0.43	<BRL	<BRL	<BRL	0.17	0.21	<BRL	<BRL				
SOIL-Misc																																		
Solids, Total	TotSolids	%	98.3	91.6	97.9	93.8	91.2	96.6	94	92.5	99.8	93.7	94.4	96.9	96.8	93.1	97	94.1	88.7	96.8	96.4	92.1	97.5	91.6	96.3	95.3	92.6	96.8						

Legend
 1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes
 mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.:			14I1332	14I1332	14I1332	14I1332	14I1333	14I1333	14I1333	14I1333	14I1333	14I1333	14I1333	14I1333	14I1382	14I1382	14I1382	14I1382	14I1382	14I1382	14I1382	14I1382	14J0143	14J0143	14J0143	14J0143	14K0773			
Lab Sample No.:			14I1332-17SITE	14I1332-18SITE	14I1332-19SITE	14I1332-20SITE	14I1333-01SITE	14I1333-02SITE	14I1333-03SITE	14I1333-04SITE	14I1333-05SITE	14I1333-06SITE	14I1333-07SITE	14I1333-08SITE	14I1382-01SITE	14I1382-02SITE	14I1382-03SITE	14I1382-04SITE	14I1382-05SITE	14I1382-06SITE	14I1382-07SITE	14I1382-08SITE	14J0143-01SITE	14J0143-02SITE	14J0143-03SITE	14J0143-04SITE	14K0773-01SITE			
			SB-092914-105B	SB-092914-105C	SB-092914-106A	SB-092914-106B	SB-092914-106C	SB-092914-107A	SB-092914-107B	SB-092914-108A	SB-092914-108B	SB-092914-109A	SB-092914-109B	SB-092914-110A	SB-092914-110B	SB-093014-111A	SB-093014-111B	SB-093014-112A	SB-093014-112B	SB-093014-113A	SB-093014-113B	SB-093014-114A	SB-093014-114B	SB-100114-115A	SB-100114-115B	SB-100114-116A	SB-100114-116B	SB-111414-117A		
Sample Depth (ft.)			1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 2.0	3.5- 4.0	4.0- 5.0	13.0- 15.0	0.5- 2.0	3.0- 4.0	0.5- 2.0	3.0- 5.0	0.0- 2.0	12.0- 14.0	0.5- 2.0	3.0- 5.0	1.0- 2.0	8.0- 10.0	1.0- 2.0	4.0- 5.0	0.5- 2.0	3.0- 5.0	3.0- 5.0	7.5- 9.5	3.0- 5.0	7.5- 9.5	0.0- 0.5		
Date Collected			09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/30/14	09/30/14	09/30/14	09/30/14	09/30/14	09/30/14	09/30/14	09/30/14	10/01/14	10/01/14	10/01/14	10/01/14	11/14/14		
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																										
PCB-1016	12674-11-2	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1221	11104-28-2	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1232	11141-16-5	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1242	53469-21-9	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1248	12672-29-6	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1254	11097-69-1	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1260	11096-82-5	mg/kg			<0.1	<0.11	0.32	<0.1	<0.11	<0.11	<0.11	0.51	0.12	0.23	<0.11	<0.1	0.51	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	0.15	<0.11	<0.11	<0.11		
PCB-1262	37324-23-5	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCB-1268	11100-14-4	mg/kg			<0.1	<0.11	<0.1	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.1	<0.11	<0.1	<0.11	<0.1	<0.14	<0.11	<0.11	<0.11	<0.12	<0.11	<0.11	<0.11	<0.11	<0.11		
PCBs-Total		mg/kg	1	10	<BRL	<BRL	0.32	<BRL	<BRL	<BRL	<BRL	0.51	0.12	0.23	<BRL	<BRL	0.51	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	0.15	<BRL	<BRL	<BRL		
SOIL-Misc																														
Solids, Total	TotSolids	%			95.3	91.8	96.2	96.3	92.4	86	88.2	93	89.4	97.3	90.1	94.9	88	97	94.8	95.9	69.6	94.5	88.6	93	83.2	93.1	88.2	89.4	85.5	92.9

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

Lab Report No.: 14K0811			14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0811	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	14K0890	
Lab Sample No.:			14K0811-10SITE	14K0811-11SITE	14K0811-12SITE	14K0811-13SITE	14K0811-14SITE	14K0811-15SITE	14K0811-17SITE	14K0811-18SITE	14K0811-19SITE	14K0811-20SITE	14K0890-01SITE	14K0890-02SITE	14K0890-03SITE	14K0890-04SITE	14K0890-05SITE	14K0890-06SITE	14K0890-07SITE	14K0890-08SITE	14K0890-09SITE	14K0890-10SITE	14K0890-11SITE	14K0890-12SITE	14K0890-13SITE	14K0890-14SITE	14K0890-15SITE	14K0890-16SITE	
			SB-111814-127A	SB-111814-127B	SB-111814-128A	SB-111814-128B	SB-111814-129A	SB-111814-129B	SB-111814-130A	SB-111814-130B	SB-111814-131A	SB-111814-131B	SB-111914-132A	SB-111914-132B	SB-111914-132C	SB-111914-133A	SB-111914-133B	SB-111914-133C	SB-111914-134A	SB-111914-134B	SB-111914-134C	SB-111914-135A	SB-111914-135B	SB-111914-135C	SB-111914-136A	SB-111914-136B	SB-111914-136C	SB-111914-137A	
Sample Depth (ft.)			0.5- 2.0	13.0- 15.0	0.5- 2.0	2.0- 4.0	0.5- 2.0	2.0- 4.0	0.0- 2.0	2.0- 4.0	0.5- 2.0	2.0- 4.0	Surface Asphalt	0.5- 1.5	3.0- 4.0	Surface Asphalt	1.0- 2.0	3.0- 4.0	0.0- 1.0	1.0- 2.0	3.0- 4.0	Surface Asphalt	1.0- 1.5	3.5- 4.0	Surface Asphalt	1.0- 2.0	3.0- 4.0	Surface Asphalt	
Date Collected			11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/18/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC																									
PCB-1016	12674-11-2	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1221	11104-28-2	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1232	11141-16-5	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1242	53469-21-9	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1248	12672-29-6	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	0.21	<0.1	<0.17	5.7	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1254	11097-69-1	mg/kg	0.18	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1260	11096-82-5	mg/kg	<0.11	1.2	<0.11	<0.1	0.11	<0.11	1.6	<0.1	0.15	<0.1	0.17	0.17	<0.11	0.19	0.21	<0.11	0.92	0.3	<0.17	1.4	<0.1	<0.1	<0.1	<0.11	<0.1	0.13	
PCB-1262	37324-23-5	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCB-1268	11100-14-4	mg/kg	<0.11	<0.27	<0.11	<0.1	<0.11	<0.11	<0.42	<0.1	<0.1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	<0.11	<0.1	<0.1	<0.17	<1	<0.1	<0.1	<0.1	<0.11	<0.1	<0.1	
PCBs-Total		mg/kg	1	10	<BRL	<BRL	0.11	<BRL	1.6	<BRL	0.15	<BRL	0.17	0.17	<BRL	0.19	0.21	<BRL	1.13	0.3	<BRL	7.1	<BRL	<BRL	<BRL	<BRL	<BRL	0.13	
SOIL-Misc																													
Solids, Total	TotSolids	%	90.7	36.8	91.2	95.1	92.3	88.5	90.4	91.9	94	92.3	99.8	97.6	91.5	99.6	97.9	94.3	97.5	97	57.6	99.6	97.8	97.6	99.8	94	97.6	99.8	

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
(ft.) = feet
Res DEC = Residential Direct Exposure Criteria
I/C DEC = Industrial/Commercial Direct Exposure Criteria
NA = Not Submitted for Analysis
CT DEEP = Connecticut Department of Energy and Environmental Protection
RSR = Remediation Standard Regulations
PCBs = Polychlorinated Biphenyls

Table 1a
Soil and Asphalt Analytical Results- PCBs
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 14K0890 14K0890 14K0890 14K0890 14K0892 14K0892 14K0892 14K0892 14K0892 14K0892 14K0892											
			Lab Sample No.: 14K0890-17SITE 14K0890-18SITE 14K0890-19SITE 14K0890-20SITE 14K0892-01SITE 14K0892-02SITE 14K0892-03SITE 14K0892-04SITE 14K0892-05SITE 14K0892-06SITE 14K0892-07SITE											
			SB-111914-137B	SB-111914-137C	SB-111914-138A	SB-111914-138B	SB-111914-138C	SB-111914-139A	SB-111914-139B	SB-111914-139C	SB-111914-140A	SB-111914-140B	SB-111914-140C	
Sample Depth (ft.)			1.0- 1.5	3.5- 4.0	0.0- 0.5	1.0- 1.5	3.5- 4.0	0.0- 1.0	1.0- 1.5	3.0- 4.0	Surface Asphalt	1.0- 1.5	3.0- 4.0	
Date Collected			11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	11/19/14	
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC										
PCB-1016	12674-11-2	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1221	11104-28-2	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1232	11141-16-5	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1242	53469-21-9	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1248	12672-29-6	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1254	11097-69-1	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1260	11096-82-5	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1262	37324-23-5	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCB-1268	11100-14-4	mg/kg			<0.13	<0.11	<0.1	<0.1	<0.1	<0.1	<0.11	<0.099	<0.11	
PCBs-Total		mg/kg	1	10	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	
SOIL-Misc														
Solids, Total	TotSolids	%			77	90.8	96.6	98.3	96.4	97.9	98.2	90	99.8	

Legend

1 Parameter reported at a concentration greater than applicable regulatory standard/criterion

Notes

mg/kg = milligrams per kilogram
 (ft.) = feet
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 1b
Soil Analytical Results- VOCs and ETPH
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 1411331 1411332 1411332 1411332 1411333 1411333 1411333 1411333 1411333 1411333 1411333 1411333 1411382 1411382																	
			Lab Sample No.: 1411331-20SITE 1411332-01SITE 1411332-11SITE 1411332-12SITE 1411333-02SITE 1411333-03SITE 1411333-04SITE 1411333-05SITE 1411333-06SITE 1411333-07SITE 1411333-08SITE 1411333-09SITE 1411382-01SITE 1411382-02SITE																	
Sample Depth (ft.)			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC	1-2	4-5	0.5-2	4-5	4-5	13-15	0.5-2	3-4	0.5-2	3-5	0-2	12-14	0.5-2	3-5	
Date Collected						9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/29/2014	9/30/2014	9/30/2014	
SOIL-8260C																				
1,1,1-Trichloroethane	71-55-6	µg/kg	500,000	1,000,000	40,000	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
1,2,4-Trimethylbenzene	95-63-6	µg/kg	500,000	1,000,000	2,400	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
1,2-Dibromo-3-chloropropane	96-12-8	µg/kg	9	800	600	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
1,2-Dibromoethane (EDB) (ethylene dibromide)	106-93-4	µg/kg	7	67	100	<0.79	<0.65	<0.66	<0.77	<0.52	<0.66	<0.64	<0.64	<0.64	<0.52	<0.54	<0.59	<0.5	<0.58	<0.52
1,3,5-Trimethylbenzene	108-67-8	µg/kg	500,000	1,000,000	1,900	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
Acrylonitrile	107-13-1	µg/kg	1,100	11,000	100	<4.8	<3.9	<4	<4.6	<3.1	<4	<3.9	<3.8	<3.1	<3.2	<3.6	<3	<3.5	<3.1	<3.1
Bromodichloromethane	75-27-4	µg/kg	1,100	92,000	40	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
Bromomethane	74-83-9	µg/kg	33,900	1,000,000	100	<7.9	<6.5	<6.6	<7.7	<5.2	<6.6	<6.4	<6.4	<5.2	<5.4	<5.9	<5	<5.8	<5.2	<5.2
Carbon tetrachloride	56-23-5	µg/kg	4,700	44,000	1,000	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
Isopropylbenzene	98-82-8	µg/kg	500,000	1,000,000	18,000	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1
m/p-Xylenes	179601-23-1	µg/kg				<3.2	<2.6	4.7	<3.1	<2.1	4.9	<2.6	<2.6	<2.1	<2.1	<2.4	<2	<2.3	<2.1	<2.1
Naphthalene	91-20-3	µg/kg	1,000,000	2,500,000	56,000	<3.2	<2.6	<2.6	<3.1	<2.1	<2.7	<2.6	<2.6	<2.1	<2.1	<2.4	<2	<2.3	<2.1	<2.1
o-Xylene	95-47-6	µg/kg				<1.6	<1.3	1.9	<1.5	<1	2.9	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1	<1
Tetrachloroethylene	127-18-4	µg/kg	12,000	110,000	1,000	<1.6	<1.3	<1.3	<1.5	<1	<1.3	<1.3	<1.3	<1	<1.1	<1.2	<1	<1.2	<1	<1
Xylene-Total		µg/kg	500,000	1,000,000	19,500	<BRL	<BRL	6.6	<BRL	<BRL	7.8	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL
SOIL-CTETPH			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC							1411333/1411333-04RE1SITE		1411333/1411333-06RE1SITE						
CT ETPH	CT ETPH	mg/kg	500	2,500	2,500	73	390	57	<11	250	42	1600	95	880	230	880	590	15	14	
SOIL-CTETPH-SPLP					2008 - 2013 CT DEEP RSR - 10X GWPC															
CT ETPH	CT ETPH	mg/l			2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion
 () Indicates the laboratory reporting limit is greater than one or more applicable comparison criteria
 BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:
 mg/l = milligrams per liter
 mg/kg = milligrams per kilogram
 µg/kg = micrograms per kilogram
 (ft.) = feet
 GWPC = Groundwater Protection Criteria
 GB PMC = Groundwater Class 'GB' Pollutant Mobility Criteria
 SPLP = Synthetic Precipitation Leaching Procedure
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 ETPH = Extractable Total Petroleum Hydrocarbons
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations

Table 1b
Soil Analytical Results- VOCs and ETPH
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 1411382 1411382 1411382 1411382 1411382 1411382 14J0143 14J0143 14J0143 14J0143 14K0811 14K0811 14K0811 14K0811																	
			Lab Sample No.: 1411382-03SITE 1382-04-MethanolS 1411382-05SITE 1411382-08SITE 1411382-06SITE 1411382-07SITE 14J0143-01SITE 14J0143-02SITE 14J0143-03SITE 14J0143-04SITE 14K0811-01SITE 14K0811-02SITE 14K0811-06SITE 14K0811-07SITE																	
Sample Depth (ft.)			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC	1-2	8-10	1-2	4-5	0.5-2	3-5	3-5	7.5-9.5	3-5	7.5-9.5	1-2	3-4	3-5	7-8	
Date Collected						9/30/2014	9/30/2014	9/30/2014	9/30/2014	9/30/2014	9/30/2014	10/1/2014	10/1/2014	10/1/2014	10/1/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	
SOIL-8260C																				
1,1,1-Trichloroethane	71-55-6	µg/kg	500,000	1,000,000	40,000	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
1,2,4-Trimethylbenzene	95-63-6	µg/kg	500,000	1,000,000	2,400	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
1,2-Dibromo-3-chloropropane	96-12-8	µg/kg	9	800	600	<1.5	(<550)	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
1,2-Dibromoethane (EDB) (ethylene dibromide)	106-93-4	µg/kg	7	67	100	<0.73	(<55)	<0.72	<0.79	<0.55	<0.56	<1.7	<1.7	<1.2	<1.3	<0.53	<0.59	<0.71	<0.69	
1,3,5-Trimethylbenzene	108-67-8	µg/kg	500,000	1,000,000	1,900	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
Acrylonitrile	107-13-1	µg/kg	1,100	11,000	100	<4.4	(<550)	<4.3	<4.7	<3.3	<3.4	<9.9	<10	<7.3	<7.9	<3.2	<3.5	<4.3	<4.2	
Bromodichloromethane	75-27-4	µg/kg	1,100	92,000	40	<1.5	(<110)	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
Bromomethane	74-83-9	µg/kg	33,900	1,000,000	100	<7.3	(<220)	<7.2	<7.9	<5.5	<5.6	<17	<17	<12	<13	<5.3	<5.9	<7.1	<6.9	
Carbon tetrachloride	56-23-5	µg/kg	4,700	44,000	1,000	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	4.9	<2.6	<1.1	<1.2	<1.4	<1.4	
Isopropylbenzene	98-82-8	µg/kg	500,000	1,000,000	18,000	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
m/p-Xylenes	179601-23-1	µg/kg				<2.9	<220	<2.9	<3.2	<2.2	<2.2	<6.6	<6.8	<2.2	<4.9	<5.2	<2.1	<2.4	<2.9	
Naphthalene	91-20-3	µg/kg	1,000,000	2,500,000	56,000	<2.9	<220	<2.9	<3.2	<2.2	<2.2	<6.6	<6.8	<4.9	<5.2	<2.1	<2.4	<2.9	<2.8	
o-Xylene	95-47-6	µg/kg				<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
Tetrachloroethylene	127-18-4	µg/kg	12,000	110,000	1,000	<1.5	<110	<1.4	<1.6	<1.1	<1.1	<3.3	<3.4	<2.4	<2.6	<1.1	<1.2	<1.4	<1.4	
Xylene-Total		µg/kg	500,000	1,000,000	19,500	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	
SOIL-CTETPH			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC		1411382/1411382-04SITE													
CT ETPH	CT ETPH	mg/kg	500	2,500	2,500	26	840	23	420	93	43	27	820	140	440	190	140	820	440	
SOIL-CTETPH-SPLP					2008 - 2013 CT DEEP RSR - 10X GWPC															
CT ETPH	CT ETPH	mg/l			2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.14	<0.075	0.38	0.13	

Legend
1 Parameter reported at a concentration greater than applicable regulatory standard/criterion
 () Indicates the laboratory reporting limit is greater than one or more applicable comparison criteria
 BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:
 mg/l = milligrams per liter
 mg/kg = milligrams per kilogram
 µg/kg = micrograms per kilogram
 (ft.) = feet
 GWPC = Groundwater Protection Criteria
 GB PMC = Groundwater Class 'GB' Pollutant Mobility Criteria
 SPLP = Synthetic Precipitation Leaching Procedure
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 ETPH = Extractable Total Petroleum Hydrocarbons
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations

Table 1b
Soil Analytical Results- VOCs and ETPH
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 14K0811														
			Lab Sample No.:														
			14K0811-08SITE	14K0811-09SITE	14K0811-10SITE	14K0811-11SITE	14K0811-12SITE	14K0811-13SITE	14K0811-14SITE	14K0811-15SITE	14K0811-17SITE	14K0811-18SITE	14K0811-19SITE	14K0811-20SITE			
Sample Depth (ft.)			SB-111814-126A	SB-111814-126B	SB-111814-127A	SB-111814-127B	SB-111814-128A	SB-111814-128B	SB-111814-129A	SB-111814-129B	SB-111814-130A	SB-111814-130B	SB-111814-131A	SB-111814-131B			
Date Collected			0.5-2	3-5	0.5-2	13-15	0.5-2	2-4	0.5-2	2-4	0-2	2-4	0.5-2	2-4			
			11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014	11/18/2014			
SOIL-8260C			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC												
1,1,1-Trichloroethane	71-55-6	µg/kg	500,000	1,000,000	40,000	<1.5	2.5	<1.3	<6.3	<1.4	3.3	<1.5	<1.5	<1.2	3.1	<1.1	<1.4
1,2,4-Trimethylbenzene	95-63-6	µg/kg	500,000	1,000,000	2,400	<1.5	<1.4	<1.3	11	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
1,2-Dibromo-3-chloropropane	96-12-8	µg/kg	9	800	600	<1.5	<1.4	<1.3	<6.3	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
1,2-Dibromoethane (EDB) (ethylene dibromide)	106-93-4	µg/kg	7	67	100	<0.74	<0.7	<0.65	<3.2	<0.69	<0.89	<0.75	<0.76	<0.58	<0.69	<0.57	<0.69
1,3,5-Trimethylbenzene	108-67-8	µg/kg	500,000	1,000,000	1,900	<1.5	<1.4	<1.3	19	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
Acrylonitrile	107-13-1	µg/kg	1,100	11,000	100	<4.5	<4.2	<3.9	<19	<4.2	<5.3	<4.5	<4.5	<3.5	<4.1	<3.4	<4.2
Bromodichloromethane	75-27-4	µg/kg	1,100	92,000	40	<1.5	<1.4	<1.3	<6.3	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
Bromomethane	74-83-9	µg/kg	33,900	1,000,000	100	<7.4	<7	<6.5	<32	<6.9	<8.9	<7.5	<7.6	<5.8	<6.9	<5.7	<6.9
Carbon tetrachloride	56-23-5	µg/kg	4,700	44,000	1,000	<1.5	<1.4	<1.3	<6.3	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
Isopropylbenzene	98-82-8	µg/kg	500,000	1,000,000	18,000	<1.5	<1.4	<1.3	10	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
m/p-Xylenes	179601-23-1	µg/kg				<3	<2.8	<2.6	<13	<2.8	<3.6	<3	<3	<2.3	<2.7	<2.3	<2.8
Naphthalene	91-20-3	µg/kg	1,000,000	2,500,000	56,000	<3	<2.8	<2.6	77	<2.8	<3.6	<3	<3	<2.3	<2.7	<2.3	<2.8
o-Xylene	95-47-6	µg/kg				<1.5	<1.4	<1.3	<6.3	<1.4	<1.8	<1.5	<1.5	<1.2	<1.4	<1.1	<1.4
Tetrachloroethylene	127-18-4	µg/kg	12,000	110,000	1,000	<1.5	<1.4	<1.3	<6.3	<1.4	<1.8	<1.5	2.6	2.3	3.3	<1.1	<1.4
Xylene-Total		µg/kg	500,000	1,000,000	19,500	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL
SOIL-CTETPH			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC												
CT ETPH	CT ETPH	mg/kg	500	2,500	2,500	170	110	160	10000	220	240	320	230	2800	2800	120	2000
SOIL-CTETPH-SPLP					2008 - 2013 CT DEEP RSR - 10X GWPC												
CT ETPH	CT ETPH	mg/l			2.5	0.11	<0.075	0.44	1.2	0.1	<0.075	0.089	<0.075	0.4	0.21	<0.075	0.17

Legend

- 1 Parameter reported at a concentration greater than applicable regulatory standard/criterion
- () Indicates the laboratory reporting limit is greater than one or more applicable comparison criteria
- BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:

- mg/l = milligrams per liter
- mg/kg = milligrams per kilogram
- µg/kg = micrograms per kilogram
- (ft.) = feet
- GWPC = Groundwater Protection Criteria
- GB PMC = Groundwater Class 'GB' Pollutant Mobility Criteria
- SPLP = Synthetic Precipitation Leaching Procedure
- I/C DEC = Industrial/Commercial Direct Exposure Criteria
- Res DEC = Residential Direct Exposure Criteria
- ETPH = Extractable Total Petroleum Hydrocarbons
- NA = Not Submitted for Analysis
- CT DEEP = Connecticut Department of Energy and Environmental Protection
- RSR = Remediation Standard Regulations

Table 2
 Soil Analytical Results- Station B Building
 Former English Station
 510 Grand Avenue, New Haven, CT
 HRP # UNI3932.P2

			Lab Report No.:	14K0774	14K0774	14K0774	14K0774	14K0774	14K0774	14K0774	14K0774	14K0774	14K0774
			Lab Sample No.:	14K0774-01SITE	14K0774-02SITE	14K0774-03SITE	14K0774-04SITE	14K0774-05SITE	14K0774-06SITE	14K0774-07SITE	14K0774-08SITE	14K0774-09SITE	14K0774-10SITE
				BS-111714-1	BS-111714-2	BS-111714-3	BS-111714-4	BS-111714-5	BS-111714-6	BS-111714-7	BS-111714-8	BS-111714-9	BS-111714-10
				0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5
				11/17/14	11/17/14	11/17/14	11/17/14	11/17/14	11/17/14	11/17/14	11/17/14	11/17/14	11/17/14
			2008 - 2013 CT DEEP RSR - Res DEC										
			2008 - 2013 CT DEEP RSR - I/C DEC										
SOIL-PCBs-8082													
PCB-1016	12674-11-2	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1221	11104-28-2	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1232	11141-16-5	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1242	53469-21-9	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1248	12672-29-6	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1254	11097-69-1	mg/kg		<0.11	0.17	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1262	37324-23-5	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1268	11100-14-4	mg/kg		<0.11	<0.11	<0.11	<0.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCB-1260	11096-82-5	mg/kg		0.12	0.26	<0.11	0.13	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
PCBs-Total		mg/kg	1	0.12	0.43	<BRL	0.13	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL
SOIL-Misc													
Solids, Total	totSolids	%		92.8	88.9	91.4	91.7	90.8	91.9	89.3	91.3	91.1	84.9

Legend

<1 Parameter not detected above the laboratory reporting limit

Notes:

- mg/kg = milligrams per kilogram
- (ft.) = feet
- I/C DEC = Industrial/Commercial Direct Exposure Criteria
- Res DEC = Residential Direct Exposure Criteria
- NA = Not Submitted for Analysis
- CT DEEP = Connecticut Department of Energy and Environmental Protection
- RSR = Remediation Standard Regulations
- PCBs = Polychlorinated Biphenyls

Table 3
Groundwater Analytical Results
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.:													
			1411388	1411339	1411388	1411339	1411388	1411339	1411388	1411339	1411388	1411339	1411388	1411339	1411388	1411339
			Lab Sample No.:													
			1411388-10SITE	1411339-11SITE	1411388-08SITE	1411339-09SITE	1411388-07SITE	1411339-07SITE	1411388-01SITE	1411339-08SITE	1411388-03SITE	1411339-02SITE	1411388-06SITE	1411339-09SITE	1411388-11SITE	
Date Collected			MW-4S	MW-5	MW-7	MW-9A	MW-12	MW-16	MW-17d	MW-18	MW-19	MW-21	MW-21 DUP	MW-22	MW-A	
			09/30/14	09/29/14	09/30/14	09/29/14	09/30/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/29/14	09/30/14	09/30/14	
WATER-8260C																
			2008 - 2013 CT DEEP RSR - Res GWVC	2008 - 2013 CT DEEP RSR - I/C GWVC	2008 - 2013 CT DEEP RSR - SWPC											
1,1-Dichloroethane	75-34-3	µg/l	34,600	50,000	4,100	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	0.61	<0.5	<0.5	<0.5	
1,4-Dichlorobenzene	106-46-7	µg/l	50,000	50,000	26,000	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	
Acrylonitrile	107-13-1	µg/l	2.4	93.6	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
Bromomethane	74-83-9	µg/l	32	389	0.5	(<2)	(<1)	(<2)	(<1)	(<2)	(<1)	(<1)	(<1)	(<1)	(<2)	
Chlorobenzene	108-90-7	µg/l	1,800	6,150	420,000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
cis-1,2-Dichloroethylene	156-59-2	µg/l	928	11,472	6,200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Methyltertbutyl ether	1634-04-4	µg/l	50,000	50,000	10,000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Vinyl chloride	75-01-4	µg/l	2	2	15,750	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
WATER-680					2008 - 2013 CT DEEP RSR - SWPC											
Heptachlorobiphenyls	28655-71-2	µg/l				<0.003	<0.003	<0.003	<0.003	<0.003	0.032	0.0076	<0.003	<0.003	0.021	
Hexachlorobiphenyls	26601-64-9	µg/l				<0.002	<0.002	<0.002	<0.002	<0.002	0.038	0.011	<0.002	<0.002	0.034	
Pentachlorobiphenyls	25429-29-2	µg/l				<0.002	<0.002	<0.002	<0.002	<0.002	0.0049	<0.002	<0.002	<0.002	0.0059	
PCBs total	1336-36-3	µg/l			0.5	0.0	0.0	0.0	0.0	0.0	0.075	0.019	0.0	0.0	0.061	

Legend

- <1 Parameter not detected above the laboratory reporting limit
- () Indicates the laboratory reporting limit is greater than one or more applicable comparison criteria
- BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:

- µg/l = micrograms per liter
- (ft.) = feet
- SWPC = Surface Water Protection Criteria
- I/C GWVC = Industrial/Commercial Volatilization Criteria for Groundwater
- Res GWVC = Residential Volatilization Criteria for Groundwater
- NA = Not Submitted for Analysis
- CT DEEP = Connecticut Department of Energy and Environmental Protection
- RSR = Remediation Standard Regulations
- PCBs = Polychlorinated Biphenyls

Table 3
Groundwater Analytical Results
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 1411388 1411388 1411388 1411339 1411339 1411339 1411388 1411388 1411339 Lab Sample No.: 1411388-03SITE 1411388-05SITE 1411388-06SITE 1411339-05SITE 1411339-12SITE 1411339-10SITE 1411388-04SITE 1411388-02SITE 1411339-04SITE											
			MW-BD	MW-BS	MW-C	MW-D	MW-E	MW-H	MW-J	MW-K	MW-P			
Date Collected			09/30/14	09/30/14	09/30/14	09/29/14	09/29/14	09/29/14	09/30/14	09/30/14	09/29/14			
WATER-8260C			2008 - 2013 CT DEEP RSR - Res GWVC	2008 - 2013 CT DEEP RSR - I/C GWVC	2008 - 2013 CT DEEP RSR - SWPC									
1,1-Dichloroethane	75-34-3	µg/l	34,600	50,000	4,100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5
1,4-Dichlorobenzene	106-46-7	µg/l	50,000	50,000	26,000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5
Acrylonitrile	107-13-1	µg/l	2.4	93.6	20	<2	<2	<2	<2	<2	<2	<4	<2	<2
Bromomethane	74-83-9	µg/l	32	389	0.5	<2	<2	<2	<1	<1	<1	<4	<2	<1
Chlorobenzene	108-90-7	µg/l	1,800	6,150	420,000	0.92	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5
cis-1,2-Dichloroethylene	156-59-2	µg/l	928	11,472	6,200	5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5
Methylterbutyl ether	1634-04-4	µg/l	50,000	50,000	10,000	0.56	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5
Vinyl chloride	75-01-4	µg/l	2	2	15,750	1.4	<1	<1	<1	<1	<1	<2	<1	<1
WATER-680					2008 - 2013 CT DEEP RSR - SWPC									
Heptachlorobiphenyls	28655-71-2	µg/l				<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Hexachlorobiphenyls	26601-64-9	µg/l				<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Pentachlorobiphenyls	25429-29-2	µg/l				<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
PCBs total	1336-36-3	µg/l			0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Legend

- <1 Parameter not detected above the laboratory reporting limit
- () Indicates the laboratory reporting limit is greater than one or more applicable comparison criteria
- BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:

- µg/l = micrograms per liter
- (ft.) = feet
- SWPC = Surface Water Protection Criteria
- I/C GWVC = Industrial/Commercial Volatilization Criteria for Groundwater
- Res GWVC = Residential Volatilization Criteria for Groundwater
- NA = Not Submitted for Analysis
- CT DEEP = Connecticut Department of Energy and Environmental Protection
- RSR = Remediation Standard Regulations
- PCBs = Polychlorinated Biphenyls

Table 4
Sediment Analytical Results- Catch Basin (CB-4)
Former English Station
510 Grand Avenue, New Haven, CT
HRP # UNI3932.P2

			Lab Report No.: 1410638			
			Lab Sample No.: 1410638-01 SITE			
Date Collected			CB-091514-1			
			9/15/2014			
SOIL-8260B			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC	ND
SOIL-CTETPH			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC	2008 - 2013 CT DEEP RSR - GB PMC	
CT ETPH	CT ETPH	mg/kg	500	2,500	2,500	160000
SOIL-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC		
PCB-1016	12674-11-2	mg/kg				<0.12
PCB-1221	11104-28-2	mg/kg				<0.12
PCB-1232	11141-16-5	mg/kg				<0.12
PCB-1242	53469-21-9	mg/kg				<0.12
PCB-1248	12672-29-6	mg/kg				<0.12
PCB-1254	11097-69-1	mg/kg				0.35
PCB-1260	11096-82-5	mg/kg				<0.12
PCB-1262	37324-23-5	mg/kg				<0.12
PCB-1268	11100-14-4	mg/kg				<0.12
PCBs-Total		mg/kg	1	10		0.35
SOIL-Misc						
Solids, Total	TotSolids	%				80.4

Legend

1 Parameter reported at a concentration greater than RSR regulatory standard/criterion

Notes:

mg/kg = milligrams per kilogram
 (ft.) = feet
 GB PMC = Groundwater Class 'GB' Pollutant Mobility Criteria
 I/C DEC = Industrial/Commercial Direct Exposure Criteria
 Res DEC = Residential Direct Exposure Criteria
 ETPH = Extractable Total Petroleum Hydrocarbons
 NA = Not Submitted for Analysis
 CT DEEP = Connecticut Department of Energy and Environmental Protection
 RSR = Remediation Standard Regulations
 PCBs = Polychlorinated Biphenyls

Table 5
 Sediment Analytical Results- Cooling Water Discharge Tunnel
 Former English Station
 510 Grand Avenue, New Haven, CT
 HRP # UNI3932.P2

			Lab Report No.: 14K0893	
			Lab Sample No.: 14K0893-01SITE	
Date Collected			DT-111914-1	
			11/19/14	
SLUDGE-PCBs-8082			2008 - 2013 CT DEEP RSR - Res DEC	2008 - 2013 CT DEEP RSR - I/C DEC
PCB-1016	12674-11-2	mg/kg		<0.23
PCB-1221	11104-28-2	mg/kg		<0.23
PCB-1232	11141-16-5	mg/kg		<0.23
PCB-1242	53469-21-9	mg/kg		<0.23
PCB-1262	37324-23-5	mg/kg		<0.23
PCB-1268	11100-14-4	mg/kg		<0.23
PCB-1248	12672-29-6	mg/kg		0.67
PCB-1254	11097-69-1	mg/kg		0.78
PCB-1260	11096-82-5	mg/kg		0.33
PCBs-Total		mg/kg	1	10
SLUDGE-Misc				
Solids, Total	TotSolids	%		41.8

Legend

1 Parameter reported at a concentration greater than RSR regulatory standard/criterion

Notes:

- mg/kg = milligrams per kilogram
- (ft.) = feet
- SWPC = Surface Water Protection Criteria
- I/C GWVC = Industrial/Commercial Volatilization Criteria for Groundwater
- Res GWVC = Residential Volatilization Criteria for Groundwater
- NA = Not Submitted for Analysis
- CT DEEP = Connecticut Department of Energy and Environmental Protection
- RSR = Remediation Standard Regulations
- PCBs = Polychlorinated Biphenyls

Table 6
 Laboratory Analytical Results-
 PCB Wipe Samples
 510 Grand Avenue, New Haven, CT
 HRP # UNI3932.P2

Lab Report No.:			14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14J0264	14K0952	14K0952		
Lab Sample No.:			14J0264-01SITE	14J0264-02SITE	14J0264-03SITE	14J0264-04SITE	14J0264-05SITE	14J0264-06SITE	14J0264-07SITE	14J0264-08SITE	14J0264-09SITE	14J0264-10SITE	14J0264-11SITE	14J0264-12SITE	14J0264-13SITE	14J0264-14SITE	14J0264-15SITE	14J0264-16SITE	14K0952-01 1SITE	14K0952-02 1SITE	
Date Collected			10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	10/06/14	11/20/14	11/20/14
WIPE-PCBs-8082			WS-100614-01	WS-100614-02	WS-100614-03	WS-100614-04	WS-100614-05	WS-100614-06	WS-100614-07	WS-100614-08	WS-100614-09	WS-100614-10	WS-100614-11	WS-100614-12	WS-100614-13	WS-100614-14	WS-100614-15	WS-100614-16	WS-112014-17	WS-112014-18	
PCB-1016	12674-11-2	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1221	11104-28-2	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1232	11141-16-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1242	53469-21-9	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1248	12672-29-6	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1254	11097-69-1	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1260	11096-82-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1262	37324-23-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1268	11100-14-4	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCBs-Total		ug	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL

Legend

- <1 Parameter not detected above the laboratory reporting limit
- BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:

(ft.) = feet
 PCBs = Polychlorinated Biphenyls

Table 6
 Laboratory Analytical Results-
 PCB Wipe Samples
 510 Grand Avenue, New Haven, CT
 HRP # UNI3932.P2

Lab Report No.:			14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952	14K0952
Lab Sample No.:			14K0952-03 1SITE	14K0952-04 1SITE	14K0952-05 1SITE	14K0952-06 1SITE	14K0952-07 1SITE	14K0952-08 1SITE	14K0952-09 1SITE	14K0952-10 1SITE	14K0952-11 1SITE	14K0952-12 1SITE	14K0952-13 1SITE	14K0952-14 1SITE	14K0952-15 1SITE	14K0952-16 1SITE	14K0952-17 1SITE	14K0952-18 1SITE	14K0952-19 1SITE	14K0952-20 1SITE
Date Collected			WS-112014-19	WS-112014-20	WS-112014-21	WS-112014-22	WS-112014-23	WS-112014-24	WS-112014-25	WS-112014-26	WS-112014-27	WS-112014-28	WS-112014-29	WS-112014-30	WS-112014-31	WS-112014-32	WS-112014-33	WS-112014-34	WS-112014-35	WS-112014-36
WIPE-PCBs-8082																				
PCB-1016	12674-11-2	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1221	11104-28-2	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1232	11141-16-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1242	53469-21-9	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1248	12672-29-6	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1254	11097-69-1	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1260	11096-82-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1262	37324-23-5	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCB-1268	11100-14-4	ug	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
PCBs-Total		ug	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL	<BRL


Legend

- <1 Parameter not detected above the laboratory reporting limit
- BRL Parameter consists of multiple isomers and were not detected above the laboratory reporting limit

Notes:

(ft.) = feet
 PCBs = Polychlorinated Biphenyls

LEGEND		
PROPERTY / STREET LINE	NOT	NOT OR FORMERLY
LINE / CHAIN LINK FENCE	○	ROUND DITCH BASIN
BUILDING	○	TYPE 1'-4" DITCH BASIN
DIG LINE	○	UTILITY POLE
OVERHEAD WIRE	○	FIRE HYDRANT
BUILDING	○	LIGHT POLE
WATER BIAS	○	MANHOLE
OUT BIAS	○	MULT
EXISTING STRUCTURE	○	



NOTES:

- THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE REGULATIONS OF CONNECTICUT STATE AGENCIES, SECTIONS 30-300B-1 THRU 30-300B-10, THE MINIMUM STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC.
- THE HORIZONTAL ACCURACY CONFORMS TO CLASS 3-3, THE TOPOGRAPHIC ACCURACY CONFORMS TO CLASS 7-2, AND THE VERTICAL ACCURACY CONFORMS TO CLASS 4-1.
- THE BOUNDARY DETERMINATION CATEGORY IS A "PRESUMED".
- THE TYPE OF SURVEY IS A "GENERAL LOCATION SURVEY".
- ALL MONUMENTATION FOUND OR SET ARE DEPICTED ON THIS MAP.
- THE NORTH ARROW BEARINGS AND THE COORDINATES REFER TO REFERENCE MAP A.
- REFERENCE MAPS:
 - U.S. HARBOR LINES, NEW HAVEN HARBOR, CONNECTICUT BY THE U.S. ARMY CORPS OF ENGINEERS DATED 1951
 - ILLUMINATING CO. BY CHARLES A. CHAM DATED MARCH 1951
 - ENGLISH STATION BY GORDON BILDES REVISION JUNE 1, 2000
- BENCHMARKS, ELEVATIONS AND CONTIGUOUS ARE BASED ON 1929 NATIONAL GEODETIC VERTICAL DATUM (MGD 29).

LEGEND	
SD-1 □	SEDIMENT SAMPLE COLLECTED BY GEI
PB-1, BS-a	SURFACE SOIL SAMPLE COLLECTED BY GEI
HA-1 □	HAND AUGER SOIL SAMPLE COLLECTED BY GEI
CS-1 ▲	CONCRETE CHIP SAMPLE COLLECTED BY GEI
SS-A ●	SURFACE SOIL SAMPLE COLLECTED BY AEI
CS-1 ▲	CONFIRMATION SOIL SAMPLE COLLECTED BY AEI
TB-1 ○	TEST BORING INSTALLED BY AEI
TB-1 ○	TEST BORING INSTALLED BY GEI
TB-W/MW-H	GROUND WATER MONITORING WELL INSTALLED BY AEI
MW-1 ○	GROUND WATER MONITORING WELL INSTALLED BY OTHERS
GW-1	GEOPROBE GROUND WATER MONITORING WELL INSTALLED BY OTHERS

RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI ARE NOT PRESENT.

KEY TO ANALYTICAL RESULTS	
0.2-0.8'	SAMPLE DEPTH BELOW GRADE IN FEET
As 30 ppm	CONSTITUENT/CONCENTRATION IN PPM
ppm	PARTS PER MILLION
SPLP	SYNTHETIC PRECIPITATION LEACHATE PROCEDURE
ETPH/TPH	EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS/TOTAL PETROLEUM HYDROCARBONS
PAHs	POLYAROMATIC HYDROCARBONS
V	VANADIUM

NOTES:

- ONLY CONCENTRATIONS ABOVE OR ANALYTES THAT EXCEED REMEDIATION STANDARD REGULATIONS (RSRs) GB POLLUTANT MOBILITY CRITERIA (PMC) ARE SHOWN.
- A COLORED CIRCLE AROUND SAMPLE LOCATION INDICATES EXCEEDANCE OF THE PMC OF THE ASSOCIATED ANALYTE.
- BASED ON EIGHT ROUNDS OF GROUND WATER GAUGING PERFORMED AT THE SITE FROM NOVEMBER 1991 TO AUGUST 1992, THE SEASONAL HIGH WATER TABLE IS APPROXIMATELY 2-8 FEET BELOW GRADE.


GENERAL LOCATION SURVEY
PROPERTY OF
QUINNIPIAC ENERGY, LLC
510 GRAND AVENUE
NEW HAVEN, CONNECTICUT
SCALE: 1"=40' JANUARY 4, 2002

GODFREY-HOFFMAN ASSOCIATES, LLC
PROFESSIONAL LAND SURVEYORS, ENGINEERS & DESIGNERS
2911 DIXWELL AVENUE - SUITE #301 HAMDEN, CONNECTICUT
06518 PH: 203-248-4217 FAX: 203-248-4381
www.godfreyhoffman.com
PROJECT: 01-182 SHEET 1 OF 1

PLATE 3-1	SOIL SAMPLE ANALYTICAL SUMMARY: EXCEEDANCES OF GB POLLUTANT MOBILITY CRITERIA
DATE 1/16/03	PREPARED FOR QUINNIPIAC ENERGY LLC ENGLISH STATION, NEW HAVEN, CT
SITE ID -	
	PROJECT No. AEI-00T-030
Advanced Environmental Interface, Inc. 8 Old Indian Trail Middlefield, CT 06455	DRAWING No. 00T-03D
DRAWN BY J.J.S.	CHECKED BY T.N.W.
SIZE D	SCALE AS SHOWN

NOTES:

1. THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE REGULATIONS OF CONNECTICUT STATE AGENCIES, SECTIONS 10-209-1 (PWS) AND 10-209-10 (MINIMUM STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC.).
 A) THE HORIZONTAL ACCURACY CONFORMS TO CLASS 3-2; THE TOPOGRAPHIC ACCURACY CONFORMS TO CLASS 7-1; AND THE VERTICAL ACCURACY CONFORMS TO CLASS 7-1.
 B) THE BOUNDARY DETERMINATION CATEGORY IS A "RESURVEY".
 C) THE TYPE OF SURVEY IS A "GENERAL LOCATION SURVEY".
2. ALL MONUMENTATION FOUND OR SET ARE DEPICTED ON THIS MAP.
3. THE NORTH ARROW, BEARINGS AND THE COORDINATES REFER TO REFERENCE MAP A.
4. REFERENCE MAPS:
 A) U.S. HARBOR LINES, NEW HAVEN HARBOR, CONNECTICUT BY THE U.S. ARMY CORPS OF ENGINEERS DATED 1951
 B) LIMITED ILLUMINATING CO. BY CHARLES A. CONY DATED MARCH 1951
 C) ENGLISH STATION BY GORDON BLAKES REVISION #16 7, 2000
5. BENCHMARKS, ELEVATIONS AND CONTOURS ARE BASED ON 1989 NATIONAL GEODETIC VERTICAL DATUM (NGVD 89).



GENERAL NOTES:

1. GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI WERE NOT LOCATED.
2. RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

LEGEND

- SED-1 □ SEDIMENT SAMPLE COLLECTED BY GEI
- PCB-L, SS-8 □ SURFACE SOIL SAMPLE COLLECTED BY GEI
- HA-10 □ HAND AUGER SOIL SAMPLE COLLECTED BY GEI
- CS-1 ▲ CONCRETE CHIP SAMPLE COLLECTED BY GEI
- SS-A ○ SURFACE SOIL SAMPLE COLLECTED BY AEI
- CS1 ▲ CONFIRMATION SOIL SAMPLE COLLECTED BY AEI
- TB-AO ○ TEST BORING INSTALLED BY AEI
- TB-1O ○ TEST BORING INSTALLED BY GEI
- TB-W/MW-H ○ GROUND WATER MONITORING WELL INSTALLED BY AEI
- MW-1B ○ GROUND WATER MONITORING WELL INSTALLED BY OTHERS
- GP-4 ○ GEOPROBE GROUND WATER MONITORING WELL INSTALLED BY OTHERS

RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI ARE NOT PRESENT.

KEY TO ANALYTICAL RESULTS

0-2-0-8' → SAMPLE DEPTH BELOW GRADE IN FEET
 As 30 ppm → CONSTITUENT/CONCENTRATION IN ppm

ppm PARTS PER MILLION
 As ○ ARSENIC
 Pb ○ LEAD
 PCBs ○ POLYCHLORINATED BIPHENYLS
 Be ○ BERYLLIUM
 ETPH/TPH ○ EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS/
 TOTAL PETROLEUM HYDROCARBONS
 PAHs ○ POLYAROMATIC HYDROCARBONS

NOTES:


1. ONLY CONCENTRATIONS ABOVE OR ANALYTES THAT EXCEED REMEDIATION STANDARD REGULATIONS (RSRs) INDUSTRIAL/COMMERCIAL (I/C) DIRECT EXPOSURE CRITERIA (DEC) ARE SHOWN.
2. A COLORED CIRCLE AROUND SAMPLE LOCATION INDICATES EXCEEDANCE OF THE 1/3 DEC OF THE ASSOCIATED ANALYTE.

BASE MAP TAKEN FROM:
 GENERAL LOCATION SURVEY
 PROPERTY OF
QUINNIPIAC ENERGY, LLC
 510 GRAND AVENUE
 NEW HAVEN, CONNECTICUT
 SCALE: 1"=40' JANUARY 4, 2002

GODFREY-HOFFMAN ASSOCIATES, LLC
 PROFESSIONAL LAND SURVEYORS, ENGINEERS & DESIGNERS
 811 DAVENPORT AVENUE - SUITE 3001 HARTFORD, CONNECTICUT
 06118 PH: 863-848-4817 FAX: 863-848-4381
 www.godfreysullivan.com
 PROJECT: 01-188 SHEET 1 OF 1

Scale in Feet
 0 10 25 50 75 100

PLATE 3-2a	SOIL SAMPLE ANALYTICAL SUMMARY (NORTHERN PORTION OF SITE): EXCEEDANCES OF INDUSTRIAL/COMMERCIAL DIRECT EXPOSURE CRITERIA	
DATE 1/17/03	PREPARED FOR QUINNIPIAC ENERGY LLC ENGLISH STATION, NEW HAVEN, CT	
SITE ID. -	PROJECT No. AEI-00T-030	DRAWING No. 00T-03C.1
Advanced Environmental Interface, Inc. 8 Old Indian Trail Middlefield, CT 06455	DRAWN BY J.J.S.	CHECKED BY T.N.W.
	SIZE D	SCALE AS SHOWN



- General Notes for Figure 5**
- [01] Several base maps were used for site features and Sample Point locations. These contain some discrepancies that have not been resolved. Locations are approximate.
 - [02] Structural details have not been shown within enclosures EN02 and EN03.
 - [03] Enclosures EN02 and EN03 are enclosed by four concrete walls. Enclosures are not synonymous with containment.
 - [04] Callout boxes give the following data: Sample Point identification, date sample was collected, sample depth in feet below original grade (shown in parentheses), and results in milligrams per kilogram.
 - [05] Reportedly, ND equals "not detected, less than the minimum detection limit (MDL)" of 1.0 milligrams per kilogram.
 - [06] Four concrete chip samples were taken on 25 June 1998. They were reported as ND. The sampling locations are not known. Locations are also not known for several soil sample points.
 - [07] Thirty-one soil samples reported collected from the excavation area were also tested for leachable PCBs using the synthetic precipitation leachate procedure (SPLP). SPLP PCBs were not detected in these samples.
 - [08] Additional recent sample results for this Area are shown on Figures 4N, 4S, 6, A3.3a, and A3.3b. The excavations for PCB Remediation Areas 1, 2, and 3 have been backfilled. Monitoring wells and Geoprobe 6 walls shown within Remediation Area 3 no longer exist. Construction of the new bulkhead has been completed.
 - [09] Data sources for Figure 5 include documents from:
The United Illuminating Company;
Onyx and Coastal Consultants, Inc.;
GEI Consultants, Inc.;
Envirocheck, Inc.;
Connecticut Testing Laboratories, Inc.; and
Complete Environmental Testing, Inc.
 - [10] This Figure is not intended for construction purposes.


LEGEND

- C12+ GRID LOCATION - NO SOIL DATA REPORTED
- C11 O SOIL SAMPLE TAKEN BY OTHERS
- MW-51+ SOIL SAMPLE FROM GROUNDWATER MONITORING WELL
- GP-02+ SOIL SAMPLE FROM GEOPROBE MONITORING WELL
- F1.0+ SOIL AT THIS DEPTH WAS EXCAVATED AND DISPOSED OF OFFSITE
- R-07+ DEPTH OF SOIL SAMPLE TAKEN IN FEET BELOW ORIGINAL GRADE
- CONCRETE WALL
- APPROXIMATE EXTENT OF EXCAVATION
- CONCRETE PAD
- CONCRETE PAD (ELEVATED)
- UTILITY POLE

DRAFT

SCALE: 1 INCH = 5 FEET

FIGURE	5	SUMMARY OF UNITED ILLUMINATING'S SOIL AND CONCRETE PCB RESULTS FOR BULKHEAD REMEDIATION AREA	
DATE	3/1/10	PREPARED FOR QUINNIPIAC ENERGY LLC	
SITE ID	-	ENGLISH STATION, 510 GRAND AVENUE NEW HAVEN, CT	
 Advanced Environmental Interface, Inc. 8 Old Indian Trail Middlefield, CT 06455	PROJECT No.	AEI-001-030e	DRAWING No.
	DRAWN BY	J.J.S.	CHECKED BY
SIZE	D	SCALE	AS SHOWN



- LEGEND**
- + CONFIRMATORY SOIL SAMPLE
 - MW-1 FORMER GROUNDWATER MONITORING WELL
 - GP-1 FORMER GEOPROBE MONITORING WELL
 - ⊗ FORMER 30" DEWATERING WELL
 - D12 BULKHEAD DEADMAN WIPE SAMPLE

- NOTES:**
1. REPORTEDLY, ND EQUALS "NOT DETECTED, LESS THAN THE MINIMUM DETECTION LIMIT (MDL) OF 1.0 MILLIGRAMS PER KILOGRAM (mg/kg)."
 2. UNITS ARE mg/kg.
 3. SAMPLE DEPTH IN FEET BELOW GRADE IS SHOWN IN PARENTHESES.
 4. MONITORING WELL AND GEOPROBE LOCATIONS ARE APPROXIMATE.
 5. DATES SHOWN ARE FOR SAMPLE COLLECTION.
 6. PCB RESULTS ARE AS REPORTED BY UL.
 7. TWENTY-EIGHT SOIL SAMPLES COLLECTED FROM ABOVE OR AT/NEAR THE GROUND WATER TABLE IN THE VICINITY OF THE EXCAVATION ALSO WERE TESTED FOR LEACHABLE PCBs USING THE SYNTHETIC PRECIPITATION LEACHATE PROCEDURE (SPLP). SPLP PCBs WERE NOT DETECTED IN THOSE SAMPLES TESTED.

SOURCE:
 OCEAN AND COASTAL CONSULTANTS, INC., MAY 8, 1998.
 REMEDIATION AND SAMPLING PLAN. DRAWING NO. 87062R51-1.





FIGURE AOC-5-1		SUMMARY OF SOIL SAMPLE PCB RESULTS FOR REMEDIATION AREA (AOC-5)	
DATE 7/1/02		PREPARED FOR QUINNIPIAC ENERGY, LLC ENGLISH STATION, NEW HAVEN, CT	
SITE ID. -		PROJECT No. AEI-00T-30	DRAWING No. 00T-03B
DRAWN BY J.J.S.		CHECKED BY T.N.W.	
SIZE D		SCALE AS SHOWN	





PCB MONITORING SOIL SAMPLE LEVELS					
SAMPLE IDENT.	SAMPLE BPTH	TEST RESULT pg/kg	SAMPLE DATE	ANALYSIS DATE	GRID LOCATION
QP-08A	0'-2'	ND	4/22/99	4/26/99	AC-12
	2'-4'	ND	4/22/99	4/26/99	AC-12
	4'-6'	ND	4/22/99	4/26/99	AC-12
	6'-8'	8.2	4/22/99	4/26/99	AC-12
	8'-10'	1.1	4/22/99	4/26/99	AC-12
	10'-12'	ND	4/22/99	4/26/99	AC-12
QP-30	0'-2'	ND	4/22/99	4/26/99	AD-11
	2'-4'	ND	4/22/99	4/26/99	AD-11
	4'-6'	3.8	4/22/99	4/26/99	AD-11
	6'-8'	5.4	4/22/99	4/26/99	AD-11
	8'-10'	ND	4/22/99	4/26/99	AD-11
	10'-12'	ND	4/22/99	4/26/99	AD-11
QP-31	0'-2'	ND	4/22/99	4/27/99	AC-11
	2'-4'	ND	4/22/99	4/27/99	AC-11
	4'-6'	ND	4/22/99	4/28/99	AC-11
	6'-8'	7.1	4/22/99	4/27/99	AC-11
	8'-10'	ND	4/22/99	4/27/99	AC-11
	10'-12'	ND	4/22/99	4/28/99	AC-11
QP-32	0'-2'	ND	4/22/99	4/29/99	AB-11
	2'-4'	ND	4/22/99	4/28/99	AB-11
	4'-6'	1.2	4/22/99	4/28/99	AB-11
	6'-8'	8.7	4/22/99	4/28/99	AB-11
	8'-10'	2.6	4/22/99	4/28/99	AB-11
	10'-12'	ND	4/22/99	4/29/99	AB-11
QP-33	0'-2'	ND	4/22/99	4/29/99	AD-12
	2'-4'	ND	4/22/99	4/29/99	AD-12
	4'-6'	ND	4/22/99	4/29/99	AD-12
	6'-8'	ND	4/22/99	4/29/99	AD-12
	8'-10'	ND	4/22/99	4/29/99	AD-12
	10'-11'	ND	4/22/99	4/29/99	AD-12
QP-34	0'-2'	ND	4/22/99	4/29/99	AD-13
	2'-4'	ND	4/22/99	4/29/99	AD-13
	4'-6'	ND	4/22/99	4/29/99	AD-13
	6'-8'	ND	4/22/99	4/29/99	AD-13
	8'-10'	ND	4/22/99	4/29/99	AD-13
	10'-11'	ND	4/22/99	4/29/99	AD-13
QP-35	0'-2'	ND	4/22/99	4/29/99	AC-13
	2'-4'	ND	4/22/99	4/29/99	AC-13
	4'-6'	1.5	4/22/99	4/29/99	AC-13
	6'-8'	ND	4/23/99	5/6/99	AB-10
	8'-10'	ND	4/23/99	5/6/99	AB-10
	10'-12'	ND	4/23/99	5/6/99	AB-10
QP-36	0'-2'	ND	4/23/99	5/6/99	AB-10
	2'-4'	ND	4/23/99	5/6/99	AB-10
	4'-6'	2.3	4/23/99	5/6/99	AB-10
	6'-8'	6.3	4/23/99	5/7/99	AB-10
	8'-10'	ND	4/23/99	5/5/99	AC-10
	10'-12'	ND	4/23/99	5/5/99	AC-10
QP-37	0'-2'	ND	4/23/99	5/5/99	AC-10
	2'-4'	ND	4/23/99	5/5/99	AC-10
	4'-6'	ND	4/23/99	5/5/99	AC-10
	6'-8'	2.6	4/23/99	5/5/99	AC-10
	8'-10'	ND	4/23/99	5/4/99	AC-10
	10'-12'	ND	4/23/99	5/4/99	AC-10
QP-38	0'-2'	ND	4/23/99	5/4/99	AC-10
	2'-4'	ND	4/23/99	5/4/99	AC-10
	4'-6'	ND	4/23/99	5/4/99	AC-10
	6'-8'	ND	4/23/99	5/5/99	AC-10
	8'-10'	ND	4/23/99	5/5/99	AC-10
	10'-12'	ND	4/23/99	5/5/99	AC-10
QP-40	0'-2'	ND	4/23/99	5/4/99	AC-11
	2'-4'	ND	4/23/99	4/30/99	AC-11
	4'-6'	ND	4/23/99	5/3/99	AC-11
	6'-8'	ND	4/23/99	5/3/99	AC-11
	8'-10'	ND	4/23/99	5/4/99	AC-11
	10'-12'	ND	4/23/99	5/4/99	AC-11
QP-41	0'-2'	ND	4/23/99	5/4/99	AC-11
	2'-4'	ND	4/23/99	5/4/99	AC-11
	4'-6'	ND	4/23/99	5/3/99	AC-11
	6'-8'	ND	4/23/99	5/3/99	AC-11
	8'-10'	ND	4/23/99	5/4/99	AC-11
	10'-12'	ND	4/23/99	5/4/99	AC-11

R. BLASKEY
SEP 10 1999

Proposed to add 4
4ø MW wells

WEST BRANCH MILL RIVER



OCEAN AND COASTAL
CONSULTANTS, INC.
35 CORPORATE BLVD., WILMINGTON, CT 06401
(203) 264-5947 FAX (203) 264-8821



United Illuminating Energy
English Station - New Haven Bulwark Rehabilitation
PHASE II - PCB MONITORING PLAN
SOIL SAMPLE LEVELS
CAR FILE NO. 97062007 (10) PROJECT NO. DRAWING NO. 97062007-7

SEE LAYER 'REAR' FOR DESCRIPTIONS


No.	Date	Revision	By	Checked/Engr/Supv

Drawn R.T.B. Date 6/25/99 Scale 1"=30'-0"
Checked J.V.B. Design Eng. J.V.B. Design Supv.

NOTES:

1. THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE REGULATIONS OF CONNECTICUT STATE AGENCIES, SECTIONS 30-300B-1 THRU 30-300B-10, THE ANTI-TRUST STATUTES FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. (A) THE HORIZONTAL ACCURACY CONFORMS TO CLASS "A", THE TOPOGRAPHIC ACCURACY CONFORMS TO CLASS "B" AND THE VERTICAL ACCURACY CONFORMS TO CLASS "C". (B) THE BEARING DETERMINATION CATEGORY IS "A". (C) THE TYPE OF SURVEY IS A "TERRITORIAL LOCATION SURVEY".
2. ALL MONUMENTATION FOUND OR SET ARE DEPICTED ON THIS MAP.
3. THE NORTH ARROW, BEARINGS AND THE COORDINATES REFER TO REFERENCE MAP A.
4. REFERENCE MAPS:
 ALL U.S. HARBOR LINES, NEW HAVEN HARBOR, CONNECTICUT BY THE U.S. ARMY CORPS OF ENGINEERS DATED 1951
 UNITED ALUMINUMING CO. BY CHARLES A. DAVIS DATED MARCH 1951
 CLEVELAND STATION BY GORDON BLEES REVISION APRIL 1, 2000
5. BENCHMARKS, ELEVATIONS AND CONTOURS ARE BASED ON 1989 NATIONAL GEODETIC VERTICAL DATUM (NGVD 89).

EAST BRANCH MILL RIVER



GENERAL NOTES:

1. GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI WERE NOT LOCATED.
2. RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

LEGEND

- SED-1-O SEDIMENT SAMPLE COLLECTED BY GEI
- PCB-L SS-M-A SURFACE SOIL SAMPLE COLLECTED BY GEI
- HA-1-O HAND AUGER SOIL SAMPLE COLLECTED BY GEI
- CS-1-A CONCRETE CHIP SAMPLE COLLECTED BY GEI
- SS-A-A SURFACE SOIL SAMPLE COLLECTED BY ADI
- CSI-A CONFIRMATION SOIL SAMPLE COLLECTED BY ADI
- TB-A-O TEST BORING INSTALLED BY ADI
- TB-1-O TEST BORING INSTALLED BY GEI
- TB-W/MW-H GROUND WATER MONITORING WELL INSTALLED BY ADI
- MW-1-O GROUND WATER MONITORING WELL INSTALLED BY OTHERS
- GP-4 GEPHROBE GROUND WATER MONITORING WELL INSTALLED BY OTHERS

RED SAMPLE POINTS REPRESENT SAMPLES NOT LOCATED BY SURVEYOR AND HAVE BEEN LOCATED USING FIELD MEASUREMENTS OR INFORMATION PROVIDED BY GEI.

GROUND WATER MONITORING WELLS MW-1, MW-2, MW-6 AND MW-20 INSTALLED BY GEI ARE NOT PRESENT.

KEY TO ANALYTICAL RESULTS

0.2-0.8' — SAMPLE DEPTH BELOW GRADE IN FEET
 As 30 ppm — CONSTITUENT/CONCENTRATION IN PPM

ppm PARTS PER MILLION

- As ARSENIC
- Pb LEAD
- PCBs POLYCHLORINATED BIPHENYLS
- Be BERYLLIUM
- ETHP/TPH EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS/TOTAL PETROLEUM HYDROCARBONS
- PAHs POLYAROMATIC HYDROCARBONS

NOTES:

1. ONLY CONCENTRATIONS ABOVE OR ANALYTES THAT EXCEED REMEDIATION STANDARD REGULATIONS (RSRs) INDUSTRIAL/COMMERCIAL (1/3) DIRECT EXPOSURE CRITERIA (DEC) ARE SHOWN.
2. A COLORED CIRCLE AROUND SAMPLE LOCATION INDICATES EXCEEDANCE OF THE 1/3 DEC OF THE ASSOCIATED ANALYTE.

BASE MAP TAKEN FROM:
 GENERAL LOCATION SURVEY
 PROPERTY OF
 QUINNIPIAC ENERGY, LLC
 510 GRAND AVENUE
 NEW HAVEN, CONNECTICUT
 SCALE: 1"=40' JANUARY 4, 2002

GODFREY-HOFFMAN ASSOCIATES, LLC
 PROFESSIONAL LAND SURVEYORS, ENGINEERS & DESIGNERS
 3911 DUTCH AVENUE - SUITE 300 - HARTFORD, CONNECTICUT 06118
 PH: 863-848-4217 FAX: 863-848-4381
 www.godfreyyh.com
 PROJECT: 01-188 SHEET 1 OF 1




PLATE 3-2b	SOIL SAMPLE ANALYTICAL SUMMARY (SOUTHERN PORTION OF SITE): EXCEEDANCES OF INDUSTRIAL/COMMERCIAL DIRECT EXPOSURE CRITERIA	
DATE 1/17/03	PREPARED FOR QUINNIPIAC ENERGY LLC ENGLISH STATION, NEW HAVEN, CT	
SITE ID -	PROJECT No. AEI-00T-030	DRAWING No. 00T-03C.2
Advanced Environmental Interface, Inc. 8 Old Indian Trail Middlefield, CT 06455	DRAWN BY J.J.S.	CHECKED BY T.N.W.
	SIZE D	SCALE AS SHOWN

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	11-16-MISC-121	NS	Concrete	1	1	1.1	First floor	19 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-123	NS	Wood	1	1	1.1	First floor	19 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-124	NS	Wood	1	1	1.1	Mezzanine	19 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-125	NS	Wood	1	1	1.1	Mezzanine	19 Nov 1999	ND < 1.0	2	GEI
A	1CO-01	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-02	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	0.57	—	—
A	1CO-03	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-04	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	0.98	—	—
A	1CO-05	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-05 D	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	5	—
A	1CO-06	½ inch	Concrete	1	1	1.1	Loading dock	16 Jun 2004	0.52	—	—
A	1CO-07	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-08	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-09	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-10	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-11	½ inch	Concrete	1	1	1.1	First floor	16 Jun 2004	ND < 0.50	—	—
A	1CO-200	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-201	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.51	—	—
A	1CO-202	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-203	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-204	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-205	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.35	—	—
A	1CO-206	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-207	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.39	—	—
A	1CO-208	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-209	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.50	—	—
A	1CO-210	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-211	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-212	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-213	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-214	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-215	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-216	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-217	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	ND < 0.30	—	—
A	1CO-218	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.86	—	—
A	1CO-219	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.51	—	—
A	1CO-219 D	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.62	5	—
A	1CO-219 EB	NA	Water	1	1	1.1	First floor	01 Sep 2006	ND < 0.50	—	—
A	1CO-220	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	1.00	—	—
A	1CO-221	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	1.4	—	—
A	1CO-222	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	0.54	—	—
A	1CO-223	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	2.0	—	—
A	1CO-224	½ inch	Concrete	1	1	1.1	Office roof	01 Sep 2006	ND < 0.30	—	—
A	1CO-225	½ inch	Concrete	1	1	1.1	First floor	01 Sep 2006	43	E	—
A	1CO-226	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.71	—	—
A	1CO-227	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.91	—	—
A	1CO-228	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.4	—	—
A	1CO-229	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.7	—	—
A	1CO-230	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.5	—	—
A	1CO-231	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.44	—	—
A	1CO-232	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.40	—	—
A	1CO-233	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.4	—	—
A	1CO-234	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.04	—	—
A	1CO-235	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.79	—	—
A	1CO-236	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.3	—	—
A	1CO-237	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.45	—	—
A	1CO-238	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.6	—	—
A	1CO-239	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.2	—	—
A	1CO-240	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.1	—	—
A	1CO-241	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.7	—	—
A	1CO-242	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.42	—	—
A	1CO-243	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.3	—	—
A	1CO-244	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	3.7	—	—
A	1CO-245	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.85	—	—
A	1CO-245 D	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	1.0	5	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	1CO-245 EB	NA	Water	1	1	1.1	First floor	28 Sep 2006	ND < 0.50	—	—
A	1CO-246	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	0.34	—	—
A	1CO-247	½ inch	Concrete	1	1	1.1	Loading dock	28 Sep 2006	0.37	—	—
A	1CO-248	½ inch	Concrete	1	1	1.1	Loading dock	28 Sep 2006	0.48	—	—
A	1CO-249	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	8.3	E	—
A	1CO-250	½ inch	Concrete	1	1	1.1	First floor	28 Sep 2006	2.9	—	—
A	1CO-251	½ inch	Concrete	1	1	1.1	Loading dock	28 Sep 2006	0.49	—	—
A	1CO-252	½ inch	Concrete	1	1	1.1	Loading dock	28 Sep 2006	0.38	—	—
A	1CO-253	½ inch	Concrete	1	1	1.1	Loading dock	28 Sep 2006	0.62	—	—
A	1CO-254	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.98	—	—
A	1CO-255	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.96	—	—
A	1CO-256	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	2.0	—	—
A	1CO-257	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.80	—	—
A	1CO-258	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.60	—	—
A	1CO-259	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1CO-260	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.95	—	—
A	1CO-261	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	2.4	—	—
A	1CO-262	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	1.29	—	—
A	1CO-263	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	2.7	—	—
A	1CO-264	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.30	—	—
A	1CO-265	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.31	—	—
A	1CO-265 D	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.30	5	—
A	1CO-265 EB	NA	Water	1	1	1.1	First floor	25 Oct 2006	ND < 0.50	—	—
A	1CO-266	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	1.8	—	—
A	1CO-267	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.49	—	—
A	1CO-268	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	2.8	—	—
A	1CO-269	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1CO-270	½ inch	Concrete	1	1	1.1	First floor	25 Oct 2006	0.31	—	—
A	1CO-271	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	2.0	—	—
A	1CO-272	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.33	—	—
A	1CO-273	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	1.8	—	—
A	1CO-274	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.30	—	—
A	1CO-275	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.89	—	—
A	1CO-276	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.58	—	—
A	1CO-277	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.51	—	—
A	1CO-277 D	½ inch	Concrete	1	1	1.1	First floor	13 Nov 2006	0.40	5	—
A	1CO-277 EB	NA	Water	1	1	1.1	First floor	13 Nov 2006	ND < 0.50	—	—
A	1CO- EB01	NA	Water	1	1	1.1	First floor	16 Jun 2004	ND < 12	9	—
A	1HX-046	NA	Hexane	1	1	1.1	Stairs	25 Oct 2006	ND < 5.0	—	—
A	1HX-048	NA	Hexane	1	1	1.1	Stairs	25 Oct 2006	ND < 5.0	—	—
A	1XX-026	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	1.42	—	—
A	1XX-027	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1XX-028	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1XX-029	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1XX-030	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	1.64	—	—
A	1XX-031	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	0.83	—	—
A	1XX-032	½ inch	Wood	1	1	1.1	First floor	25 Oct 2006	ND < 0.30	—	—
A	1XX-033	½ inch	Wood	1	1	1.1	First floor	13 Nov 2006	ND < 0.60	—	—
A	1CO-608	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-609	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.41	—	—
A	1CO-610	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-611	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.83	—	—
A	1CO-612	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.43	—	—
A	1CO-613	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-614	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-615	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.69	—	—
A	1CO-616	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-617	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-618	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-619	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-620	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.76	—	—
A	1CO-621	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.94	—	—
A	1CO-622	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.37	—	—
A	1CO-623	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.72	—	—
A	1CO-624	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.34	—	—
A	1CO-625	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-626	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-627	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	LD	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	1CO-627	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	LD	—
A	1CO-628	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.55	—	—
A	1CO-629	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-630	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-631	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-632	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.85	—	—
A	1CO-633	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-634	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-635	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-636	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-637	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.37	—	—
A	1CO-638	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-639	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-640	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-641	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-642	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-643	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-644	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.32	—	—
A	1CO-645	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-646	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.48	—	—
A	1CO-647	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.6	LD	—
A	1CO-647	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.6	LD	—
A	1CO-648	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.40	—	—
A	1CO-649	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.07	—	—
A	1CO-650	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.32	—	—
A	1CO-651	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.37	—	—
A	1CO-652	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.23	—	—
A	1CO-653	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.42	—	—
A	1CO-654	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.00	—	—
A	1CO-655	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.81	—	—
A	1CO-656	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-657	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.74	—	—
A	1CO-658	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-659	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-660	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.89	—	—
A	1CO-661	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.80	—	—
A	1CO-662	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-663	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-664	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.81	—	—
A	1CO-665	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.43	—	—
A	1CO-666	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.51	—	—
A	1CO-667	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.50	LD	—
A	1CO-667	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.41	LD	—
A	1CO-668	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-669	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	2.1	—	—
A	1CO-670	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	0.46	—	—
A	1CO-671	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.08	—	—
A	1CO-672	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.23	—	—
A	1CO-673	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	1CO-674	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.47	—	—
A	1CO-675	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	1.26	—	—
A	1CO-676	½ inch	Concrete	1	1	1.1	First floor	20 Feb 2008	ND < 0.30	—	—
A	BW-606	NA	Water	1	1	1.1	First floor	20 Feb 2008	ND < 0.50	EB	—
A	BW-607	NA	Water	1	1	1.1	First floor	20 Feb 2008	ND < 0.50	EB	—
A	BW-608	NA	Water	1	1	1.1	First floor	20 Feb 2008	ND < 0.50	EB	—
A	1CO-677	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-678	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-679	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-680	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	1.17	—	—
A	1CO-681	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	4.5	—	—
A	1CO-682	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	6.1	—	—
A	1CO-683	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.98	—	—
A	1CO-684	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.39	—	—
A	1CO-685	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.57	—	—
A	1CO-686	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-687	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	LD	—
A	1CO-687	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	LD	—
A	1CO-688	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.93	—	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	1CO-689	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	1.76	—	—
A	1CO-690	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	2.3	—	—
A	1CO-691	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	4.4	—	—
A	1CO-692	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.70	—	—
A	1CO-693	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-694	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-695	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-696	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	1.1	—	—
A	1CO-697	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	16,000	S	—
A	1CO-698	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	3.2	—	—
A	1CO-699	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	1.2	—	—
A	1CO-700	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-701	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1CO-702	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.36	—	—
A	1CO-703	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.36	LD	—
A	1CO-703	½ inch	Concrete	1	1	1.1	First floor	25 Feb 2008	0.38	LD	—
A	BW-609	NA	Water	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	EB	—
A	BW-610	NA	Water	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	EB	—
A	1XX-606	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1XX-607	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.30	—	—
A	1XX-608	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-609	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-610	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-611	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-612	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-613	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-614	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-615	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	LD	—
A	1XX-615	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	LD	—
A	1XX-616	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-617	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-618	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-619	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-620	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-621	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-622	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-623	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	1XX-624	½ inch	Wood	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	—	—
A	BW-611	NA	Water	1	1	1.1	First floor	25 Feb 2008	ND < 0.50	EB	—
A	1HX-600	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-601	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-602	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-603	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-604	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-605	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-606	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-607	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-608	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-609	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-610	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-611	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-612	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-613	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-614	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-615	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-616	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-617	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-618	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-619	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-620	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-621	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-622	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-623	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-624	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-625	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-626	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	2.3	—	—
A	1HX-627	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	7.9	—	—
A	1HX-628	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	1HX-629	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-630	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-631	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-632	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-633	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-634	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-635	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-636	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-637	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-638	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-639	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-640	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-641	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-642	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	—	—
A	1HX-643	NA	Hexane	1	1	1.1	Girder	29 Feb 2008	ND < 5.0	EB	—
A	11-16-MISC-114	NS	Concrete	1	1	1.2	Annex III	18 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-115	NS	Concrete	1	1	1.2	Annex III	18 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-116	NS	Concrete	1	1	1.2	Annex III	18 Nov 1999	ND < 1.0	2	GEI
A	1CO-12	½ inch	Concrete	1	1	1.2	Annex III	16 Jun 2004	ND < 0.50	—	—
A	1CO-13	½ inch	Concrete	1	1	1.2	Annex III	16 Jun 2004	ND < 0.50	—	—
A	1CO-14	½ inch	Concrete	1	1	1.2	Annex III	16 Jun 2004	ND < 0.50	—	—
A	1CO-15	½ inch	Concrete	1	1	1.2	Annex III	16 Jun 2004	ND < 0.50	—	—
A	1CO-16	½ inch	Concrete	1	1	1.2	Annex III	16 Jun 2004	ND < 0.50	—	—
A	A-1 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	A-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	A-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	A-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	B-1 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	17.4	—	—
A	B-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	45	—	—
A	B-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	2.4	—	—
A	B-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	C-1 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	1.3	—	—
A	C-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	1.5	—	—
A	C-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.98	—	—
A	C-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	CS-5	(Chip)	Concrete	1	1	1.2	Annex III	11 Jun 1998	15	2	GEI
A	D-1 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.94	—	—
A	D-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.77	—	—
A	D-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	D-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	E-1 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.69	—	—
A	E-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.98	—	—
A	E-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.51	—	—
A	E-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	Equip. Blank	NA	Water	1	1	1.2	Annex III	26 Aug 2002	ND < 10	—	—
A	F-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 0.50	—	—
A	F-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	F-4 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	Field Blank	NA	Water	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	G-2 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	G-3 [Annex III]	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	H-1	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	H-2	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	H-3	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	I-1	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	0.50	—	—
A	I-2	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	1.6	—	—
A	I-3	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	1.1	—	—
A	I-3a	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	0.65	5	—
A	I-4	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	J-1	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	J-2	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	J-3	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	J-4	½ inch	Concrete	1	1	1.2	Annex III	09 May 2002	ND < 0.50	—	—
A	K-1.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	—	—
A	K-2.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	1.4	—	—
A	K-3.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	—	—
A	K-3.5 Dup	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	5	—
A	L-1.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	—	—
A	L-2.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	—	—
A	L-3.5	½ inch	Concrete	1	1	1.2	Annex III	26 Aug 2002	ND < 0.50	—	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	SE-1	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	0.80	—	—
A	SF-1	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	SF-3	½ inch	Concrete	1	1	1.2	Annex III	18 Jul 2001	ND < 1.0	3	—
A	11-16-MISC-117	NS	Concrete	1	1	1.3	Basement	18 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-118	NS	Concrete	1	1	1.3	Basement	18 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-119	NS	Concrete	1	1	1.3	Basement	18 Nov 1999	ND < 1.0	2	GEI
A	11-16-MISC-120	NS	Concrete	1	1	1.3	Basement	18 Nov 1999	1.0	2	GEI
A	11-16-MISC-122	NS	Concrete	1	1	1.3	Basement	19 Nov 1999	ND < 1.0	2	GEI
A	SS-N	0.0–1.0	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-O	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-P	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-Q	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-R	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-S	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	SS-T	0.0–0.5	Soil	1	1	1.3	Basement	02 May 2001	ND < 0.50	—	—
A	11-16-MISC-113	NA	Oil	1	1	1.4	Crane	18 Nov 1999	4.0	1	GEI
A	1HX-030	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-031	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-032	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-033	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-034	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-035	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-035 EB	NA	Water	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-036	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-037	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-038	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-039	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-040	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-041	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-042	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-043	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-044	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-045	NA	Hexane	1	1	1.4	Crane	07 Sep 2006	ND < 5.0	—	—
A	1HX-047	NA	Hexane	1	1	1.4	Crane	25 Oct 2006	ND < 5.0	—	—
A	1XX-010	NA	Paint	1	1	1.4	Crane	01 Sep 2006	9.5	19	—
A	1XX-011	NA	Paint	1	1	1.4	Crane	07 Sep 2006	18.2	19, E	—
A	1XX-012	NA	Paint	1	1	1.4	Crane	07 Sep 2006	17.6	19, E	—
A	1XX-013	NA	Paint	1	1	1.4	Crane	07 Sep 2006	19.3	19, E	—
A	1XX-014	NA	Paint	1	1	1.4	Crane	07 Sep 2006	13.1	19, E	—
A	1XX-015	NA	Paint	1	1	1.4	Crane	07 Sep 2006	20.4	19, E	—
A	1XX-015 EB	NA	Water	1	1	1.4	Crane	07 Sep 2006	ND < 0.50	—	—
A	1XX-016	NA	Paint	1	1	1.4	Crane	07 Sep 2006	21	19, E	—
A	1XX-017	NA	Paint	1	1	1.4	Crane	07 Sep 2006	21	19, E	—
A	1XX-018	NA	Paint	1	1	1.4	Crane	07 Sep 2006	13.4	19, E	—
A	1XX-019	NA	Paint	1	1	1.4	Crane	07 Sep 2006	12.5	19, E	—
A	1XX-019 D	NA	Paint	1	1	1.4	Crane	07 Sep 2006	15.3	5, 19, E	—
A	1XX-020	NA	Paint	1	1	1.4	Crane	07 Sep 2006	8.5	19, E	—
A	1XX-021	NA	Paint	1	1	1.4	Crane	07 Sep 2006	10.4	19, E	—
A	1XX-022	NA	Paint	1	1	1.4	Crane	07 Sep 2006	21	19, E	—
A	1XX-023	NA	Paint	1	1	1.4	Crane	07 Sep 2006	22	19, E	—
A	1XX-024	NA	Paint	1	1	1.4	Crane	07 Sep 2006	20	19, E	—
A	1XX-025	NA	Paint	1	1	1.4	Crane	07 Sep 2006	4.5	19, E	—
A	CR-CS01	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS02	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS03	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS04	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS05	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS06	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS07	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS08	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS09	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS10	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS11	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS12	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS13	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS14	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS15	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS16	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—

**English Station
PCB Analytical Results
AOC-1**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	CR-CS17	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS18	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS18B	NA	Hexane	1	1	1.4	Crane	19 Apr 2002	ND < 5.0	—	—
A	CR-CS19	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	25	—	—
A	CR-CS19B	NA	Hexane	1	1	1.4	Crane	19 Apr 2002	ND < 5.0	—	—
A	CR-CS20	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS21	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS22	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS23	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS24	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS25	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS26	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS27	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS28	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS29	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS30	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS31	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS32	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS33	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS34	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS35	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS36	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS37	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS38	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS39	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS40	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS41	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS42	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS43	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS44	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS45	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS46	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	CR-CS47	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	Field Blank 1	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	Field Blank 2	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	Field Blank 3	NA	Hexane	1	1	1.4	Crane	21 Mar 2002	ND < 5.0	—	—
A	NEM	NA	Oil	1	1	1.4	Crane	18 Jul 2001	6.6	—	—
A	RS-CS1	NA	Oil	1	1	1.4	Crane	21 Mar 2002	ND < 2.0	—	—
A	SEM	NA	Oil	1	1	1.4	Crane	18 Jul 2001	6.6	—	—

**English Station
PCB Analytical Results
AOC-2**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	<i>Site Feature</i>	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	AOC2-CS2	0-2	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS2	2-4	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS2	5-7	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS6	0.0-0.25	Asphalt	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS6	0.25-2.0	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS6	2-4	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	AOC2-CS6	5-7	Soil	2	6	6.1	—	12 Mar 2002	ND < 0.50	—	—
A	MW-02	13-17	Soil	2	6	6.1	—	02 Jun 1998	ND < 1.0	6	GEI
A	TB-01	7-8	Soil	2	6	6.1	—	02 Jun 1998	ND < 1.0	6	GEI

**English Station
PCB Analytical Results
AOC-3**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	<i>Site Feature</i>	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
A	TB-08A	1-3	Soil	3	6	6.1	—	04 Jun 1998	ND < 1.0	6	GEI
A	TB-08B	15-17	Soil	3	6	6.1	—	04 Jun 1998	ND < 1.0	6	GEI
A	TB-08B	9-11	Soil	3	6	6.1	—	04 Jun 1998	ND < 1.0	6	GEI
A	TB-VVVV	0.0-0.3	Soil	3	6	6.1	—	05 Apr 2002	ND < 0.50	—	—
A	TB-VVVV	0.5-2.5	Soil	3	6	6.1	—	05 Apr 2002	ND < 0.50	—	—
A	TB-VVVV	2.5-4.5	Soil	3	6	6.1	—	05 Apr 2002	ND < 0.50	—	—
A	TB-WWWW	2.2-2.5	Soil	3	6	6.1	—	05 Apr 2002	ND < 0.50	—	—
A	TB-WWWW	2.5-4.5	Soil	3	6	6.1	—	05 Apr 2002	ND < 0.50	—	—

**English Station
PCB Analytical Results
AOC-5**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	3GP-256	0-0.25	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
—	3GP-256	0.25-1.25	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
—	3GP-256	1.25-3.5	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
—	3GP-256	3.5-5	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
—	3GP-256	5-8	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-257	0.0-0.25	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-257	0.25-1.0	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-257	1.0-3.0	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-257	3.0-5.0	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-257	5.0-7.0	Soil	5	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-311	0.0-0.3	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-311	0.3-1.3	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-311	1.3-1.6	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-311	1.6-2.5	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-311	2.5-4.0	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-311	4.0-6.0	Soil	5	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3HA-191	0.5-0.6	Soil	5	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-192	0.1-0.2	Soil	5	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-092	0.0-0.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-092	0.3-1.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-092	1.3-2.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-092	2.3-4.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-092	4.3-6.3	Soil	5	3	3.2	—	09 Sep 2004	1.5	4	09-28-2004	ND < 0.50	—	—
A	3TB-093	0.0-0.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-093	0.5-0.8	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-093	0.8-1.8	Soil	5	3	3.2	—	09 Sep 2004	0.81	7	—	NT	1	—
A	3TB-093	2.3-4.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-093	4.3-6.3	Soil	5	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-203	0.0-0.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-203	0.3-1.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-203	1.3-2.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-203	2.3-4.3	Soil	5	3	3.2	—	18 Nov 2004	2.1	4	12-23-2004	ND < 0.50	—	—
A	3TB-203	4.3-6.3	Soil	5	3	3.2	—	18 Nov 2004	17	3, 4	12-23-2004	ND < 0.50	—	—
A	3TB-204	0.0-0.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204	0.3-1.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204	1.3-2.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204	2.3-3.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204	3.3-4.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204	4.3-6.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-204 D	4.3-6.3	Soil	5	3	3.2	—	18 Nov 2004	ND < 0.50	5	—	—	—	—
A	3TB-204 EB	4.3-6.3	Water	5	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	GP-05	12	Soil	5	3	3.2	Remediation	12 Dec 1997	ND < 1.0	16	—	—	—	UI
—	GP-06A	0-1	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	1-2	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	2-3	Soil	5	3	3.2	—	29 Dec 1997	1.6	16	—	—	—	UI
—	GP-06A	3-4	Soil	5	3	3.2	—	29 Dec 1997	< 1.0	16	—	—	—	UI
—	GP-06A	4-5	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	5-6	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	6-7	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	7-8	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-06A	8-9	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-16	0-4	Soil	5	3	3.2	—	29 Dec 1997	1.7	16	—	—	—	UI
—	GP-16	4-8	Soil	5	3	3.2	—	29 Dec 1997	3.8	16	—	—	—	UI
—	GP-16	8-12	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-16	12-16	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-16	16-20	Soil	5	3	3.2	—	29 Dec 1997	ND	16	—	—	—	UI
—	GP-17	8-12	Soil	5	3	3.2	Remediation	29 Dec 1997	ND	16	—	—	—	UI
—	GP-17	12-13	Soil	5	3	3.2	Remediation	29 Dec 1997	ND	16	—	—	—	UI
—	GP-19	8-12	Soil	5	3	3.2	Remediation	30 Dec 1997	< 1.0	16	—	—	—	UI
—	GP-19	12-13	Soil	5	3	3.2	Remediation	30 Dec 1997	< 1.0	16	—	—	—	UI
—	GP-20	0-4	Soil	5	3	3.2	—	30 Dec 1997	< 1.0	16	—	—	—	UI
—	GP-20	4-8	Soil	5	3	3.2	—	30 Dec 1997	5	16	—	—	—	UI
—	GP-20	8-12	Soil	5	3	3.2	—	30 Dec 1997	ND	16	—	—	—	UI
—	MW-1	54-58	Soil	5	3	3.2	Remediation	08 Jan 1998	ND	16	—	—	—	UI
—	MW-4	59-61	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-1	8-10	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	10-12	Soil	5	3	3.2	Remediation	07 Jan 1998	1.1	16	—	—	—	UI
—	MW-1	12-14	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	14-16	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	19-21	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	24-26	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	29-31	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	34-36	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	39-41	Soil	5	3	3.2	Remediation	07 Jan 1998	ND	16	—	—	—	UI
—	MW-1	44-46	Soil	5	3	3.2	Remediation	08 Jan 1998	ND	16	—	—	—	UI
—	MW-1	49-51	Soil	5	3	3.2	Remediation	08 Jan 1998	ND	16	—	—	—	UI
—	MW-1	64-66	Soil	5	3	3.2	Remediation	08 Jan 1998	ND	16	—	—	—	UI

**English Station
PCB Analytical Results
AOC-5**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	MW-2	8–10	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	10–12	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	12–14	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	14–16	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	19–21	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	24–26	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	29–31	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	34–36	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	39–41	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	44–46	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	49–51	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	54–56	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	59–61	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	64–66	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-2	69–71	Soil	5	3	3.2	Remediation	09 Jan 1998	ND	16	—	—	—	UI
—	MW-3	8–10	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	10–12	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	12–14	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	14–16	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	19–21	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	24–26	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	29–31	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	34–36	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	39–41	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	44–46	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	49–51	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	54–56	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	59–61	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	64–66	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-3	69–71	Soil	5	3	3.2	Remediation	12 Jan 1998	ND	16	—	—	—	UI
—	MW-4	8–10	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	10–12	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	12–14	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	14–16	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	19–21	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	24–26	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	29–31	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	34–36	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	39–41	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	44–46	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	49–51	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	54–56	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	64–66	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	MW-4	69–71	Soil	5	3	3.2	Remediation	13 Jan 1998	ND	16	—	—	—	UI
—	A11	0.5	Soil	5	3	3.2	Remediation	03 Jun 1998	1.8	16	—	—	—	UI
—	A12	0.5	Soil	5	3	3.2	Remediation	02 Jun 1998	8.5	16	—	—	—	UI
—	A13	3.18	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B11	5.68	Soil	5	3	3.2	Remediation	03 Jun 1998	2.1	16	—	—	—	UI
—	B11	4.54	Soil	5	3	3.2	Remediation	26 Jun 1998	ND	16	—	—	—	UI
—	B12	6.38	Soil	5	3	3.2	Remediation	02 Jun 1998	2.3	16	—	—	—	UI
—	B12	8.38	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B12	10.38	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B12	12.38	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B13	7.75	Soil	5	3	3.2	Remediation	02 Jun 1998	3.6	16	—	—	—	UI
—	B13	9.75	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B13	11.75	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	B14	11.21	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	C11	3.67	Soil	5	3	3.2	Remediation	03 Jun 1998	2.2	16	—	—	—	UI
—	C11	5.67	Soil	5	3	3.2	Remediation	03 Jun 1998	6	16	—	—	—	UI
—	C11	7.67	Soil	5	3	3.2	Remediation	03 Jun 1998	4.4	16	—	—	—	UI
—	C11	9.67	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	C11	11.67	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	C14	12.04	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	D10	5.55	Soil	5	3	3.2	Remediation	14 Jul 1998	8.5	16	—	—	—	UI
—	D11	1.73	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	D11	3.73	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	D11	5.73	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	D11	7.73	Soil	5	3	3.2	Remediation	03 Jun 1998	3.2	16	—	—	—	UI
—	D11	9.73	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	D11	11.73	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	D12	6.13	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	D12	8.13	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	D12	10.13	Soil	5	3	3.2	Remediation	02 Jun 1998	4.6	16	—	—	—	UI
—	D12	12.13	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	D13	8.84	Soil	5	3	3.2	Remediation	02 Jun 1998	4.1	16	—	—	—	UI
—	D13	10.84	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	D13	12.34	Soil	5	3	3.2	Remediation	02 Jun 1998	3.1	16	—	—	—	UI

**English Station
PCB Analytical Results
AOC-5**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	D14	12.23	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	E10	9.3	Soil	5	3	3.2	Remediation	14 Jul 1998	4.3	16	—	—	—	UI
—	E11	8.88	Soil	5	3	3.2	Remediation	26 Jun 1998	ND	16	—	—	—	UI
—	E12	7.61	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	E12	9.61	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	E12	11.61	Soil	5	3	3.2	Remediation	02 Jun 1998	1.3	16	—	—	—	UI
—	E13	9.08	Soil	5	3	3.2	Remediation	02 Jun 1998	2.5	16	—	—	—	UI
—	E13	11.08	Soil	5	3	3.2	Remediation	02 Jun 1998	1.6	16	—	—	—	UI
—	E14	11.86	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	F10	9.22	Soil	5	3	3.2	Remediation	14 Jul 1998	2.7	16	—	—	—	UI
—	F11	10.02	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	F11	12.02	Soil	5	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	F11	8.91	Soil	5	3	3.2	Remediation	26 Jun 1998	ND	16	—	—	—	UI
—	F12	8.55	Soil	5	3	3.2	Remediation	03 Jun 1998	8.8	16	—	—	—	UI
—	F12	10.55	Soil	5	3	3.2	Remediation	03 Jun 1998	2.6	16	—	—	—	UI
—	F12	12.05	Soil	5	3	3.2	Remediation	03 Jun 1998	2	16	—	—	—	UI
—	F13	8.62	Soil	5	3	3.2	Remediation	02 Jun 1998	2.2	16	—	—	—	UI
—	F13	10.62	Soil	5	3	3.2	Remediation	02 Jun 1998	1.4	16	—	—	—	UI
—	F13	12.12	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	F14	5.23	Soil	5	3	3.2	Remediation	02 Jun 1998	1.7	16	—	—	—	UI
—	G13	10.77	Soil	5	3	3.2	Remediation	02 Jun 1998	1.2	16	—	—	—	UI
—	G13	12.27	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	G13	9.72	Soil	5	3	3.2	Remediation	22 Jun 1998	1.6	16	—	—	—	UI
—	G14	8.56	Soil	5	3	3.2	Remediation	02 Jun 1998	3.8	16	—	—	—	UI
—	G14	10.56	Soil	5	3	3.2	Remediation	02 Jun 1998	ND	16	—	—	—	UI
—	G14	12.06	Soil	5	3	3.2	Remediation	02 Jun 1998	1.9	16	—	—	—	UI
—	GP-20A	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-20A	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-20A	4-6	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-20A	6-8	Soil	5	3	3.2	—	22 Apr 1999	8.2	16	—	—	—	UI
—	GP-20A	8-10	Soil	5	3	3.2	—	22 Apr 1999	1.1	16	—	—	—	UI
—	GP-20A	10-12	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-30	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-30	10-12	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-30	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-30	4-6	Soil	5	3	3.2	—	22 Apr 1999	3.8	16	—	NT	—	UI
A	GP-30	6-8	Soil	5	3	3.2	—	22 Apr 1999	5.4	16	—	NT	—	UI
A	GP-30	8-10	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-31	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-31	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-31	4-6	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-31	6-8	Soil	5	3	3.2	—	22 Apr 1999	7.1	16	—	—	—	UI
—	GP-31	8-10	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-31	10-12	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-32	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-32	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-32	4-6	Soil	5	3	3.2	—	22 Apr 1999	1.2	16	—	—	—	UI
—	GP-32	6-8	Soil	5	3	3.2	—	22 Apr 1999	8.7	16	—	—	—	UI
—	GP-32	8-10	Soil	5	3	3.2	—	22 Apr 1999	2.6	16	—	—	—	UI
—	GP-32	10-12	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	10-11	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	4-6	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	6-8	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-33	8-10	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-35	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
A	GP-35	2-4	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-36	0-2	Soil	5	3	3.2	—	22 Apr 1999	ND	16	—	—	—	UI
—	GP-36	2-4	Soil	5	3	3.2	—	22 Apr 1999	1.5	16	—	—	—	UI
—	GP-38	0-2	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
—	GP-38	2-4	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
—	GP-38	4-6	Soil	5	3	3.2	—	23 Apr 1999	2.5	16	—	—	—	UI
—	GP-38	6-8	Soil	5	3	3.2	—	23 Apr 1999	6.3	16	—	—	—	UI
—	GP-39	0-2	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
—	GP-39	2-4	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
—	GP-39	4-6	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
—	GP-39	6-8	Soil	5	3	3.2	—	23 Apr 1999	2.6	16	—	—	—	UI
A	GP-41	0-2	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-41	10-12	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-41	2-4	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-41	4-6	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-41	6-8	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-41	8-10	Soil	5	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	MW-50	0-2	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-50	10-12	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-50	2-4	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI

**English Station
PCB Analytical Results
AOC-5**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	MW-50	4-6	Soil	5	3	3.2	—	12 Oct 1999	1.4	16	—	NT	—	UI
A	MW-50	8-10	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-51	0-2	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-51	10-12	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-51	2-4	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-51	4-6	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	MW-51	6-8	Soil	5	3	3.2	—	12 Oct 1999	1.7	16	—	NT	—	UI
A	MW-51	8-10	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	MW-53	0-2	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	MW-53	2-4	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	MW-53	4-6	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	MW-53	6-8	Soil	5	3	3.2	—	12 Oct 1999	2.6	16	—	—	—	UI
—	MW-53	8-10	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	MW-53	10-12	Soil	5	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
A	TB-S	0-1	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	TB-S	10-12	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	TB-S	2.0-3.3	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	TB-S	5-7	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
—	TB-T	0-2	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
—	TB-T	10-12	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
—	TB-T	2-4	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
—	TB-T	5-7	Soil	5	3	3.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	3HA-628	1-1.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-633	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	10	E, S	—	—	—	—
A	3HA-634	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	4.5	S	—	—	—	—
A	3HA-636	1-1.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-639	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-640	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	1.9	FD	—	—	—	—
A	3HA-641	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	2.1	FD, LD	—	—	—	—
A	3HA-641	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	2.0	FD, LD	—	—	—	—
A	3HA-643	1-1.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-644	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	0.30	—	—	—	—	—
A	3HA-645	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-646	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-647	1-1.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	0.45	—	—	Not recvd	—	—
A	3HA-648	1-1.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-649	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	0.32	—	—	—	—	—
A	3HA-650	6-6.25	Soil	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	BW-600	NA	Water	5	3	3.2	@ Track A	28 Nov 2007	ND < 0.50	EB	—	—	—	—
A	3SW-600	Surface	Water	5	3	3.2	@ Track A	04 Dec 2007	1.6	—	—	—	—	—
A	3HA-703	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	1.7	—	—	—	—	—
A	3HA-704	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.40	—	—	—	—	—
B	3HA-705	2-2.25	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.30	—	—	—	—	—
B	3HA-706	2-2.25	Soil	5	3	3.2	@ Track A	11 Dec 2007	0.57	—	08-Jan-08	ND < 0.50	—	—
B	3HA-707	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.40	—	—	—	—	—
B	3HA-708	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.40	FD	—	—	—	—
B	3HA-709	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.40	FD, LD	—	—	—	—
B	3HA-709	7.5-7.75	Soil	5	3	3.2	@ Track A	11 Dec 2007	ND < 0.40	FD, LD	—	—	—	—

**English Station
PCB Analytical Results
AOC-6 (PCB Area 3.1)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	Who ?
—	3CO-066	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-066 D	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3, 5	—	—	—
—	3CO-067	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-068	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-069	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-070	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-071	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-072	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-073	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-074	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
—	3CO-075	½ inch	Concrete	6	3	3.1	Cable wall	26 Aug 2004	ND < 5.0	3	—	—	—
A	3CO-178	½ inch	Concrete	6	3	3.1	CP#3	16 Dec 2004	ND < 0.50	—	—	—	—
A	3CO-179	½ inch	Concrete	6	3	3.1	CP#3	16 Dec 2004	ND < 0.50	—	—	—	—
—	3CO-180	½ inch	Concrete	6	3	3.1	CP#2	16 Dec 2004	ND < 0.50	—	—	—	—
—	3CO-181	½ inch	Concrete	6	3	3.1	CP#2	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-243	0.0–0.3	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-243	0.3–1.3	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-243	1.3–3.0	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-243	3–5	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-243	5–7	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-244	0.0–0.3	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-244	0.3–1.3	Soil	6	3	3.1	—	16 Dec 2004	6.6	4	01-06-2005	ND < 0.50	—
—	3GP-244	1.3–3.0	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-244	3–5	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-244	5–7	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3GP-244 D	0.3–1.3	Soil	6	3	3.1	—	16 Dec 2004	ND < 0.50	5	—	—	—
—	3GP-244 EB	0.3–1.3	Water	6	3	3.1	—	16 Dec 2004	ND < 0.50	—	—	—	—
—	3HA-104	0.0–0.5	Soil	6	3	3.1	—	25 Oct 2004	ND < 0.50	—	—	—	—
—	3HA-104	0.5–1.0	Soil	6	3	3.1	—	25 Oct 2004	ND < 0.50	—	—	—	—
—	3HA-104	1.0–1.5	Soil	6	3	3.1	—	25 Oct 2004	ND < 1.5	3	—	—	—
—	3HA-104	1.5–2.0	Soil	6	3	3.1	—	25 Oct 2004	ND < 0.50	—	—	—	—
—	3HA-133	0.0–0.25	Soil	6	3	3.1	—	08 Nov 2004	1.7	4	12-01-2004	ND < 0.50	—
—	3HA-133	0.25–0.5	Soil	6	3	3.1	—	08 Nov 2004	2.2	4	12-01-2004	ND < 0.50	—
—	3HA-133	0.5–1.5	Soil	6	3	3.1	—	08 Nov 2004	2	4	12-01-2004	ND < 0.50	—
—	3HA-134	0.0–0.25	Soil	6	3	3.1	—	08 Nov 2004	2.6	4	12-01-2004	ND < 0.50	—
—	3HA-134	0.25–0.5	Soil	6	3	3.1	—	08 Nov 2004	3.8	4	12-01-2004	ND < 0.50	—
—	3HA-134	0.5–1.5	Soil	6	3	3.1	—	08 Nov 2004	3.3	4	12-01-2004	ND < 0.50	—
—	3TB-099	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	3.3	4	09-29-2004	ND < 0.50	—
—	3TB-099	1.0–1.3	Soil	6	3	3.1	—	10 Sep 2004	25	3, 7	NA	NA	—
—	3TB-099	1.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 1.0	3	—	—	—
—	3TB-099	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-099	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-105	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-105	2.0–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 1.0	3	—	—	—
—	3TB-105	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-105	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-106	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	0.79	7	NA	NA	—
—	3TB-106	0.3–1.3	Soil	6	3	3.1	—	10 Sep 2004	0.65	7	NA	NA	—
—	3TB-106	1.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-106	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-106	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-106	6.3–8.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-107	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	1.6	4	09-29-2004	ND < 0.50	—
—	3TB-107	0.3–1.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-107	1.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-107	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-107	2.3–4.3 D	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	5	—	—	—
—	3TB-107	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-107 EB	2.3–4.3	Water	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-108	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	1.7	4	09-29-2004	ND < 0.50	—
—	3TB-108	0.3–1.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-108	1.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-108	2.3–2.6	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-108	2.6–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-108	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	0.3–1.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	1.3–1.6	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-109	6.3–8.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-110	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-110	0.3–1.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—

**English Station
PCB Analytical Results
AOC-6 (PCB Area 3.1)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	Who ?
—	3TB-110	1.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-110	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-110	8.3–10.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111	0.3–2.0	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111	0.3–2.0 D	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	5	—	—	—
—	3TB-111	2.0–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111	6.3–8.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-111 EB	0.3–2.0	Water	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	0.3–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	2.3–2.6	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	2.6–3.6	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	4.3–6.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-112	6.3–8.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-113	0.0–0.3	Soil	6	3	3.1	—	10 Sep 2004	36	3, 7, 13	NA	NA	—
—	3TB-113	0.3–2.0	Soil	6	3	3.1	—	10 Sep 2004	1.3	4, 13	09-29-2004	ND < 0.50	—
—	3TB-113	2.0–2.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-113	2.3–4.3	Soil	6	3	3.1	—	10 Sep 2004	2.1	4, 13	09-29-2004	ND < 0.50	—
—	3TB-113	6.3–8.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-113	8.3–10.3	Soil	6	3	3.1	—	10 Sep 2004	ND < 0.50	—	—	—	—
—	3TB-181	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-181	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-181	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-181	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-181	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-182	0.0–0.3	Soil	6	3	3.1	—	17 Nov 2004	1.96	4	12-20-2004	ND < 0.50	—
—	3TB-182	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	0.56	4	12-20-2004	ND < 0.50	—
—	3TB-182	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-182	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-182	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-183	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	5.03	4, 15	12-20-2004	ND < 0.50	—
—	3TB-183	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	3.3	4	12-20-2004	ND < 0.50	—
—	3TB-183	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-183	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-183	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-183 D	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	5	—	—	—
—	3TB-183 EB	1.3–2.3	Water	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-184	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-184	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	3.2	4	12-14-2004	ND < 0.50	—
—	3TB-184	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	13	4	12-14-2004	ND < 0.50	—
—	3TB-184	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-184	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-185	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-185	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-185	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	8.7	4	12-14-2004	ND < 0.50	—
—	3TB-185	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-185	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	0.72	—	—	—	—
—	3TB-186	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-186	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	1.5	4	12-14-2004	ND < 0.50	—
—	3TB-186	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-186	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-186	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-187	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-187	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	1.3	4	12-14-2004	ND < 0.50	—
—	3TB-187	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-187	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-187	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-187 D	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	0.76	4, 5	12-14-2004	ND < 0.50	—
—	3TB-187 EB	1.3–2.3	Water	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-188	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-188	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	1	4	12-14-2004	ND < 0.50	—
—	3TB-188	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-188	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-188	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-189	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-189	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	3	4	12-14-2004	ND < 0.50	—
—	3TB-189	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-189	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-189	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-190	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	ND < 0.50	15	—	—	—
—	3TB-190	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	20	3, 4	12-14-2004	ND < 0.50	—

**English Station
PCB Analytical Results
AOC-6 (PCB Area 3.1)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	Who ?
—	3TB-190	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-190	2.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 1.0	3	—	—	—
—	3TB-190	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-193	0.0–0.3	Stone	6	3	3.1	—	17 Nov 2004	1.1	3, 15	—	—	—
—	3TB-193	0.3–1.3	Soil	6	3	3.1	—	17 Nov 2004	1.9	3, 4	12-15-2004	ND < 0.50	—
—	3TB-193	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-193	2.3–3.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-193	3.3–4.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-193	4.3–6.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	3TB-193 D	1.3–2.3	Soil	6	3	3.1	—	17 Nov 2004	ND < 0.50	5	—	—	—
—	3TB-193 EB	1.3–2.3	Water	6	3	3.1	—	17 Nov 2004	ND < 0.50	—	—	—	—
—	A-1 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	A-2 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	0.73	—	—	—	—
—	A-3 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	0.54	—	—	—	—
—	A-4 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	1.7	—	—	—	—
—	A-5 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	17	—	—	—	—
—	A-6 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	55	—	—	—	—
—	A-7 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	4.1	—	—	—	—
—	AOC6-CS05	0–2	Soil	6	3	3.1	—	30 Jan 2002	ND < 0.50	—	—	—	—
—	AOC6-CS06	0–2	Soil	6	3	3.1	—	30 Jan 2002	ND < 0.50	—	—	—	—
—	AOC6-CS07	0.0–0.3	Soil	6	3	3.1	—	08 May 2002	ND < 0.50	—	—	—	—
—	AOC6-CS08	0.0–0.3	Soil	6	3	3.1	—	08 May 2002	2	—	—	—	—
—	AOC6-CS09	0.0–0.3	Soil	6	3	3.1	—	08 May 2002	ND < 0.50	—	—	—	—
—	AOC6-CS10	0.0–0.3	Soil	6	3	3.1	—	08 May 2002	ND < 0.50	—	—	—	—
—	AOC6-CS11	1.0–1.3	Soil	6	3	3.1	—	08 May 2002	0.68	—	—	—	—
—	AOC6-CS12	1.3–1.6	Soil	6	3	3.1	—	08 May 2002	1.4	—	—	—	—
—	AOC6-CS13	1.3–1.6	Soil	6	3	3.1	—	08 May 2002	4.8	—	—	—	—
—	AOC6-CS13a	1.3–1.6	Soil	6	3	3.1	—	08 May 2002	ND < 0.50	—	—	—	—
—	AOC6-CS14	1.3–1.6	Soil	6	3	3.1	—	08 May 2002	4.4	—	—	—	—
—	AOC6-CS15	2.0–2.3	Soil	6	3	3.1	—	08 May 2002	1.6	—	—	—	—
—	AOC6-CS16	2.3–2.6	Soil	6	3	3.1	—	08 May 2002	1.1	—	—	—	—
—	AOC6-CS17	2.3–2.6	Soil	6	3	3.1	—	08 May 2002	2.2	—	—	—	—
—	B-1 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	B-2 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	B-3 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	B-4 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	1.2	—	—	—	—
—	B-5 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	0.92	—	—	—	—
—	B-6 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	240	—	—	—	—
—	B-7 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	40	—	—	—	—
—	B-8 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	3.5	—	—	—	—
—	C-1 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	C-2 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	C-3 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	C-4 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	ND < 0.50	—	—	—	—
—	C-5 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	12.2	—	—	—	—
—	C-6 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	94	—	—	—	—
—	C-7 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	25	—	—	—	—
—	C-8 [Cap 1]	½ inch	Concrete	6	3	3.1	CP#1	30 Jan 2002	1.8	—	—	—	—
—	Cap2-A	½ inch	Concrete	6	3	3.1	CP#2	30 Jan 2002	ND < 0.50	—	—	—	—
—	Cap2-B	½ inch	Concrete	6	3	3.1	CP#2	30 Jan 2002	ND < 0.50	—	—	—	—
—	Cap2-C	½ inch	Concrete	6	3	3.1	CP#2	30 Jan 2002	ND < 0.50	—	—	—	—
—	Cap2-D	½ inch	Concrete	6	3	3.1	CP#2	30 Jan 2002	ND < 0.50	—	—	—	—
A	Cap3-A	½ inch	Concrete	6	3	3.1	CP#3	30 Jan 2002	ND < 0.50	—	—	—	—
A	Cap3-B	½ inch	Concrete	6	3	3.1	CP#3	30 Jan 2002	ND < 0.50	—	—	—	—
A	Cap3-C	½ inch	Concrete	6	3	3.1	CP#3	30 Jan 2002	ND < 0.50	—	—	—	—
A	Cap3-D	½ inch	Concrete	6	3	3.1	CP#3	30 Jan 2002	ND < 0.50	—	—	—	—
—	CS-1	(Chip)	Concrete	6	3	3.1	CP#1	11 Jun 1998	3	6	—	—	GEI
—	CS-2	(Chip)	Concrete	6	3	3.1	CP#1	11 Jun 1998	10	6	—	—	GEI
—	CS-3	(Scraping)	Concrete	6	3	3.1	CP#2	11 Jun 1998	ND < 0.50	6	—	—	GEI
A	CS-4	(Scraping)	Concrete	6	3	3.1	CP#3	11 Jun 1998	ND < 0.50	6	—	—	GEI
—	D-1 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	1.8	—	—	—	—
—	D-2 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	0.52	—	—	—	—
—	D-3 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	4.3	—	—	—	—
—	D-4 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	4.9	—	—	—	—
—	D-5 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	8.2	—	—	—	—
—	D-6 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	7.7	—	—	—	—
—	D-7 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	10	—	—	—	—
—	D-8 [Cap 1]	½ inch	Asphalt	6	3	3.1	CP#1	30 Jan 2002	4.1	—	—	—	—
—	EB -07	NA	Water	6	3	3.1	Cable wall	26 Aug 2004	ND < 12	9	—	—	—
—	TB-XXX	0.0–0.3	Soil	6	3	3.1	—	08 May 2002	NA	4	05-13-2002	ND < 0.50	—
—	TB-XXX	0.3–1.3	Soil	6	3	3.1	—	08 May 2002	NA	4	05-13-2002	ND < 0.50	—
A	PCB-11	1	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
A	PCB-12	1	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI

**English Station
PCB Analytical Results
AOC-6 (PCB Area 3.1)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	Who ?
—	PCB-13	0.5	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-14	1	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-15	0.5	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-16	1	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-18	1	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-18A	2	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-19	0.5	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	PCB-19A	2.5	Soil	6	3	3.1	—	11 Jun 1998	ND < 1.0	6	—	—	GEI
—	SS-03	0.0–0.3	Soil	6	3	3.1	—	30 Mar 2000	ND < 1.0	6	—	—	GEI
—	SS-G	0.5–1.0	Soil	6	3	3.1	—	02 May 2001	ND < 0.50	—	—	—	—
—	SS-H	0.2–0.8	Soil	6	3	3.1	—	02 May 2001	0.63	—	—	—	—
—	SS-I	0.2–0.8	Soil	6	3	3.1	—	02 May 2001	ND < 0.50	—	—	—	—
—	SS-J	0.2–0.8	Soil	6	3	3.1	—	02 May 2001	ND < 0.50	—	—	—	—
—	SS-K	0.2–0.8	Soil	6	3	3.1	—	02 May 2001	ND < 0.50	—	—	—	—
A	SS-PP	0.0–0.3	Soil	6	3	3.1	—	04 Apr 2002	ND < 0.50	—	—	—	—
A	SS-PP	1.0–1.3	Soil	6	3	3.1	—	04 Apr 2002	ND < 0.50	—	—	—	—
—	TB-XXX	0.0–0.3	Soil	6	3	3.1	—	02 Apr 2002	1.5	7	—	—	—
—	TB-XXX	0.3–1.3	Soil	6	3	3.1	—	02 Apr 2002	1.2	7	—	—	—
—	TB-XXX	10–12	Soil	6	3	3.1	—	02 Apr 2002	ND < 0.50	—	—	—	—
—	TB-XXX	15–16	Soil	6	3	3.1	—	02 Apr 2002	ND < 0.50	—	—	—	—
—	TB-XXX	16–17	Soil	6	3	3.1	—	02 Apr 2002	ND < 0.50	—	—	—	—
—	TB-XXX	2.3–4.3	Soil	6	3	3.1	—	02 Apr 2002	ND < 0.50	—	—	—	—
—	TB-XXX	4.3–6.3	Soil	6	3	3.1	—	02 Apr 2002	ND < 0.50	—	—	—	—

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5GP-015	0.0–0.3	Asphalt	7	5	5.3	—	16 Dec 2004	1	—	—	—	—	—
—	5GP-015	0.3–1.3	Soil	7	5	5.3	—	16 Dec 2004	0.91	4	01-04-2005	ND < 0.50	—	—
—	5GP-015	1.3–3.0	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-015	3–4	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-016	0.0–0.3	Asphalt	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-016	0.3–1.3	Soil	7	5	5.3	—	16 Dec 2004	1.5	4	01-11-2005	ND < 0.50	—	—
—	5GP-016	1.3–3.0	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-016	3–5	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-016	5–7	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-024	0.0–0.3	Asphalt	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-024	0.3–1.3	Soil	7	5	5.3	—	16 Dec 2004	0.7	4	01-11-2005	ND < 0.50	—	—
—	5GP-024	1.3–2.3	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-024	2.3–4.0	Soil	7	5	5.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-017	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	2.6	3	—	—	—	—
—	5TB-017	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-017	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-017	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	2.3	3, 4	09-17-2004	ND < 0.50	—	—
—	5TB-018	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	ND < 2.0	3	—	—	—	—
—	5TB-018	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-018	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-018	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-019	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-019	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-019	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-019	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	14	3, 4	09-17-2004	ND < 0.50	—	—
—	5TB-020	0.0–0.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-020	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-020	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-020	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-021	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	1.1	3	—	—	—	—
—	5TB-021	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-021	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-021	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-022	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	1.6	3	—	—	—	—
—	5TB-022	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	0.63	7	NA	NA	1	—
—	5TB-022	0–5	Soil	7	5	5.3	—	03 Sep 2004	2	4	09-17-2004	ND < 0.50	—	—
—	5TB-022	1.3–2.3	Soil	7	5	5.3	—	03 Sep 2004	5.1	4	09-17-2004	ND < 0.50	—	—
—	5TB-023	0.0–0.3	Asphalt	7	5	5.3	—	03 Sep 2004	0.61	7	—	—	—	—
—	5TB-023	0.3–1.3	Soil	7	5	5.3	—	03 Sep 2004	5.4	4	09-17-2004	ND < 0.50	—	—
—	5TB-023	1.3–3.3	Soil	7	5	5.3	—	03 Sep 2004	4.9	4	09-27-2004	ND < 0.50	—	—
—	5TB-023	3.3–5.3	Soil	7	5	5.3	—	03 Sep 2004	7.9	4	09-27-2004	ND < 0.50	—	—
—	5TB-170	0.0–0.3	Stone	7	5	5.3	—	16 Nov 2004	1.1	15	—	—	—	—
—	5TB-170	0.3–1.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-170	1.3–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-170	2.3–4.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-170	4.3–6.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-171	0.0–0.3	Soil	7	5	5.3	—	16 Nov 2004	43	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-171	0.3–0.8	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-171	0.8–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-171	2.3–3.3	Soil	7	5	5.3	—	16 Nov 2004	4.2	4	12-16-2004	ND < 0.50	—	—
—	5TB-171	3.3–4.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-171	4.3–6.3	Soil	7	5	5.3	—	16 Nov 2004	4.1	4	12-16-2004	ND < 0.50	—	—
—	5TB-171 D	0.8–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-171 EB	0.8–2.3	Water	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-172	0.0–0.3	Asphalt	7	5	5.3	—	16 Nov 2004	2	3	—	—	—	—
—	5TB-172	0.3–1.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-172	1.3–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-172	2.3–4.3	Soil	7	5	5.3	—	16 Nov 2004	3.8	4	12-16-2004	ND < 0.50	—	—
—	5TB-172	4.3–6.3	Soil	7	5	5.3	—	16 Nov 2004	0.63	4	12-16-2004	ND < 0.50	—	—
—	5TB-173	0.0–0.3	Asphalt	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-173	0.3–1.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-173	1.3–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-173	2.3–4.3	Soil	7	5	5.3	—	16 Nov 2004	11	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-173	4.3–6.3	Soil	7	5	5.3	—	16 Nov 2004	15	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-174	0.0–0.3	Soil	7	5	5.3	—	16 Nov 2004	0.58	4	12-16-2004	ND < 0.50	—	—
—	5TB-174	0.3–1.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-174	1.3–2.3	Soil	7	5	5.3	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-174	2.3–4.3	Soil	7	5	5.3	—	16 Nov 2004	1.1	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-221	0.0–0.3	Asphalt	7	5	5.3	—	19 Nov 2004	0.53	—	—	—	—	—
—	5TB-221	0.3–1.3	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-222	0.0–0.3	Asphalt	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-222	0.3–1.3	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-222	2.0–2.5	Soil	7	5	5.3	—	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-222	4.0–4.3	Soil	7	5	5.3	—	02 Dec 2004	0.69	4	12-22-2004	ND < 0.50	—	—
—	5TB-223	0.0–0.3	Soil	7	5	5.3	—	19 Nov 2004	3.6	4	12-22-2004	ND < 0.50	—	—
—	5TB-223	0.3–0.8	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-223	0.8–1.3	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-224	0.0–0.3	Asphalt	7	5	5.3	—	19 Nov 2004	5.2	—	—	—	—	—
—	5TB-224	0.3–0.8	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-224	0.8–1.3	Soil	7	5	5.3	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	MW-21	15–17	Soil	7	5	5.3	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-AAAAAA	0.0–0.3	Soil	7	5	5.3	—	22 Jul 2002	1.4	4	08-01-2002	ND < 0.50	—	—
—	TB-AAAAAA	0.3–2.3	Soil	7	5	5.3	—	22 Jul 2002	5.7	4	08-01-2002	ND < 0.50	—	—
—	TB-AAAAAA	10–12	Soil	7	5	5.3	—	22 Jul 2002	2.9	—	—	—	—	—
—	TB-AAAAAA	2.3–4.3	Soil	7	5	5.3	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	0.0–0.3	Soil	7	5	5.3	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	0.3–1.3	Soil	7	5	5.3	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	1.3–2.3	Soil	7	5	5.3	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	5–7	Soil	7	5	5.3	—	18 Jul 2002	9.7	—	—	—	—	—
—	TB-OOOOO	15–16	Soil	7	5	5.3	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	2.3–4.3	Soil	7	5	5.3	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-OOOOO	10–12	Soil	7	5	5.3	—	18 Jul 2002	0.71	—	—	—	—	—
—	5CO-019	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-019 dup	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	5	—	—	—	—
—	5CO-020	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-021	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-022	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-023	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-024	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-025	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-026	½ inch	Concrete	7	5	5.4	P09	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-027	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-028	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	0.51	—	—	—	—	—
—	5CO-029	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	3.9	—	—	—	—	—
—	5CO-030	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-031	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	0.53	—	—	—	—	—
—	5CO-032	½ inch	Concrete	7	5	5.4	Hatch	04 Aug 2004	0.88	—	—	—	—	—
—	5CO-033	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-034	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-035	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-036	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-037	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	3.2	—	—	—	—	—
—	5CO-038	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	3.8	—	—	—	—	—
—	5CO-039	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-039 dup	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	5	—	—	—	—
—	5CO-040	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-112	½ inch	Concrete	7	5	5.4	Hatch	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	5CO-502	½ inch	Concrete	7	5	5.4	—	04 Aug 2004	ND < 0.50	—	—	—	—	—
—	5HA-235	0.0–0.3	Soil	7	5	5.4	—	14 Dec 2004	1.6	—	—	—	—	—
—	5HA-236	0.0–0.3	Soil	7	5	5.4	—	14 Dec 2004	0.55	—	—	—	—	—
—	5HA-236	2.0–2.5	Soil	7	5	5.4	—	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-025	3.3–5.3 D	Soil	7	5	5.4	—	03 Sep 2004	1.1	5, 7	NA	NA	1	—
—	5TB-025	0.0–0.3	Asphalt	7	5	5.4	—	03 Sep 2004	1.5	7	—	—	—	—
—	5TB-025	0.3–1.3	Soil	7	5	5.4	—	03 Sep 2004	1.6	4	09-27-2004	ND < 0.50	—	—
—	5TB-025	1.3–3.3	Soil	7	5	5.4	—	03 Sep 2004	1.1	7	NA	NA	1	—
—	5TB-025	3.3–5.3	Soil	7	5	5.4	—	03 Sep 2004	1.1	4	09-27-2004	ND < 0.50	—	—
—	5TB-025 EB	3.3–5.3	Water	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-027	0.0–0.3	Asphalt	7	5	5.4	—	03 Sep 2004	0.51	7	—	—	—	—
—	5TB-027	0.3–2.3	Soil	7	5	5.4	—	03 Sep 2004	20	3, 7	NA	NA	1	—
—	5TB-027	2.3–4.3	Soil	7	5	5.4	—	03 Sep 2004	14	3, 4	09-27-2004	ND < 0.50	—	—
—	5TB-027	4.3–6.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-029	0.0–0.3	Asphalt	7	5	5.4	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-029	0.3–1.3	Soil	7	5	5.4	—	16 Nov 2004	63	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-029	4.0–4.5	Soil	7	5	5.4	—	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-029 D	2.0–2.5	Soil	7	5	5.4	—	02 Dec 2004	2.93	4, 5	12-22-2004	ND < 0.50	—	—
—	5TB-029 EB	2.0–2.5	Water	7	5	5.4	—	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-030	0.0–0.3	Asphalt	7	5	5.4	—	03 Sep 2004	ND < 5.0	3	—	—	—	—
—	5TB-030	0.3–1.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-030	1.3–2.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-030	4.3–6.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-031	0.0–0.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-031	0.3–1.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-031	1.3–3.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-031	3.3–5.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-601	0.0–0.3	Asphalt	7	5	5.4	—	03 Sep 2004	0.88	7	—	—	—	—
—	5TB-601	0.3–2.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-601	2.3–4.3	Soil	7	5	5.4	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	AST-1	1–2	Soil	7	5	5.4	—	11 Jun 1998	2	6	—	—	—	GEI
—	EB-03	NA	Water	7	5	5.4	P09	03 Aug 2004	ND < 10	9	—	—	—	—
—	EB-04	NA	Water	7	5	5.4	—	04 Aug 2004	ND < 10	9	—	—	—	—
—	5SD-009	0.0–0.3	Sediment	7	5	5.4	Pipe trench	29 Oct 2004	ND < 2.0	3	—	—	—	—
—	5TB-029	2.0–2.5	Soil	7	5	5.4	—	02 Dec 2004	0.74	4	12-22-2004	ND < 0.50	—	—
—	TB-223	3.5–3.8	Soil	7	5	5.4	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-224	1.0–1.3	Soil	7	5	5.4	—	31 Mar 2000	5	6	—	—	—	GEI

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	TB-224	2-3	Soil	7	5	5.4	—	31 Mar 2000	7	6	—	—	—	GEI
—	TB-225	1.7-2.0	Soil	7	5	5.4	—	31 Mar 2000	14	6	—	—	—	GEI
—	TB-225	3.7-4.0	Soil	7	5	5.4	—	31 Mar 2000	4	6	—	—	—	GEI
—	TB-BBBBBB	0.0-0.3	Soil	7	5	5.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-BBBBBB	0.3-2.3	Soil	7	5	5.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-BBBBBB	10-12	Soil	7	5	5.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-BBBBBB	2.3-4.3	Soil	7	5	5.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-BBBBBB	5-7	Soil	7	5	5.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	5AS-008	½ inch	Asphalt	7	5	5.5	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	5AS-009	½ inch	Asphalt	7	5	5.5	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	5AS-010	½ inch	Asphalt	7	5	5.5	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	5CO-111	½ inch	Concrete	7	5	5.5	—	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	5CO-148	½ inch	Concrete	7	5	5.5	P05	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5CO-149	½ inch	Concrete	7	5	5.5	P05	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5CO-150	½ inch	Concrete	7	5	5.5	P05	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5CO-151	½ inch	Concrete	7	5	5.5	P05	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5GP-253	0.0-0.3	Soil	7	5	5.5	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-253	0.3-1.3	Soil	7	5	5.5	—	16 Dec 2004	0.84	4	01-04-2005	ND < 0.50	—	—
—	5GP-253	1.3-3.0	Soil	7	5	5.5	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-253	3-5	Soil	7	5	5.5	—	16 Dec 2004	1.4	4	01-04-2005	ND < 0.50	—	—
—	5GP-253	5-7	Soil	7	5	5.5	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-253 D	1.3-3.0	Soil	7	5	5.5	—	16 Dec 2004	1.19	4, 5	01-04-2005	ND < 0.50	—	—
—	5GP-253 EB	1.3-3.0	Water	7	5	5.5	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5TB-032	0.0-0.3	Stone	7	5	5.5	—	03 Sep 2004	ND < 0.50	15	—	—	—	—
—	5TB-032	2.0-2.3	Soil	7	5	5.5	—	03 Sep 2004	57	3, 4	09-27-2004	ND < 0.50	—	—
—	5TB-032	2.3-4.3	Soil	7	5	5.5	—	03 Sep 2004	14	3, 4	09-27-2004	ND < 0.50	—	—
—	5TB-032	4.3-6.3	Soil	7	5	5.5	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-033	0.0-0.3	Stone	7	5	5.5	—	03 Sep 2004	0.76	4, 15	09-27-2004	ND < 0.50	—	—
—	5TB-033	1.3-2.3	Soil	7	5	5.5	—	03 Sep 2004	0.83	4	09-27-2004	ND < 0.50	—	—
—	5TB-033	4.3-5.3	Soil	7	5	5.5	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-033	5.3-6.3	Soil	7	5	5.5	—	03 Sep 2004	0.77	4	09-27-2004	ND < 0.50	—	—
—	5TB-034	0.0-0.3	Stone	7	5	5.5	—	03 Sep 2004	ND < 0.50	15	—	—	—	—
—	5TB-034	0.3-1.3	Soil	7	5	5.5	—	03 Sep 2004	0.89	7	NA	NA	1	—
—	5TB-034	2.3-3.3	Soil	7	5	5.5	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-034	3.3-4.3	Soil	7	5	5.5	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-034	4.3-6.3	Soil	7	5	5.5	—	03 Sep 2004	0.94	7	NA	NA	1	—
—	5TB-035	0.0-0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-035	4.3-6.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-035	6.3-8.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-035	6.3-8.3 D	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	5	—	—	—	—
—	5TB-035 EB	6.3-8.3	Water	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-036	0.0-0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-036	2.3-2.6	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-036	2.6-4.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-036	6.3-8.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 1.3	3	—	—	—	—
—	5TB-037	0.0-0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-037	0.3-0.6	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-037	0.3-0.6 D	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	5	—	—	—	—
—	5TB-037	0.6-2.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-037	2.3-4.3	Soil	7	5	5.5	—	07 Sep 2004	3.4	4	09-27-2004	ND < 0.50	—	—
—	5TB-037	4.3-6.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-037	6.3-8.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-037 EB	0.3-0.6	Water	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-164	0.0-0.3	Stone	7	5	5.5	—	16 Nov 2004	ND < 0.50	15	—	—	—	—
—	5TB-164	0.3-1.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-164	1.3-2.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-164	2.3-3.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-164	3.3-4.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-164	4.3-6.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	0.0-0.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	0.3-1.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	1.3-2.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	2.3-3.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	3.3-4.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165	4.3-6.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-165 D	2.3-3.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-165 EB	2.3-3.3	Water	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-166	0.0-0.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-166	0.3-0.8	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-166	0.8-2.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-166	2.3-4.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-166	4.3-6.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-167	0.0-0.3	Asphalt	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-167	0.3-0.8	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-167	0.8-1.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-168	0.0-0.3	Stone	7	5	5.5	—	16 Nov 2004	ND < 0.50	15	—	—	—	—
—	5TB-168	2.3-4.3	Soil	7	5	5.5	—	16 Nov 2004	3.3	4	12-16-2004	ND < 0.50	—	—

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-168	4.3–6.3	Soil	7	5	5.5	—	16 Nov 2004	34	3, 4	12-16-2004	ND < 0.50	—	—
—	5TB-169	0.0–0.3	Asphalt	7	5	5.5	—	16 Nov 2004	0.62	—	—	—	—	—
—	5TB-169	0.3–1.3	Soil	7	5	5.5	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-226	0.0–0.3	Soil	7	5	5.5	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-226	0.3–1.3	Soil	7	5	5.5	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-226	1.3–2.3	Soil	7	5	5.5	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-501	0.0–0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-501	0.3–2.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	0.0–0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	4.0–4.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	4.3–5.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	5.3–7.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	7.3–9.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-502	9.3–11.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-503	0.0–0.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-503	3.3–4.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-503	4.3–4.6	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-503	4.6–6.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-503	6.3–8.3	Soil	7	5	5.5	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	C1	½ inch	Concrete	7	5	5.5	GH4	10 Apr 2003	ND < 0.50	18	—	—	—	—
—	C2	½ inch	Concrete	7	5	5.5	GH4	10 Apr 2003	ND < 0.50	18	—	—	—	—
—	C3	½ inch	Concrete	7	5	5.5	GH4	10 Apr 2003	ND < 0.50	18	—	—	—	—
—	C4	½ inch	Concrete	7	5	5.5	GH4	10 Apr 2003	ND < 0.50	18	—	—	—	—
—	C5	½ inch	Concrete	7	5	5.5	GH4	10 Apr 2003	ND < 0.50	18	—	—	—	—
—	GH4-S1	6.0–6.3	Soil	7	5	5.5	—	14 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-E1	4.0–4.3	Soil	7	5	5.5	—	03 Apr 2003	1.0	—	—	—	—	—
—	GH4-E2	4.0–4.3	Soil	7	5	5.5	—	10 Apr 2003	0.82	—	—	—	—	—
—	GH4-E3	4.0–4.3	Soil	7	5	5.5	—	10 Apr 2003	0.74	—	—	—	—	—
—	GH4-N1	4.0–4.3	Soil	7	5	5.5	—	03 Apr 2003	8.0	3	—	—	—	—
—	GH4-N2	4.0–4.3	Soil	7	5	5.5	—	10 Apr 2003	5.5	—	—	—	—	—
—	GH4-S1	4.0–4.3	Soil	7	5	5.5	—	03 Apr 2003	11	3	—	—	—	—
—	GH4-S1	8.0–8.3 E	Soil	7	5	5.5	—	14 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S1	8.0–8.3 W	Soil	7	5	5.5	—	14 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S1 Dup.	4.0–4.3	Soil	7	5	5.5	—	03 Apr 2003	7.4	3, 5	—	—	—	—
—	GH4-S2	4.0–4.3	Soil	7	5	5.5	—	10 Apr 2003	1.0	—	—	—	—	—
—	GH4-S3	6.0–6.3	Soil	7	5	5.5	—	14 Apr 2003	5.1	—	—	—	—	—
—	GH4-S3	8.0–8.3	Soil	7	5	5.5	—	14 Apr 2003	7.0	—	—	—	—	—
—	GH4-S3	2.0–2.3	Soil	7	5	5.5	—	10 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S4	2.0–2.3	Soil	7	5	5.5	—	10 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S5	6.0–6.3	Soil	7	5	5.5	—	14 Apr 2003	4.1	—	—	—	—	—
—	GH4-S5	8.0–8.3	Soil	7	5	5.5	—	14 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S3	4.0–4.3	Soil	7	5	5.5	—	14 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S6	4.0–4.3	Soil	7	5	5.5	—	10 Apr 2003	ND < 0.50	—	—	—	—	—
—	GH4-S5	4.0–4.3	Soil	7	5	5.5	—	14 Apr 2003	0.52	—	—	—	—	—
—	SS-QQ	NA	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-CCCCC	10–12	Soil	7	5	5.5	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-CCCCC	5–7	Soil	7	5	5.5	—	22 Jul 2002	1.3	4	08-01-2002	ND < 0.50	—	—
—	TB-NNNNN	0.0–0.3	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-NNNNN	0.3–1.3	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-NNNNN	1.3–2.3	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-NNNNN	2.3–4.3	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-NNNNN	5–7	Soil	7	5	5.5	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	5CO-118	½ inch	Concrete	7	5	5.6	Hatch	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	5HA-237	0–2	Stone	7	5	5.6	Bulkhead	14 Dec 2004	ND < 0.50	15	—	—	—	—
—	5HA-238	1.0–1.3	Soil	7	5	5.6	Bulkhead	14 Dec 2004	1.8	—	—	—	—	—
—	5HA-238	1.3–1.8	Soil	7	5	5.6	Bulkhead	14 Dec 2004	1.2	—	—	—	—	—
—	5HA-238	1.8–2.3	Soil	7	5	5.6	Bulkhead	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5SD-002	Surface	Sediment	7	5	5.6	Pipe trench	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-039	0.0–0.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-039	0.3–1.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-039	1.3–3.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-039	3.3–5.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-039	5.3–7.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-040	0.0–0.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-040	2.3–3.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-040	3.3–4.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-040	4.3–6.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-040	6.3–7.8	Stone	7	5	5.6	—	07 Sep 2004	ND < 0.50	15	—	—	—	—
—	5TB-041	0.0–0.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-041	2.3–3.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-041	3.3–4.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-041	4.3–6.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-041	6.3–8.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-042	0.0–0.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-042	0.3–2.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-042	2.3–4.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-042	2.3–4.3 D	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	5	—	—	—	—

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-042	4.3–6.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-042 EB	2.3–4.3	Water	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-043	0.0–0.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-043	0.3–1.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-043	1.3–2.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-043	2.3–4.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-043	4.3–6.3	Soil	7	5	5.6	—	07 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-044	0.0–0.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-044	0.3–1.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-044	1.3–2.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-044	2.3–4.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-044	4.3–6.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-044	6.3–8.3	Soil	7	5	5.6	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	A-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	A-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	A-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	A-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	A-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	B-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	B-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	B-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	B-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	B-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	C-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	C-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	C-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	C-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	C-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	D-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	D-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	0.8	—	—	—	—	—
—	D-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	0.59	—	—	—	—	—
—	D-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	D-5 [P08] dup	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	5	—	—	—	—
—	D-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	E-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	E-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	E-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	0.85	—	—	—	—	—
—	E-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	E-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	EB-1 [P08]	NA	Water	7	5	5.6	P08	27 Aug 2002	ND < 10	—	—	—	—	—
—	EB-2 [P08]	NA	Water	7	5	5.6	P08	27 Aug 2002	ND < 10	—	—	—	—	—
—	F-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	F-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	F-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	0.53	—	—	—	—	—
—	F-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	F-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	G-1 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	G-2 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	G-3 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	G-4 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	G-5 [P08]	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	H-1	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	H-2	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	H-3	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	0.53	—	—	—	—	—
—	H-4	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	H-5	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	H-5 dup	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	5	—	—	—	—
—	I-1	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	I-2	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	I-3	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	I-4	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	I-5	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	MW-17D	26–28	Soil	7	5	5.6	—	10 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	MW-17S	4–6	Soil	7	5	5.6	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	SS-04	0.0–0.3	Soil	7	5	5.6	—	31 Mar 2000	3	6	—	—	—	GEI
—	SS-05	0.0–0.3	Soil	7	5	5.6	—	31 Mar 2000	2	6	—	—	—	GEI
—	SS-06	0.0–0.3	Soil	7	5	5.6	—	31 Mar 2000	1	6	—	—	—	GEI
—	SS-08	0.0–0.3	Soil	7	5	5.6	—	31 Mar 2000	1	6	—	—	—	GEI
—	SS-1D	0.5	Soil	7	5	5.6	—	19 Jun 1998	14	6	—	—	—	GEI
—	SS-1S	NS	Soil	7	5	5.6	—	19 Jun 1998	1	6	—	—	—	GEI
—	TB-21	0–2	Soil	7	5	5.6	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-219	3.0–3.3	Soil	7	5	5.6	P08	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-219	7.0–7.3	Soil	7	5	5.6	P08	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-220	1.5–1.8	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-220	3.5–3.8	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-220	5.0–5.3	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-221	5.0–5.3	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI

**English Station
PCB Analytical Results
AOC-7**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result $\mu\text{g/L}$	SPLP Notes	Who ?
—	TB-222	1.7–2.0	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-222	5.9–6.2	Soil	7	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	TB-DDDDDD	0.0–0.3	Soil	7	5	5.6	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-DDDDDD	0.3–2.3	Soil	7	5	5.6	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-DDDDDD	10–12	Soil	7	5	5.6	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-DDDDDD	2.3–4.3	Soil	7	5	5.6	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-DDDDDD	5–7	Soil	7	5	5.6	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	Z-1	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—
—	Z-2	½ inch	Concrete	7	5	5.6	P08	27 Aug 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-8**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5HA-049	0.7–1.0	Soil	8	5	5.6	Bulkhead	21 Oct 2004	0.88	4	11-01-2004	ND < 0.50	—	—
—	5HA-049	1.0–2.0	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-050	1.0–1.5	Soil	8	5	5.6	Bulkhead	21 Oct 2004	1.3	4	11-01-2004	ND < 0.50	—	—
—	5HA-050	1.5–2.3	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-051	1.5–1.8	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-051	1.8–2.3	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-052	1.5–1.8	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-052	1.8–2.3	Soil	8	5	5.6	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	SS-07	0.0–0.3	Soil	8	5	5.6	—	31 Mar 2000	ND < 1.0	6	—	—	—	GEI
—	SS-RR	0.3–0.5	Soil	8	5	5.6	—	19 Jul 2002	1.0	4	08-01-2002	ND < 0.50	—	—
—	TB-MMMMM	0.0–0.3	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-MMMMM	0.3–1.3	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-MMMMM	1.3–2.3	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-MMMMM	10–12	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-MMMMM	2.3–4.3	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-MMMMM	5–7	Soil	8	5	5.6	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	5PP-003	NA	Oil	8	5	5.7	TK02	04 Nov 2004	ND < 5.0	3	—	—	—	—
—	5PP-001	NA	Oil	8	5	5.7	TK01	04 Nov 2004	ND < 5.0	3	—	—	—	—
—	5AS-020	0.0–0.5	Asphalt	8	5	5.7	—	23 Nov 2004	3.2	3	—	—	—	—
—	5CO-110	½ inch	Concrete	8	5	5.7	P25	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	5CO-114	½ inch	Concrete	8	5	5.7	Hatch	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	5CO-115	½ inch	Concrete	8	5	5.7	Hatch	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	5CO-116	½ inch	Concrete	8	5	5.7	Hatch	23 Nov 2004	0.9	—	—	—	—	—
—	5CO-117	½ inch	Concrete	8	5	5.7	Hatch	23 Nov 2004	ND < 2.0	3	—	—	—	—
—	5CO-162	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-163	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-164	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-164 D	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	5	—	—	—	—
—	5CO-164 EB	NA	Water	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-165	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-166	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-167	½ inch	Concrete	8	5	5.7	EN08	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-168	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-169	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-170	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-171	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-172	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-173	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-174	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-175	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-505	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-506	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 1.0	3	—	—	—	—
—	5CO-507	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 1.0	3	—	—	—	—
—	5CO-508	½ inch	Concrete	8	5	5.7	EN09	14 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-251	0.0–0.3	Asphalt	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-251	0.3–1.3	Soil	8	5	5.7	—	16 Dec 2004	2.2	—	—	—	—	—
—	5GP-251	1.3–3.0	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	4	01-04-2005	ND < 0.50	—	—
—	5GP-251	3–4	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-252	0.0–0.3	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-252	0.3–1.3	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-252	1.3–3.0	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-252	3–4	Soil	8	5	5.7	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5HA-053	2.0–2.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-053	2.3–2.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-054	1.7–2.0	Soil	8	5	5.7	Bulkhead	21 Oct 2004	10	4	11-01-2004	ND < 0.50	—	—
—	5HA-054	2.0–2.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-055	1.5–1.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	4.9	4	11-01-2004	0.67	—	—
—	5HA-055	1.8–2.5	Soil	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-056	1.5–1.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	2.9	4	11-01-2004	ND < 0.50	—	—
—	5HA-056	1.8–2.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-056 D	1.5–1.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	2.6	4, 5	11-01-2004	ND < 0.50	—	—
—	5HA-056 EB	1.8–2.3	Water	8	5	5.7	Bulkhead	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-057	1.5–1.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	32	3, 4	11-01-2004	1.4	—	—
—	5HA-057	1.8–2.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	0.78	4	11-01-2004	ND < 0.50	—	—
—	5HA-058	1.0–1.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	190	3, 4	11-01-2004	16	2	—
—	5HA-058	1.3–1.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	1,800	3, 4, 14	11-01-2004	22	2	—
—	5HA-059	0.5–0.8	Soil	8	5	5.7	Bulkhead	21 Oct 2004	5.2	4	11-01-2004	ND < 0.50	—	—
—	5HA-059	0.8–1.3	Soil	8	5	5.7	Bulkhead	21 Oct 2004	620	3, 4, 14	11-01-2004	ND < 0.50	—	—
—	5HA-119	0.3–0.5	Soil	8	5	5.7	Bulkhead	29 Oct 2004	0.51	4	11-22-2004	ND < 0.50	—	—
—	5HA-119	0.5–1.0	Soil	8	5	5.7	Bulkhead	29 Oct 2004	0.57	4	11-22-2004	ND < 0.50	—	—
—	5HA-119	1.0–1.5	Soil	8	5	5.7	Bulkhead	29 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-119	1.5–2.0	Soil	8	5	5.7	Bulkhead	29 Oct 2004	ND < 0.50	—	—	—	—	—
—	5HA-120	0.3–0.5	Soil	8	5	5.7	Bulkhead	29 Oct 2004	6.6	4	11-22-2004	ND < 0.50	—	—
—	5HA-120	0.5–1.0	Soil	8	5	5.7	Bulkhead	29 Oct 2004	1.4	4	11-22-2004	ND < 0.50	—	—
—	5HA-120	1.0–1.5	Soil	8	5	5.7	Bulkhead	29 Oct 2004	2.3	4	11-22-2004	ND < 0.50	—	—
—	5HA-144	0.0–0.25	Soil	8	5	5.7	Bulkhead	09 Nov 2004	13,000	3, 4, 12, 14	12-10-2004	160	2	—
—	5HA-144	0.5–0.75	Soil	8	5	5.7	Bulkhead	09 Nov 2004	7,000	3, 4, 12, 14	12-10-2004	1.0	—	—

**English Station
PCB Analytical Results
AOC-8**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5HA-144	0.75–1.5	Soil	8	5	5.7	Bulkhead	09 Nov 2004	360	3, 4, 14	12-10-2004	0.62	—	—
—	5HA-232	0.0–0.25	Soil	8	5	5.7	Bulkhead	23 Nov 2004	310	3, 4, 14	12-22-2004	ND < 0.50	—	—
—	5HA-232	0.25–1.25	Soil	8	5	5.7	Bulkhead	23 Nov 2004	8.3	4	12-22-2004	ND < 0.50	—	—
—	5HA-233	0.25–0.5	Soil	8	5	5.7	Bulkhead	23 Nov 2004	0.99	4	12-22-2004	ND < 0.50	—	—
—	5HA-233	0.5–1.5	Soil	8	5	5.7	Bulkhead	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	5SD-003	0.0–0.3	Sediment	8	5	5.7	Pipe trench	01 Sep 2004	37	3	—	—	—	—
—	5SD-004	0.0–0.3	Sediment	8	5	5.7	Pipe trench	01 Sep 2004	130	3	—	—	—	—
—	5SD-005	0.0–0.3	Sediment	8	5	5.7	Pipe trench	01 Sep 2004	4.1	3	—	—	—	—
—	5SD-008	0.0–0.3	Sediment	8	5	5.7	Pipe trench	29 Oct 2004	3.3	4	11-22-2004	ND < 0.50	—	—
—	5HX-024	NA	Hexane	8	5	5.7	Foam house	23 Nov 2004	ND < 5.0	3	—	—	—	—
—	5XX-004	NA	Misc. liquid	8	5	5.7	Foam house	23 Nov 2004	ND < 4.0	3	—	—	—	—
—	5TB-060	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060	0.3–1.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060	1.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060	1.3–2.3 D	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	5	—	—	—	—
—	5TB-060	2.3–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060	4.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060	6.3–8.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-060 EB	1.3–2.3	Water	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-061	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-061	0.3–1.3	Soil	8	5	5.7	—	08 Sep 2004	0.67	7	NA	NA	1	—
—	5TB-061	1.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-061	2.3–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-061	4.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-061	6.3–8.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-062	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-062	0.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-062	2.3–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-062	4.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-062	6.3–8.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-063	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	6.3	3	—	—	—	—
—	5TB-063	0.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	0.6	7	NA	NA	1	—
—	5TB-063	2.3–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-063	4.3–5.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-063	5.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-063	6.3–8.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-064	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-064	4.3–5.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-064	5.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-065	0.0–0.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-065	0.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-065	2.3–3.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-065	3.3–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	ND < 0.80	3	—	—	—	—
—	5TB-066	0.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066	0.3–2.3 D	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	5	—	—	—	—
—	5TB-066	2.3–2.6	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066	2.6–4.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066	4.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066	6.3–8.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-066 EB	0.3–2.3	Water	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-067	0.0–0.3	Asphalt	8	5	5.7	—	08 Sep 2004	1	7	—	—	—	—
—	5TB-067	0.3–1.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-067	1.3–2.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-067	4.3–6.3	Soil	8	5	5.7	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-153	0.0–0.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-153	0.3–1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-153	1.3–2.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-153	2.0–4.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-153	4.0–6.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-154	0.0–0.3	Asphalt	8	5	5.7	—	15 Nov 2004	0.74	—	—	—	—	—
—	5TB-154	0.3–1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-154	1.3–2.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-154	2.3–4.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-154	4.3–6.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-155	0.0–0.3	Asphalt	8	5	5.7	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-155	0.3–1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-155	1.3–2.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-155	2.0–4.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-155	4.0–6.0	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-156	0.0–0.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-156	0.3–1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-156	1.3–2.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-156	2.3–4.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-157	0.0–0.3	Asphalt	8	5	5.7	—	15 Nov 2004	1.9	3	—	—	—	—
—	5TB-157	0.3–1.8	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-157	1.8–2.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-8**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-157	2.3-4.3	Soil	8	5	5.7	—	15 Nov 2004	0.61	—	—	—	—	—
—	5TB-157	4.3-6.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-157 D	0.3-1.8	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-157 EB	0.3-1.8	Water	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-158	0.0-0.3	Soil	8	5	5.7	—	15 Nov 2004	1.2	—	—	—	—	—
—	5TB-158	0.3-1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-158	1.3-2.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-158	2.3-4.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-158	4.3-6.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-159	0.0-0.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-159	0.3-1.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-159	1.3-2.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-159	2.3-4.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-159	4.3-6.3	Soil	8	5	5.7	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-160	0.0-0.3	Asphalt	8	5	5.7	—	16 Nov 2004	1.5	3	—	—	—	—
—	5TB-160	0.3-1.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-160	1.3-2.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-160	2.3-4.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-160	5-7	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161	0.0-0.3	Asphalt	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161	0.3-1.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161	1.3-2.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161	2.3-4.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161	4.3-6.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-161 D	2.3-4.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-161 EB	2.3-4.3	Water	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-162	0.0-0.3	Asphalt	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-162	0.3-1.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-162	1.3-2.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-162	2.3-4.3	Soil	8	5	5.7	—	16 Nov 2004	0.53	4	12-16-2004	ND < 0.50	—	—
—	5TB-162	4.3-6.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-163	0.0-0.3	Asphalt	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-163	0.3-1.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-163	1.3-2.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-163	2.3-4.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-163	4.3-6.3	Soil	8	5	5.7	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227	0.0-0.3	Asphalt	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227	0.3-1.3	Soil	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227	1.3-2.3	Soil	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227	2.3-4.3	Soil	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227	4.3-6.3	Soil	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-227 D	2.3-4.3	Soil	8	5	5.7	—	19 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-227 EB	2.3-4.3	Water	8	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5XX-003	0.0-0.3	Misc. solid	8	5	5.7	<i>Foam house</i>	19 Nov 2004	2.4	3	—	—	—	—
—	5SW-002	Surface	Water	8	5	5.7	<i>EN08</i>	29 Oct 2004	ND < 0.50	—	—	—	—	—
—	CB-5	Surface	Sediment	8	5	5.7	<i>CB5</i>	18 Jul 2002	0.52	—	—	—	—	—
—	EB -16	NA	Water	8	5	5.7	<i>P25</i>	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	MW-16	6-8	Soil	8	5	5.7	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	5SD-006	0.0-0.3	Sediment	8	5	5.7	<i>Sump3</i>	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	SS-SS	0.3-0.5	Soil	8	5	5.7	—	19 Jul 2002	3.2	4	08-01-2002	ND < 0.50	—	—
—	TB-24	6-8	Soil	8	5	5.7	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-25	2-4	Soil	8	5	5.7	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-EEEEEE	0.0-0.3	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-EEEEEE	0.3-2.3	Soil	8	5	5.7	—	22 Jul 2002	42	4	08-01-2002	1.8	—	—
—	TB-EEEEEE	10-12	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-EEEEEE	2.3-4.3	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-EEEEEE	5-7	Soil	8	5	5.7	—	22 Jul 2002	2.6	4	08-01-2002	ND < 0.50	—	—
—	TB-FFFFFF	0.0-0.3	Soil	8	5	5.7	—	22 Jul 2002	7.5	4	08-01-2002	ND < 0.50	—	—
—	TB-FFFFFF	0.3-2.3	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-FFFFFF	10-12	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-FFFFFF	2.3-4.3	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-FFFFFF	5-7	Soil	8	5	5.7	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	0.0-0.3	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	0.3-1.3	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	1.3-2.3	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	15-17	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	2.3-4.3	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-LLLLL	5-7	Soil	8	5	5.7	—	18 Jul 2002	ND < 0.50	—	—	—	—	—

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	G12	7.74	Soil	9	3	3.2	Remediation	03 Jun 1998	1.6	16	—	—	—	UI
—	G12	9.74	Soil	9	3	3.2	Remediation	03 Jun 1998	ND	16	—	—	—	UI
—	3CO-182	½ inch	Concrete	6	3	3.3	P22	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	3CO-183	½ inch	Concrete	6	3	3.3	P22	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	3CO-184	½ inch	Concrete	6	3	3.3	P22	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	3CO-185	½ inch	Concrete	6	3	3.3	P22	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	3AS-021	½ inch	Asphalt	9	3	3.3	—	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	3AS-022	½ inch	Asphalt	9	3	3.3	—	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	3AS-040	½ inch	Asphalt	9	3	3.3	P22	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	3AS-041	½ inch	Asphalt	9	3	3.3	P22	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	3CO-041	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-042	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-043	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-044	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-045	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-046	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-047	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-048	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-049	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-050	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-051	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-052	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-053	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-054	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-055	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-056	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-056 D	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	5	—	—	—	—
—	3CO-057	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-058	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-059	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-060	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 1.0	3	—	—	—	—
—	3CO-061	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-062	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-063	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-064	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-076	½ inch	Concrete	9	3	3.3	P21	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-076 D	½ inch	Concrete	9	3	3.3	P21	27 Aug 2004	ND < 0.50	5	—	—	—	—
—	3CO-077	½ inch	Concrete	9	3	3.3	P20	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	3CO-077 D	½ inch	Concrete	9	3	3.3	P20	27 Aug 2004	ND < 0.50	5	—	—	—	—
—	3CO-503	½ inch	Concrete	9	3	3.3	EN03	25 Aug 2004	ND < 1.0	3	—	—	—	—
—	3GP-254	0.0–0.3	Stone	9	3	3.3	—	16 Dec 2004	ND < 0.50	15	—	—	—	—
—	3GP-254	0.3–1.0	Soil	9	3	3.3	—	16 Dec 2004	4.1	4	01-11-2005	ND < 0.50	—	—
—	3GP-254	1–2	Soil	9	3	3.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	3HA-114	0.0–0.5	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-114	0.5–1.0	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-114	1.0–1.5	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-114	1.5–2.0	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-115	0.0–0.5	Soil	9	3	3.3	—	25 Oct 2004	8.8	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-115	0.5–1.0	Soil	9	3	3.3	—	25 Oct 2004	11.3	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-115	1.0–1.5	Soil	9	3	3.3	—	25 Oct 2004	5.9	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-115	1.5–2.0	Soil	9	3	3.3	—	25 Oct 2004	3.3	4	11-10-2004	ND < 0.50	—	—
—	3HA-116	0.0–0.3	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-116	0.3–0.8	Soil	9	3	3.3	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-231	0.25–0.5	Soil	9	3	3.3	—	23 Nov 2004	0.75	4	12-22-2004	ND < 0.50	—	—
—	3HA-231	0.5–1.5	Soil	9	3	3.3	—	23 Nov 2004	4.4	4	12-22-2004	ND < 0.50	—	—
—	3HA-231 D	0.25–0.5	Soil	9	3	3.3	—	23 Nov 2004	1	4, 5	12-22-2004	ND < 0.50	—	—
—	3HA-231 EB	0.25–0.5	Water	9	3	3.3	—	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HX-001	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	3HX-002	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 40	9	—	—	—	—
—	3HX-003	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	3HX-004	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	3HX-005	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	3HX-006	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	3HX-006 D	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	5	—	—	—	—
—	3SD-001	0.0–0.3	Sediment	9	3	3.3	EN03	24 Aug 2004	2.6	—	—	—	—	—
—	PCB-05	0.5	Sediment	9	3	3.3	EN03	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	GP-01	12	Soil	9	3	3.3	—	12 Dec 1997	1.4	16	—	—	—	UI
—	GP-02	12	Soil	9	3	3.3	—	12 Dec 1997	5	16	—	—	—	UI
—	GP-03	12	Soil	9	3	3.3	—	12 Dec 1997	ND < 1.0	16	—	—	—	UI
—	GP-04	12	Soil	9	3	3.3	—	12 Dec 1997	1.9	16	—	—	—	UI
—	GP-09	0–1	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	1–2	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	2–3	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	3–4	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	4–5	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	5–6	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	6–7	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI

**English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	GP-09	7-8	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	8-9	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	9-10	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	10-11	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	11-12	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	12-13	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	13-14	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	14-15	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-09	18-20	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	0-1	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	1-2	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	2-3	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	3-4	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	4-5	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	5-6	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	6-7	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	7-8	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	8-9	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	9-10	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	10-11	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-10	11-12	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	0-1	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	1-2	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	2-3	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	3-4	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	4-5	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	5-6	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	6-7	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	7-8	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	8-9	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-11	9-10	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	0-4	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	4-8	Soil	9	3	3.3	—	19 Dec 1997	2.7	16	—	—	—	UI
—	GP-15	8-12	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	12-16	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	16-20	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	20-25	Soil	9	3	3.3	—	19 Dec 1997	1.4	16	—	—	—	UI
—	GP-15	24-28	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	28-32	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	GP-15	32-36	Soil	9	3	3.3	—	19 Dec 1997	ND	16	—	—	—	UI
—	3SW-001	Surface	Water	9	3	3.3	EN03	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	EB -05	NA	Water	9	3	3.3	EN03	25 Aug 2004	ND < 12	9	—	—	—	—
—	EB -08	NA	Water	9	3	3.3	P21	27 Aug 2004	ND < 12	9	—	—	—	—
—	EB -09	NA	Water	9	3	3.3	P20	27 Aug 2004	ND < 12	9	—	—	—	—
—	Field Blank 1	NA	Hexane	9	3	3.3	EN03	26 Aug 2004	ND < 5.0	—	—	—	—	—
—	G11	9.35	Soil	9	3	3.3	Remediation	17 Jul 1998	ND	16	—	—	—	UI
—	PCB-06	NS	Sediment	9	3	3.3	EN02	11 Jun 1998	4	6	—	—	—	GEI
—	TB-BBB	3-5	Soil	9	3	3.3	—	13 Feb 2002	15	4	02-27-2002	0.74	—	—
—	TB-BBB	5-7	Soil	9	3	3.3	—	13 Feb 2002	15	4	02-27-2002	0.72	—	—
—	TB-BBB	10-13	Soil	9	3	3.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-BBB	1-3	Soil	9	3	3.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-1	NA	Hexane	9	3	3.3	EN02	06 Feb 2002	ND < 5.0	—	—	—	—	—
—	TXFP1-2	NA	Hexane	9	3	3.3	EN02	06 Feb 2002	ND < 5.0	—	—	—	—	—
—	TXFP1-3	NA	Hexane	9	3	3.3	EN02	06 Feb 2002	ND < 5.0	—	—	—	—	—
—	TXFP1-4	NA	Hexane	9	3	3.3	EN02	06 Feb 2002	ND < 5.0	—	—	—	—	—
—	TXFP1-A1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-A2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-A3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-A4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.5	—	—	—	—	—
—	TXFP1-A5	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.2	—	—	—	—	—
—	TXFP1-B1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.83	—	—	—	—	—
—	TXFP1-B2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.69	—	—	—	—	—
—	TXFP1-B3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-B4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.61	—	—	—	—	—
—	TXFP1-B5	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.58	—	—	—	—	—
—	TXFP1-C1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-C2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.85	—	—	—	—	—
—	TXFP1-C3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.4	—	—	—	—	—
—	TXFP1-C4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	2.2	—	—	—	—	—
—	TXFP1-C5	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.1	—	—	—	—	—
—	TXFP1-D1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-D2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	4.0	—	—	—	—	—
—	TXFP1-D3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	2.2	—	—	—	—	—
—	TXFP1-D4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	2.1	—	—	—	—	—
—	TXFP1-E1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.1	—	—	—	—	—
—	TXFP1-E2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.1	—	—	—	—	—
—	TXFP1-E3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.9	—	—	—	—	—

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	TXFP1-E4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.8	—	—	—	—	—
—	TXFP1-E5	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.92	—	—	—	—	—
—	TXFP1-F1	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	1.1	—	—	—	—	—
—	TXFP1-F2	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.71	—	—	—	—	—
—	TXFP1-F3	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	0.69	—	—	—	—	—
—	TXFP1-F4	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	TXFP1-F5	½ inch	Concrete	9	3	3.3	EN02	05 Feb 2002	ND < 0.50	—	—	—	—	—
—	3PP-011	NA	Oil	9	3	3.3	EN02	20 Jun 2007	ND	20	—	—	—	—
—	4AS-018	½ inch	Asphalt	9	4	4.1	—	09 Nov 2004	ND < 1.0	3	—	—	—	—
—	4AS-019	½ inch	Asphalt	9	4	4.1	—	09 Nov 2004	ND < 1.0	3	—	—	—	—
—	4AS-042	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4AS-043	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-044	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-045	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-046	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-047	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-048	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-049	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4AS-050	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	1	3	—	—	—	—
—	4AS-051	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	1.2	3	—	—	—	—
—	4AS-052	½ inch	Asphalt	9	4	4.1	—	16 Dec 2004	ND < 1.0	3	—	—	—	—
—	4CO-078	½ inch	Concrete	9	4	4.1	EN04	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-079	½ inch	Concrete	9	4	4.1	EN04	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-080	½ inch	Concrete	9	4	4.1	EN04	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-081	½ inch	Concrete	9	4	4.1	EN04	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-081 D	½ inch	Concrete	9	4	4.1	EN04	27 Aug 2004	ND < 0.50	5	—	—	—	—
—	4CO-126	½ inch	Concrete	9	4	4.1	@ 4.2	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-127	½ inch	Concrete	9	4	4.1	@ 4.2	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-128	½ inch	Concrete	9	4	4.1	@ 4.2	23 Nov 2004	0.53	—	—	—	—	—
—	4GP-245	0.0–0.3	Asphalt	9	4	4.1	—	16 Dec 2004	2.9	4	01-06-2005	ND < 0.50	—	—
—	4GP-245	0.3–1.3	Soil	9	4	4.1	—	16 Dec 2004	2.8	4	01-06-2005	ND < 0.50	—	—
—	4GP-245	1.3–3.0	Soil	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-245	3–4	Soil	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-245	4–6	Soil	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-245	6–7	Soil	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-246	0.0–0.3	Soil	9	4	4.1	—	16 Dec 2004	320	3, 4, 14	01-06-2005	6.7	—	—
—	4GP-246	0.3–2.0	Soil	9	4	4.1	—	16 Dec 2004	9.1	—	—	—	—	—
—	4GP-246	2–4	Soil	9	4	4.1	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-246	4–6	Soil	9	4	4.1	—	16 Dec 2004	700	3, 4	01-06-2005	5.5	—	—
—	4GP-246	6–8	Soil	9	4	4.1	—	16 Dec 2004	20	3, 4	01-06-2005	2.5	—	—
—	4HA-084	1.3–1.6	Soil	9	4	4.1	—	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-084	1.6–2.1	Soil	9	4	4.1	—	21 Oct 2004	0.73	4	11-01-2004	ND < 0.50	—	—
—	4HA-085	1.0–1.5	Soil	9	4	4.1	—	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-085	1.5–2.0	Soil	9	4	4.1	—	21 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-086	0.7–1.0	Soil	9	4	4.1	—	22 Oct 2004	1.7	4	11-09-2004	ND < 0.50	—	—
—	4HA-086	1.0–1.5	Soil	9	4	4.1	—	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-086	1.5–2.0	Soil	9	4	4.1	—	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-087	1.0–1.3	Soil	9	4	4.1	—	22 Oct 2004	2	4	11-09-2004	ND < 0.50	—	—
—	4HA-087	1.3–1.8	Soil	9	4	4.1	—	22 Oct 2004	0.99	4	11-09-2004	ND < 0.50	—	—
—	4HA-087	1.8–2.3	Soil	9	4	4.1	—	22 Oct 2004	1.4	4	11-09-2004	ND < 0.50	—	—
—	4HA-088	0.5–0.8	Soil	9	4	4.1	—	22 Oct 2004	16	3, 4	11-09-2004	ND < 0.50	—	—
—	4HA-088	0.8–1.3	Soil	9	4	4.1	—	22 Oct 2004	1.2	4	11-09-2004	ND < 0.50	—	—
—	4HA-088	1.3–1.8	Soil	9	4	4.1	—	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-089	0.5–0.8	Soil	9	4	4.1	—	22 Oct 2004	64	3, 4	11-09-2004	1.3	—	—
—	4HA-089	0.8–1.3	Soil	9	4	4.1	—	22 Oct 2004	0.89	4	11-09-2004	ND < 0.50	—	—
—	4HA-089	1.3–1.8	Soil	9	4	4.1	—	22 Oct 2004	1.6	4	11-09-2004	ND < 0.50	—	—
—	4HA-089	1.8–2.3	Soil	9	4	4.1	—	22 Oct 2004	37	3, 4	11-09-2004	ND < 0.50	—	—
—	4HA-090	0.5–0.8	Soil	9	4	4.1	—	22 Oct 2004	13	3, 4	11-09-2004	ND < 0.50	—	—
—	4HA-090	0.8–1.3	Soil	9	4	4.1	—	22 Oct 2004	29	3, 4	11-09-2004	0.59	—	—
—	4HA-090	1.3–1.8	Soil	9	4	4.1	—	22 Oct 2004	24	3, 4	11-09-2004	ND < 0.50	—	—
—	4HA-090 D	0.5–0.8	Soil	9	4	4.1	—	22 Oct 2004	15	3, 4, 5	11-09-2004	ND < 0.50	—	—
—	4HA-090 EB	0.5–0.8	Water	9	4	4.1	—	22 Oct 2004	0.81	—	—	—	—	—
—	4HA-121	0.0–0.25	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-121	0.5–0.8	Soil	9	4	4.1	—	04 Nov 2004	1.2	4	11-24-2004	ND < 0.50	—	—
—	4HA-121	0.8–1.8	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-122	0.5–0.8	Soil	9	4	4.1	—	04 Nov 2004	1.3	4	11-24-2004	ND < 0.50	—	—
—	4HA-122	0.8–1.8	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-123	0.0–0.25	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-123	0.5–0.8	Soil	9	4	4.1	—	04 Nov 2004	1.2	4	11-24-2004	ND < 0.50	—	—
—	4HA-123	0.8–1.8	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-123 D	0.8–1.8	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	5	—	—	—	—
—	4HA-123 EB	0.8–1.8	Water	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-124	0.3–0.6	Soil	9	4	4.1	—	04 Nov 2004	86	3, 4	11-24-2004	0.89	—	—
—	4HA-124	0.6–1.4	Soil	9	4	4.1	—	04 Nov 2004	17	3, 4	11-24-2004	0.51	—	—
—	4HA-125	0.0–0.25	Soil	9	4	4.1	—	04 Nov 2004	1.4	4	11-24-2004	ND < 0.50	—	—
—	4HA-125	0.4–0.7	Soil	9	4	4.1	—	04 Nov 2004	5.6	4	11-24-2004	ND < 0.50	—	—
—	4HA-125	0.7–1.7	Soil	9	4	4.1	—	04 Nov 2004	18	3, 4	11-24-2004	ND < 0.50	—	—

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	4HA-126	0.4–0.7	Soil	9	4	4.1	—	04 Nov 2004	1.2	4	11-24-2004	ND < 0.50	—	—
—	4HA-126	0.7–1.7	Soil	9	4	4.1	—	04 Nov 2004	1.4	4	11-24-2004	ND < 0.50	—	—
—	4HA-127	0.0–0.2	Soil	9	4	4.1	—	04 Nov 2004	2.6	4	11-24-2004	ND < 0.50	—	—
—	4HA-127	0.2–0.5	Soil	9	4	4.1	—	04 Nov 2004	3	4	11-24-2004	ND < 0.50	—	—
—	4HA-127	0.5–1.5	Soil	9	4	4.1	—	04 Nov 2004	ND < 0.50	—	—	—	—	—
—	4HA-128	0.25–0.5	Soil	9	4	4.1	—	04 Nov 2004	33	3, 4	11-24-2004	ND < 0.50	—	—
—	4HA-128	0.5–1.0	Soil	9	4	4.1	—	04 Nov 2004	1.4	4	11-24-2004	ND < 0.50	—	—
—	4HA-129	0.0–0.2	Soil	9	4	4.1	—	04 Nov 2004	44	3, 4	11-24-2004	ND < 0.50	—	—
—	4HA-129	0.3–0.6	Soil	9	4	4.1	—	04 Nov 2004	54	3, 4	11-24-2004	2.4	—	—
—	4HA-129	0.6–1.6	Soil	9	4	4.1	—	04 Nov 2004	0.78	4	11-24-2004	ND < 0.50	—	—
—	4HA-145	0.0–0.25	Asphalt	9	4	4.1	—	09 Nov 2004	ND < 1.0	3	—	—	—	—
—	4HA-145	0.75–1.0	Soil	9	4	4.1	—	09 Nov 2004	28	3, 4	12-10-2004	ND < 0.50	—	—
—	4HA-145	1.0–2.0	Soil	9	4	4.1	—	09 Nov 2004	13	3	—	—	—	—
—	4HA-505	1.0–1.3	Soil	9	4	4.1	@ 4.2 S	21 Oct 2004	67	3, 4	11-01-2004	1.7	—	—
—	4HA-505	1.3–1.8	Soil	9	4	4.1	@ 4.2 S	21 Oct 2004	2.3	4	11-01-2004	ND < 0.50	—	—
—	4HA-512	0.0–0.3	Soil	9	4	4.1	@ 4.2 S	01 Nov 2004	9,200	4, 11, 14	11-15-2004	20	2	—
—	4HA-512	0.5–0.8	Soil	9	4	4.1	@ 4.2 S	29 Oct 2004	30	3, 4	11-22-2004	ND < 0.50	—	—
—	4HA-512 D	0.5–0.8	Soil	9	4	4.1	@ 4.2 S	29 Oct 2004	14	3, 4, 5	11-22-2004	0.54	—	—
—	4HA-512 EB	0.5–0.8	Water	9	4	4.1	@ 4.2 S	29 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-513	0.0–0.25	Soil	9	4	4.1	@ 4.2 W	04 Nov 2004	2	4	11-24-2004	ND < 0.50	—	—
—	4HA-513	0.25–1.25	Soil	9	4	4.1	@ 4.2 W	04 Nov 2004	3.4	4	11-24-2004	ND < 0.50	—	—
—	4SD-010	0.0–0.3	Sludge	9	4	4.1	Septic West	18 Nov 2004	ND < 14	3	—	—	—	—
—	4TB-091	0.0–0.3	Soil	9	4	4.1	—	09 Sep 2004	2.2	4	09-28-2004	ND < 0.50	—	—
—	4TB-091	0.3–1.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-091	1.3–2.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-091	2.3–4.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-091	4.3–6.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-208	0.0–0.3	Stone	9	4	4.1	—	18 Nov 2004	1.1	15	—	—	—	—
—	4TB-208	0.3–2.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-208	4.3–6.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	3	—	—	—	—
—	4TB-209	0.0–0.3	Soil	9	4	4.1	—	18 Nov 2004	4.6	4	12-23-2004	ND < 0.50	—	—
—	4TB-209	0.3–1.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-209	1.3–2.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-209	2.3–4.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-210	0.0–0.3	Asphalt	9	4	4.1	—	18 Nov 2004	0.9	—	—	—	—	—
—	4TB-210	1.0–3.0	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-210	3.0–5.0	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-210 D	3.0–5.0	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	5	—	—	—	—
—	4TB-210 EB	3.0–5.0	Water	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-211	0.0–0.3	Soil	9	4	4.1	—	18 Nov 2004	1.3	4	12-23-2004	ND < 0.50	—	—
—	4TB-211	0.3–1.3	Soil	9	4	4.1	—	18 Nov 2004	3.3	4	12-23-2004	ND < 0.50	—	—
—	4TB-211	1.3–2.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-211	2.3–4.3	Soil	9	4	4.1	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-212	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	0.82	4	12-24-2004	ND < 0.50	—	—
—	4TB-212	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	3.7	4	12-24-2004	ND < 0.50	—	—
—	4TB-212	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-212	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-212	4.3–6.3	Soil	9	4	4.1	—	19 Nov 2004	0.53	4	12-24-2004	ND < 0.50	—	—
—	4TB-213	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	2.3	4	12-24-2004	ND < 0.50	—	—
—	4TB-213	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-213	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-213	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-213	4.3–6.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-214	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	1.3	4	12-24-2004	ND < 0.50	—	—
—	4TB-214	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-214	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-214	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-215	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	0.67	4	12-24-2004	ND < 0.50	—	—
—	4TB-215	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-215	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-215	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-215 D	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	5	—	—	—	—
—	4TB-215 EB	0.3–1.3	Water	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-216	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	0.68	4	12-24-2004	ND < 0.50	—	—
—	4TB-216	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-216	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-216	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-217	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-217	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-217	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-217	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-218	0.0–0.3	Asphalt	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-218	1.0–2.0	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-218	2.0–3.0	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-218	3.0–5.0	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-218	5.0–7.0	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-219	0.0–0.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	4TB-219	0.3–1.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-219	1.3–2.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-219	2.3–4.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-219	4.3–6.3	Soil	9	4	4.1	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-504	0.0–0.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-504	0.3–1.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-504	1.3–2.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-504	2.3–4.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-504	2.3–4.3 D	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	5	—	—	—	—
—	4TB-504	4.3–6.3	Soil	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-504 EB	2.3–4.3	Water	9	4	4.1	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4XX-002	1.0–1.5	Sediment	9	4	4.1	Catch basin	17 Nov 2004	3.3	4	12-15-2004	ND < 0.50	—	—
—	EB -10	NA	Water	9	4	4.1	EN04	27 Aug 2004	ND < 12	9	—	—	—	—
—	MW-13	13–15	Soil	9	4	4.1	—	01 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-03	0.0–0.3	Soil	9	4	4.1	EN04	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-04	0.0–0.3	Soil	9	4	4.1	Gen. pad	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-07	0.5	Soil	9	4	4.1	Gen. pad	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-08	0.8	Soil	9	4	4.1	Gen. pad	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-09	0.8	Soil	9	4	4.1	Gen. pad	11 Jun 1998	1	6	—	—	—	GEI
—	PCB-10	0.5	Soil	9	4	4.1	—	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-33	0.0–0.3	Soil	9	4	4.1	—	07 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-34	0.0–0.3	Soil	9	4	4.1	—	07 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-35	0.0–0.3	Soil	9	4	4.1	—	07 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	TB-CCC	0–2	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-CCC	10–13	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-CCC	2.0–2.5	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-CCC	5–7	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-DDD	0–2	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-DDD	5–7	Soil	9	4	4.1	—	18 Jul 2002	0.56	4	08-01-2002	ND < 0.50	—	—
—	TB-FFF	0–2	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-FFF	10–12	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-FFF	2–4	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-FFF	5–7	Soil	9	4	4.1	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-FFF	5–7	Soil	9	4	4.1	—	18 Jul 2002	ND < 0.50	—	—	—	—	—
—	TXFP2-1	½ inch	Concrete	9	4	4.1	EN04	06 Feb 2002	8.1	—	—	—	—	—
—	TXFP2-2	½ inch	Concrete	9	4	4.1	EN04	06 Feb 2002	ND < 0.50	—	—	—	—	—
—	4AS-002	½ inch	Asphalt	6	4	4.3	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	4AS-003	½ inch	Asphalt	6	4	4.3	—	01 Sep 2004	2.7	3	—	—	—	—
—	4AS-004	½ inch	Asphalt	6	4	4.3	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	4AS-005	½ inch	Asphalt	6	4	4.3	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	4AS-006	½ inch	Asphalt	6	4	4.3	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	4AS-017	½ inch	Asphalt	6	4	4.3	—	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	4AS-017 D	½ inch	Asphalt	6	4	4.3	—	09 Nov 2004	ND < 0.50	5	—	—	—	—
—	4AS-017 EB	NA	Water	6	4	4.3	—	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-095	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-096	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-097	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-098	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-099	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-100	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-101	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-102	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-103	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-104	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-105	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-106	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-107	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-107 D	½ inch	Concrete	6	4	4.3	EN06	27 Aug 2004	ND < 0.50	5	—	—	—	—
—	4CO-108	½ inch	Concrete	6	4	4.3	—	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	4HA-506	0.0–0.3	Soil	6	4	4.3	EN06	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-507	0.0–0.3	Soil	6	4	4.3	EN06	22 Oct 2004	0.61	4	11-09-2004	ND < 0.50	—	—
—	4HA-508	0.0–0.3	Soil	6	4	4.3	EN06	22 Oct 2004	22	3, 4	11-09-2004	0.85	—	—
—	4HA-508	1.0–1.3	Soil	6	4	4.3	EN06	22 Oct 2004	170	3, 4	11-09-2004	0.80	—	—
—	4HA-509	0.0–0.3	Soil	6	4	4.3	EN06	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HA-510	0.0–0.3	Soil	6	4	4.3	EN06	22 Oct 2004	ND < 0.50	—	—	—	—	—
—	4HX-014	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-015	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 10	3	—	—	—	—
—	4HX-016	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-017	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-018	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-019	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-020	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-021	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-021 D	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	5	—	—	—	—
—	4HX-022	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-023	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 10	3	—	—	—	—
—	CS-6	(Scraping)	Concrete	6	4	4.3	EN06	19 Jun 1998	ND < 1.0	6	—	—	—	GEI

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	EB -13	NA	Water	6	4	4.3	EN06	27 Aug 2004	ND < 12	9	—	—	—	—
—	EB -15	NA	Hexane	6	4	4.3	EN06	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	PCB-02	1.5	Soil	6	4	4.3	EN06	11 Jun 1998	2,300	6, 14	—	—	—	GEI
—	PCB-20	0.7	Soil	6	4	4.3	EN06	18 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-21	0.5	Soil	6	4	4.3	EN06	18 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	4AS-007	½ inch	Asphalt	9	4	4.3	—	01 Sep 2004	ND < 2.0	3	—	—	—	—
—	4CO-092	½ inch	Concrete	9	4	4.3	EN05	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-093	½ inch	Concrete	9	4	4.3	EN05	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-094	½ inch	Concrete	9	4	4.3	EN05	27 Aug 2004	ND < 0.50	—	—	—	—	—
—	4CO-094 D	½ inch	Concrete	9	4	4.3	EN05	27 Aug 2004	ND < 0.50	5	—	—	—	—
—	4CO-113	½ inch	Concrete	9	4	4.3	P13A	09 Nov 2004	1.6	3	—	—	—	—
—	4CO-119	½ inch	Concrete	9	4	4.3	P13B	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-120	½ inch	Concrete	9	4	4.3	P13B	23 Nov 2004	0.51	—	—	—	—	—
—	4CO-121	½ inch	Concrete	9	4	4.3	P13B	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-122	½ inch	Concrete	9	4	4.3	P13B	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-123	½ inch	Concrete	9	4	4.3	P13B	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-124	½ inch	Concrete	9	4	4.3	P15	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-124 D	½ inch	Concrete	9	4	4.3	P15	23 Nov 2004	ND < 0.50	5	—	—	—	—
—	4CO-124 EB	NA	Water	9	4	4.3	P15	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-125	½ inch	Concrete	9	4	4.3	P15	23 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-132	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-133	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-134	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-135	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-136	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-137	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-138	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-139	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-139 D	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	5	—	—	—	—
—	4CO-139 EB	NA	Water	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-140	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-141	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-142	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-143	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-144	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-145	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4CO-146	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	0.91	—	—	—	—	—
—	4CO-147	½ inch	Concrete	9	4	4.3	P13A	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	4GP-247	0.3–1.3	Soil	9	4	4.3	—	16 Dec 2004	2.8	4	01-06-2005	ND < 0.50	—	—
—	4GP-247	0.0–0.3	Asphalt	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-247	1.3–3.0	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-247	3–4	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-248	0.3–1.3	Soil	9	4	4.3	—	16 Dec 2004	32	3, 4	01-06-2005	ND < 0.50	—	—
—	4GP-248	0.0–0.3	Stone	9	4	4.3	—	16 Dec 2004	ND < 0.50	15	—	—	—	—
—	4GP-248	1.3–3.0	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-248 D	0.3–1.3	Soil	9	4	4.3	—	16 Dec 2004	84	3, 4, 5	01-06-2005	ND < 0.50	—	—
—	4GP-248 EB	0.3–1.3	Water	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-249	0.0–0.3	Asphalt	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-249	0.3–1.3	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-249	1.3–3.0	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-249	3–4	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-250	0.0–0.3	Soil	9	4	4.3	—	16 Dec 2004	0.61	4	01-04-2005	ND < 0.50	—	—
—	4GP-250	0.3–1.3	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-250	1.3–3.0	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4GP-250	3–4	Soil	9	4	4.3	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	4HA-511	0.0–0.3	Soil	9	4	4.3	EN05	29 Oct 2004	130	3, 4	11-22-2004	1.9	—	—
—	4HA-511	0.3–0.8	Soil	9	4	4.3	EN05	29 Oct 2004	1,100	3, 4, 14	11-22-2004	20	2	—
—	4HX-008	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 10	3	—	—	—	—
—	4HX-009	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	7.9	—	—	—	—	—
—	4HX-010	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 10	3	—	—	—	—
—	4HX-011	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	120	3	—	—	—	—
—	4HX-012	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-013	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	4HX-013 D	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 5.0	5	—	—	—	—
—	4TB-068	0.0–0.3	Soil	9	4	4.3	—	08 Sep 2004	2.6	3, 4	09-28-2004	ND < 0.50	—	—
—	4TB-068	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	1.5	4	09-28-2004	ND < 0.50	—	—
—	4TB-068	1.3–1.6	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-068	1.6–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-068	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-068	4.3–6.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 1.3	3	—	—	—	—
—	4TB-069	0.0–0.3	Soil	9	4	4.3	—	08 Sep 2004	5.4	4	09-28-2004	ND < 0.50	—	—
—	4TB-069	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	0.82	4	09-28-2004	ND < 0.50	—	—
—	4TB-069	1.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-069	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-070	0.0–0.3	Asphalt	9	4	4.3	—	08 Sep 2004	1.6	3	—	—	—	—
—	4TB-070	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	2.1	3, 7	NA	NA	1	—
—	4TB-070	0.3–1.3 D	Soil	9	4	4.3	—	08 Sep 2004	3.2	3, 5, 7	NA	NA	1	—

**English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	4TB-070	1.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-070	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-070	4.3–6.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-070 EB	0.3–1.3	Water	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-071	0.0–0.3	Asphalt	9	4	4.3	—	08 Sep 2004	4.1	3	—	—	—	—
—	4TB-071	0.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	4.3	3, 7	NA	NA	1	—
—	4TB-071	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-071	4.3–6.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-072	0.0–0.3	Asphalt	9	4	4.3	—	08 Sep 2004	2.1	3	—	—	—	—
—	4TB-072	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-072	1.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-072	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-072	4.3–6.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-073	0.0–0.3	Asphalt	9	4	4.3	—	08 Sep 2004	1.9	3	—	—	—	—
—	4TB-073	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	1.3	7	NA	NA	1	—
—	4TB-073	1.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-073	2.3–4.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 1.0	3	—	—	—	—
—	4TB-074	0.0–0.3	Asphalt	9	4	4.3	—	08 Sep 2004	1.6	3	—	—	—	—
—	4TB-074	0.3–1.3	Soil	9	4	4.3	—	08 Sep 2004	1.4	7	NA	NA	1	—
—	4TB-074	1.3–2.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-074	4.3–5.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-074	5.3–6.3	Soil	9	4	4.3	—	08 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-075	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	2.3	3, 4	09-28-2004	ND < 0.50	—	—
—	4TB-075	0.3–1.3 D	Soil	9	4	4.3	—	09 Sep 2004	2.5	3, 5, 7	NA	NA	1	—
—	4TB-075	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	2.4	7	NA	NA	1	—
—	4TB-075	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	5.7	7	NA	NA	1	—
—	4TB-075	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-075	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-075 EB	0.3–1.3	Water	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-076	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	0.95	3	—	—	—	—
—	4TB-076	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	2.3	4	09-28-2004	ND < 0.50	—	—
—	4TB-076	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	11	3, 7	NA	NA	1	—
—	4TB-076	4.0–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-076	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-077	1.0–1.3	Soil	9	4	4.3	—	09 Sep 2004	2.4	7	NA	NA	1	—
—	4TB-077	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	12	3, 4	09-28-2004	ND < 0.50	—	—
—	4TB-077	6.3–8.3	Soil	9	4	4.3	—	09 Sep 2004	2	4	09-28-2004	ND < 0.50	—	—
—	4TB-077	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-078	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	0.91	3	—	—	—	—
—	4TB-078	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	42	3, 4	09-28-2004	0.60	—	—
—	4TB-078	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	4.3	4	09-28-2004	ND < 0.50	—	—
—	4TB-078	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-078	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-079	0.3–0.6	Soil	9	4	4.3	—	09 Sep 2004	1.2	3, 7	NA	NA	1	—
—	4TB-079	0.6–2.3	Soil	9	4	4.3	—	09 Sep 2004	5.5	4	09-28-2004	ND < 0.50	—	—
—	4TB-079	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	5	4	09-28-2004	ND < 0.50	—	—
—	4TB-079	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-079	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-080	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-080	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-080	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-080	1.3–2.3 D	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	5	—	—	—	—
—	4TB-080	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-080	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-080 EB	1.3–2.3	Water	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-081	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-081	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-081	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-081	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-081	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-082	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	14	3, 7	NA	NA	1	—
—	4TB-082	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	0.92	3, 7	NA	NA	1	—
—	4TB-082	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	ND < 0.80	3	—	—	—	—
—	4TB-082	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-082	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-083	0.0–0.3	Asphalt	9	4	4.3	—	09 Sep 2004	1.4	3, 4	09-28-2004	ND < 0.50	—	—
—	4TB-083	0.3–1.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-083	1.3–2.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-083	2.3–4.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-083	4.3–6.3	Soil	9	4	4.3	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
—	4TB-146	0.3–1.3	Soil	9	4	4.3	—	15 Nov 2004	2	4	12-13-2004	ND < 0.50	—	—
—	4TB-146	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	2.9	4	12-13-2004	ND < 0.50	—	—
—	4TB-146	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	4TB-146	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-146	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-147	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	4TB-147	0.3–1.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—

English Station
PCB Analytical Results
AOC-9 (PCB Areas 3.2, 3.3, 4.1, 4.3, 6.3)

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	4TB-147	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-147	2.3–3.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-147	3.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-147	5.0–5.4	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-148	0.3–1.3	Soil	9	4	4.3	—	15 Nov 2004	1.4	4	12-13-2004	ND < 0.50	—	—
—	4TB-148	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	0.91	4	12-13-2004	ND < 0.50	—	—
—	4TB-148	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	4TB-148	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-148	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-148 D	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	5	—	—	—	—
—	4TB-148 EB	1.3–2.3	Water	9	4	4.3	—	15 Nov 2004	ND < 2.5	3	—	—	—	—
—	4TB-149	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	4TB-149	0.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-149	2.3–3.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-149	3.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-149	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-150	0.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	1.1	4	12-13-2004	ND < 0.50	—	—
—	4TB-150	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	ND < 1.0	3	—	—	—	—
—	4TB-150	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-150	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-151	0.0–0.3	Asphalt	9	4	4.3	—	15 Nov 2004	2.5	3	—	—	—	—
—	4TB-151	0.3–1.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-151	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-151	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-151	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-152	0.0–0.3	Soil	9	4	4.3	—	15 Nov 2004	1.4	4	12-13-2004	ND < 0.50	—	—
—	4TB-152	0.3–1.3	Soil	9	4	4.3	—	15 Nov 2004	1.7	4	12-13-2004	ND < 0.50	—	—
—	4TB-152	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	0.5	4	12-13-2004	ND < 0.50	—	—
—	4TB-152	1.3–2.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-152	4.3–6.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	4TB-152 D	2.3–4.3	Soil	9	4	4.3	—	15 Nov 2004	ND < 0.50	5	—	—	—	—
—	4TB-152 EB	2.3–4.3	Water	9	4	4.3	—	15 Nov 2004	ND < 0.50	—	—	—	—	—
—	EB-12	NA	Water	9	4	4.3	EN05	27 Aug 2004	ND < 12	9	—	—	—	—
—	EB-14	NA	Hexane	9	4	4.3	EN05	30 Aug 2004	ND < 5.0	—	—	—	—	—
—	HA-01	1	Soil	9	4	4.3	EN05	30 Mar 2000	29	6	—	—	—	GEI
—	MW-14D	26–28	Soil	9	4	4.3	—	11 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	MW-14S	1–3	Soil	9	4	4.3	—	01 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	PCB-01	1	Soil	9	4	4.3	EN05	11 Jun 1998	440	6, 14	—	—	—	GEI
—	PCB-31	0.0–0.3	Soil	9	4	4.3	EN05	07 Jul 1998	94	6	—	—	—	GEI
—	PCB-32	0.0–0.3	Soil	9	4	4.3	EN05	07 Jul 1998	53	6	—	—	—	GEI
—	TB-115	5–7	Soil	9	4	4.3	—	01 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	TB-116	5–7	Soil	9	4	4.3	—	01 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	TB-214	3.0–3.3	Soil	9	4	4.3	—	30 Mar 2000	2	6	—	—	—	GEI
—	TB-215	2.0–2.2	Soil	9	4	4.3	—	30 Mar 2000	4	6	—	—	—	GEI
—	MW-12	2–4	Soil	9	6	6.3	—	01 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	TB-AAA	0–2	Soil	9	6	6.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-AAA	10–12	Soil	9	6	6.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-AAA	2–4	Soil	9	6	6.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-AAA	5–7	Soil	9	6	6.3	—	13 Feb 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-10**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	Who ?
—	4CO-082	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	ND < 0.50	—	—
—	4CO-083	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	3.9	—	—
—	4CO-084	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	94	3	—
—	4CO-085	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	17	3	—
—	4CO-086	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	2.4	—	—
—	4CO-087	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	0.53	—	—
—	4CO-088	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	1.9	—	—
—	4CO-089	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	4.4	—	—
—	4CO-090	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	5.1	—	—
—	4CO-091	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	3.8	—	—
—	4CO-091 D	½ inch	Concrete	10	4	4.2	Room 5	27 Aug 2004	3.1	5	—
—	4CO-156	½ inch	Concrete	10	4	4.2	Room 4	02 Dec 2004	33	3	—
—	4CO-157	½ inch	Concrete	10	4	4.2	Room 3	02 Dec 2004	36,000	3, 11	—
—	4CO-158	½ inch	Concrete	10	4	4.2	Room 3	02 Dec 2004	2.9	—	—
—	4CO-159	½ inch	Concrete	10	4	4.2	Room 2	02 Dec 2004	20	3	—
—	4CO-160	½ inch	Concrete	10	4	4.2	Room 1	02 Dec 2004	3.1	—	—
—	4CO-161	½ inch	Concrete	10	4	4.2	Room 1	02 Dec 2004	4,900	3	—
—	4XX-001	NA	Misc. solid	10	4	4.2	Room 4	29 Oct 2004	ND < 0.50	—	—
—	EB -11	NA	Water	10	4	4.2	Room 5	27 Aug 2004	ND < 12	9	—
—	Sump-1	0.0–0.3	Sediment	10	4	4.2	Sump1	18 Jul 2002	4.4	—	—
—	4CO-152	½ inch	Concrete	10	4	4.4	Pump house	02 Dec 2004	1	—	—
—	4CO-153	½ inch	Concrete	10	4	4.4	Shower	02 Dec 2004	1.9	—	—
—	4CO-154	½ inch	Concrete	10	4	4.4	Bathroom	02 Dec 2004	2.4	—	—
—	4CO-155	½ inch	Concrete	10	4	4.4	Storage	02 Dec 2004	1.86	—	—
—	4CO-186	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	0.65	—	—
—	4CO-187	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	ND < 0.50	—	—
—	4CO-187 D	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	ND < 0.50	5	—
—	4CO-187 EB	NA	Water	10	4	4.4	Sword. Room	16 Dec 2004	ND < 0.50	—	—
—	4CO-188	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	0.51	—	—
—	4CO-189	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	ND < 0.50	—	—
—	4CO-190	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	0.53	—	—
—	4CO-191	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	ND < 0.50	—	—
—	4CO-509	½ inch	Concrete	10	4	4.4	—	16 Dec 2004	ND < 0.50	—	—
—	4XX-005	NA	Misc. solid	10	4	4.4	Floor tile	16 Dec 2004	ND < 1.0	3	—
—	4XX-006	NA	Misc. solid	10	4	4.4	Floor tile	16 Dec 2004	ND < 1.0	3	—
—	7XX-007	NA	Sludge	10	7	NS	Pump house	16 Dec 2004	ND < 20	3	—
—	7XX-008	Surface	Oil	10	7	NS	Enclosure	17 Dec 2004	ND < 4.0	—	—
—	7CO-192	½ inch	Concrete	10	7	NS	Pump house	16 Dec 2004	4.8	—	—
—	7CO-193	½ inch	Concrete	10	7	NS	Pump house	16 Dec 2004	4.8	—	—
—	7CO-194	½ inch	Concrete	10	7	NS	Pump house	16 Dec 2004	53	3	—
—	7CO-195	½ inch	Concrete	10	7	NS	Pump house	16 Dec 2004	1.4	3	—
—	7SD-011	0.0–0.3	Sediment	10	7	NS	Pump house	16 Dec 2004	ND	3, 8	—
—	7SD-012	0.0–0.3	Sediment	10	7	NS	Pump house	16 Dec 2004	9.5	3, 8	—
—	7PP-007	NA	Oil	10	7	NS	55-gal drum	01 Nov 2004	ND < 2.0	—	—

**English Station
PCB Analytical Results
AOC-11**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-228	0.0–0.3	Asphalt	11	5	5.7	—	19 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-228	0.3–1.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-228	1.3–2.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-228	4.3–6.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-229	0.0–0.3	Soil	11	5	5.7	Bulkhead	19 Nov 2004	0.6	4	12-22-2004	ND < 0.50	—	—
—	5TB-229	0.3–1.3	Soil	11	5	5.7	Bulkhead	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-229	1.3–2.3	Soil	11	5	5.7	Bulkhead	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-229	2.3–4.3	Soil	11	5	5.7	Bulkhead	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-229	4.3–6.3	Soil	11	5	5.7	Bulkhead	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-230	0.0–0.3	Asphalt	11	5	5.7	—	19 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-230	0.3–1.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-230	1.3–2.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-230	2.3–3.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-230	3.3–4.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-230	4.3–6.3	Soil	11	5	5.7	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	6CO-109	½ inch	Concrete	11	5	5.7	PII	01 Sep 2004	ND < 0.50	—	—	—	—	—
—	6CO-109 D	½ inch	Concrete	11	5	5.7	PII	01 Sep 2004	ND < 0.50	5	—	—	—	—
—	MW-20	11–13	Soil	11	6	6.2	—	27 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-200	5–7	Soil	11	6	6.2	—	02 Jul 1998	ND < 1.0	6	—	—	—	GEI
—	TB-MMM	0.3–1.3	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-MMM	2–4	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-NNN	0.3–2.3	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-NNN	2.3–4.3	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-NNN	4.3–6.3	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-OO	0–2	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	0.0–0.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	0.3–1.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	1.3–2.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	15–17	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	2.3–4.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	20–22	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-RRRRR	5–7	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-SSSSS	0.0–0.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-SSSSS	0.3–1.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-SSSSS	1.3–2.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-SSSSS	2.3–4.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-SSSSS	5–7	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-TTTTT	0.0–0.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-TTTTT	0.3–1.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-TTTTT	1.3–2.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-TTTTT	2.3–4.3	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-TTTTT	5–7	Soil	11	6	6.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-UUUUU	0.0–0.3	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-UUUUU	0.3–1.3	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-UUUUU	1.3–2.3	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-UUUUU	2.3–4.3	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-UUUUU	5–7	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-VV	2–4	Soil	11	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-VV	4–6	Soil	11	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-VV	5.0–5.5	Soil	11	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-VVVVV	0.0–0.3	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-VVVVV	0.3–1.8	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-VVVVV	2.0–3.5	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-VVVVV	5.0–6.5	Soil	11	6	6.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-GGGGG	0.0–0.3	Soil	11	6	6.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-GGGGG	0.3–2.3	Soil	11	6	6.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-GGGGG	10–12	Soil	11	6	6.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-GGGGG	2.3–4.3	Soil	11	6	6.4	—	22 Jul 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	2HA-117	0.0–0.5	Soil	12W	2	2.1	Track A	25 Oct 2004	0.75	4	11-10-2004	ND < 0.50	—	—
—	2HA-117	0.5–1.0	Soil	12W	2	2.1	Track A	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	2HA-117	1.0–1.5	Soil	12W	2	2.1	Track A	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	2HA-117	1.5–2.0	Soil	12W	2	2.1	Track A	25 Oct 2004	0.6	4	11-10-2004	ND < 0.50	—	—
—	2HA-118	0.0–0.5	Soil	12W	2	2.1	Track A	25 Oct 2004	0.75	4	11-10-2004	ND < 0.50	—	—
—	2HA-118	0.5–1.0	Soil	12W	2	2.1	Track A	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	2HA-118	1.0–1.5	Soil	12W	2	2.1	Track A	25 Oct 2004	0.64	4	11-10-2004	ND < 0.50	—	—
—	2HA-118	1.5–2.0	Soil	12W	2	2.1	Track A	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	2HA-137	0.0–0.25	Soil	12W	2	2.1	Track A	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	2HA-137	0.25–1.25	Soil	12W	2	2.1	Track A	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	2HA-138	0.0–0.25	Soil	12W	2	2.1	Track A	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	2HA-138	0.25–1.25	Soil	12W	2	2.1	Track A	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	2HA-138 D	0.25–1.25	Soil	12W	2	2.1	Track A	08 Nov 2004	ND < 0.50	5	—	—	—	—
A	2HA-139	0.0–0.25	Soil	12W	2	2.1	Track C	08 Nov 2004	ND < 0.50	—	—	—	—	—
A	2HA-139	0.25–1.25	Soil	12W	2	2.1	Track C	08 Nov 2004	ND < 0.50	—	—	—	—	—
A	2HA-140	0.0–0.25	Soil	12W	2	2.1	Track C	08 Nov 2004	ND < 0.50	—	—	—	—	—
A	2HA-140	0.25–1.25	Soil	12W	2	2.1	Track C	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	SS-FF	0.0–0.3	Soil	12W	2	2.1	Track A	03 Apr 2002	0.8	4	04-17-2002	ND < 0.50	—	—
—	SS-GG	0.0–0.3	Soil	12W	2	2.1	Track A	03 Apr 2002	ND < 0.50	—	—	—	—	—
—	SS-GG	1.0–1.5	Soil	12W	2	2.1	Track A	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-HH	0.0–0.3	Soil	12W	2	2.1	Track A	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-II	0.0–0.3	Soil	12W	2	2.1	Track B	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-JJ	0.0–0.3	Soil	12W	2	2.1	Track E	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-KK	0.0–0.3	Soil	12W	2	2.1	Track C	03 Apr 2002	0.83	4	04-17-2002	ND < 0.50	—	—
A	SS-LL	0.0–0.3	Soil	12W	2	2.1	Track E	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-MM	0.0–0.3	Soil	12W	2	2.1	Track D	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-NN	0.0–0.3	Soil	12W	2	2.1	Track C	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-OO	0.0–0.3	Soil	12W	2	2.1	Track E	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-X	0.0–0.6	Soil	12W	2	2.1	Track B	14 May 2001	ND < 0.50	—	—	—	—	—
A	SS-Y	0.0–0.6	Soil	12W	2	2.1	Track C	14 May 2001	ND < 0.50	—	—	—	—	—
A	SS-Z	0.0–0.6	Soil	12W	2	2.1	Track D	14 May 2001	ND < 0.50	—	—	—	—	—
A	2AS-053	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-054	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-055	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-056	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-056 D	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	0.34	5	—	—	—	—
A	2AS-056 EB	½ inch	Water	12W	2	2.2	—	27 Feb 2007	ND < 0.50	—	—	—	—	—
A	2AS-057	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-058	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	0.41	—	—	—	—	—
A	2AS-059	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2AS-060	½ inch	Asphalt	12W	2	2.2	—	27 Feb 2007	ND < 0.30	—	—	—	—	—
A	2CO-129	½ inch	Concrete	12W	2	2.2	P24	30 Nov 2004	ND < 0.50	—	—	—	—	—
A	2CO-130	½ inch	Concrete	12W	2	2.2	P24	30 Nov 2004	ND < 0.50	—	—	—	—	—
A	2CO-131	½ inch	Concrete	12W	2	2.2	P24	30 Nov 2004	ND < 0.50	—	—	—	—	—
A	2CO-177	½ inch	Concrete	12W	2	2.2	CB2	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	2CO-504	½ inch	Concrete	12W	2	2.2	P24	30 Nov 2004	ND < 0.50	—	—	—	—	—
A	2GP-272	0.0–0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	ND < 1.2	E	—	—	—	—
A	2GP-272	0.3–1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-272	1.3–1.8	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-272	1.8–2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-272	2.5–3.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-272	3.0–4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-272	4.0–6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-272	6.0–8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-273	0.0–0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	ND < 1.1	E	—	—	—	—
A	2GP-273	0.3–1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-273	1.3–2.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-273	2.0–2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-273	2.5–4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-273	4.0–6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-273	6.0–8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-274	0.0–0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	3.8	E	—	—	—	—
A	2GP-274	0.3–1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-274	1.3–2.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-274	2.0–2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-274	2.5–3.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-274	3.0–4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-274	4.0–6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-274	6.0–8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.50	—	—	—	—	—
A	2GP-274 D	0.0–0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	ND < 1.1	5, E	—	—	—	—
A	2GP-274 D	4.0–6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	5	—	—	—	—
A	2GP-274 EB	0.0–0.5	Water	12W	2	2.2	—	13 Feb 2007	ND < 0.50	—	—	—	—	—
A	2GP-274 EB	NA	Water	12W	2	2.2	—	25 Jan 2007	ND < 0.50	L	—	—	—	—
A	2GP-275	0.0–0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	2.6	E	—	—	—	—
A	2GP-275	0.3–1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-275	1.3–2.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-275	2.0–2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	2GP-275	2.5-3.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-275	3.0-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-275	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-275	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-276	0.0-0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	ND < 1.1	E	—	—	—	—
A	2GP-276	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-276	1.3-2.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-276	2.0-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-276	2.5-3.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-276	3.0-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-276	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-276	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.50	—	—	—	—	—
A	2GP-277	0.0-0.5	Asphalt	12W	2	2.2	—	13 Feb 2007	ND < 1.1	E	—	—	—	—
A	2GP-277	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-277	1.3-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-277	2.5-2.8	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-277	2.8-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-277	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-277	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-277 D	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	5	—	—	—	—
A	2GP-277 EB	NA	Water	12W	2	2.2	—	25 Jan 2007	ND < 0.50	—	—	—	—	—
A	2GP-278	0.0-0.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-278	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-278	1.3-2.2	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-278	2.2-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-278	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-278	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-278	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-279	0.0-0.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-279	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-279	1.3-2.2	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-279	2.2-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-279	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-279	4.0-5.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-279	5.5-7.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-280	0.0-0.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-280	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-280	1.3-2.2	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-280	2.2-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-280	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-280	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-280	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-280 D	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	5	—	—	—	—
A	2GP-280 EB	NA	Water	12W	2	2.2	—	25 Jan 2007	ND < 0.50	L	—	—	—	—
A	2GP-281	0.0-0.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-281	0.3-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-281	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-281	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-281	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-282	0.0-0.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-282	0.3-1.3	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-282	1.3-1.6	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-282	1.6-2.5	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-282	2.5-4.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.30	—	—	—	—	—
A	2GP-282	4.0-6.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2GP-282	6.0-8.0	Soil	12W	2	2.2	—	25 Jan 2007	ND < 0.40	—	—	—	—	—
A	2HA-241	0.0-0.3	Asphalt	12W	2	2.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	2HA-241	0.3-0.6	Soil	12W	2	2.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	2HA-242	0.0-0.3	Asphalt	12W	2	2.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	2HA-242	0.3-0.5	Soil	12W	2	2.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	2TB-206	0.0-0.3	Soil	12W	2	2.2	—	18 Nov 2004	3	4	12-23-2004	ND < 0.50	—	—
A	2TB-206	0.3-2.3	Soil	12W	2	2.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	2TB-206	4.3-6.3	Soil	12W	2	2.2	—	18 Nov 2004	1.44	4	12-23-2004	ND < 0.50	—	—
A	2TB-207	0.0-0.3	Asphalt	12W	2	2.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	2TB-207	0.3-1.3	Soil	12W	2	2.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	2TB-207	1.3-2.3	Soil	12W	2	2.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	2TB-207	2.3-4.3	Soil	12W	2	2.2	—	18 Nov 2004	0.55	4	12-23-2004	ND < 0.50	—	—
A	2TB-207	4.3-6.3	Soil	12W	2	2.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	2TB-256	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-256	0.25-0.50	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-256	0.50-1.00	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-256	1.00-2.25	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-256	2.25-3.25	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-256	3.25-4.25	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-256	6.25-8.25	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-257	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-257	0.5-1.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	2TB-257	1.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-257	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-257	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-257 D	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	5	—	—	—	—
A	2TB-257 EB	2.5-4.5	Water	12W	2	2.2	—	23 Feb 2006	ND < 0.50	—	—	—	—	—
A	2TB-258	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-258	0.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-258	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-258	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-259	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-259	0.5-1.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-259	1.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-259	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-259	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-260	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-260	0.5-1.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-260	1.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	0.3	—	—	—	—	—
A	2TB-260	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-260	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.70	—	—	—	—	—
A	2TB-261	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-261	0.5-1.0	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-261	1.5-3.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-261	3.5-5.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-262	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	0.49	—	—	—	—	—
A	2TB-262	0.5-1.0	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-262	1.0-2.5	Soil	12W	2	2.2	—	23 Feb 2006	0.41	—	—	—	—	—
A	2TB-262	2.5-3.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-262	3.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 1.0	15	—	—	—	—
A	2TB-262 D	1.0-2.5	Soil	12W	2	2.2	—	23 Feb 2006	0.44	5	—	—	—	—
A	2TB-262 EB	1.0-2.5	Water	12W	2	2.2	—	23 Feb 2006	ND < 0.50	—	—	—	—	—
A	2TB-263	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	0.45	—	—	—	—	—
A	2TB-263	0.5-1.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-263	1.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-263	2.5-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-263	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.50	—	—	—	—	—
A	2TB-264	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-264	0.5-1.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-264	1.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-264	2.5-4.0	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-264	4.0-4.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-264	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.40	—	—	—	—	—
A	2TB-265	0.0-0.25	Asphalt	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-265	0.5-2.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.30	—	—	—	—	—
A	2TB-265	1.5-4.0	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.60	—	—	—	—	—
A	2TB-265	4.5-6.5	Soil	12W	2	2.2	—	23 Feb 2006	ND < 0.50	—	—	—	—	—
A	CB-2	0.0-0.3	Sediment	12W	2	2.2	CB2	10 May 2001	3.8	—	—	—	—	—
A	CB-3	0.0-0.3	Sediment	12W	2	2.2	CB3	10 May 2001	ND < 0.50	—	—	—	—	—
A	MW-07	7-9	Soil	12W	2	2.2	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	MW-22	7-9	Soil	12W	2	2.2	—	09 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	SS-BB	0.0-0.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-BB	0.3-1.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-CC	0.0-0.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-CC	0.3-1.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-D2	0.0-0.5	Soil	12W	2	2.2	Surge basin	02 May 2001	ND < 0.50	—	—	—	—	—
A	SS-DD	0.0-0.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-DD	0.3-1.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-EE	0.0-0.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	SS-EE	0.3-1.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-09	3-7	Soil	12W	2	2.2	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-10	11-13	Soil	12W	2	2.2	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-C	2-4	Soil	12W	2	2.2	—	10 May 2001	ND < 0.50	—	—	—	—	—
A	TB-CCCC	0.0-0.3	Asphalt	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCC	10-12	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCC	2.5-2.8	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCC	2.8-3.8	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCC	4.5-6.0	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-D	2-4	Soil	12W	2	2.2	—	11 May 2001	ND < 0.50	—	—	—	—	—
A	TB-DDDD	0.0-0.3	Asphalt	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDD	1.3-1.6	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDD	1.6-2.6	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDD	15-17	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDD	3.3-4.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEE	0.0-0.3	Asphalt	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEE	1.5-1.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEE	1.8-2.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEE	10-12	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEE	3.8-5.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	TB-F	0-2	Soil	12W	2	2.2	—	11 May 2001	ND < 0.50	—	—	—	—	—
A	TB-GGGG	0.0-0.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-GGGG	1-2	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-GGGG	2.3-4.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHH	0.0-0.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHH	1.3-2.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHH	2.3-4.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHH	5-6	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	0.0-0.3	Asphalt	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	1.5-1.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	1.8-2.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	3.5-5.0	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	5.0-5.5	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKK	0.0-0.3	Asphalt	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKK	1.0-1.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKK	1.3-2.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKK	5-6	Soil	12W	2	2.2	—	02 Apr 2002	ND < 0.50	5	—	—	—	—
A	TB-KKKK	5-6	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-LLLL	0.0-0.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-LLLL	0.3-0.6	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-LLLL	0.6-1.6	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-LLLL	3.3-4.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-LLLL	4.3-6.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-MMMM	0.0-0.3	Asphalt	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-MMMM	0.5-0.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-MMMM	0.8-1.8	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-MMMM	4.5-6.5	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-NNNN	0.0-0.3	Asphalt	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-NNNN	1.0-1.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-NNNN	1.3-2.3	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-NNNN	4-5	Soil	12W	2	2.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOOO	0.0-0.3	Asphalt	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOOO	2.0-2.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOOO	4-5	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPPP	0.0-0.3	Asphalt	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPPP	0.3-0.6	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPPP	0.9-1.0	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPPP	2.3-4.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-QQQQ	0.0-0.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-QQQQ	0.3-2.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-QQQQ	2.3-4.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-R	5-7	Soil	12W	2	2.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	TB-RRRR	0.0-0.3	Asphalt	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-RRRR	1.0-1.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-RRRR	3.3-3.9	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-RRRR	3.9-4.0	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSSS	0.0-0.3	Asphalt	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSSS	2.2-2.5	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSSS	2.5-4.5	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTTT	0.0-0.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTTT	1.0-1.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTTT	2.3-4.3	Soil	12W	2	2.2	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	0.0-0.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	0.3-1.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	10-12	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	15-16	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	2.3-4.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	4.3-6.3	Soil	12W	2	2.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	2HA-651	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-652	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-653	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-654	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-655	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-656	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-657	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-658	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-659	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-660	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-661	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD	—	—	—	—
A	2HA-662	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
A	2HA-662	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
A	2HA-663	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-664	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-665	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-666	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-667	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.50	—	—	—	—	—
A	2HA-668	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	2HA-669	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-670	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-671	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-672	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-673	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-674	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-675	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-676	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-677	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-678	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-679	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-680	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	2HA-681	1-1.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	2HA-682	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD	—	—	—	—
A	2HA-683	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
A	2HA-683	6-6.25	Soil	12W	2	2.2	@ Track C	28 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
A	2BW-601	NA	Water	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.50	EB	—	—	—	—
A	2AS-600	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	LD	—	—	—	—
A	2AS-600	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.30	LD	—	—	—	—
A	2AS-601	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-602	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	0.82	—	—	—	—	—
A	2AS-603	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-604	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-605	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-606	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	0.31	—	—	—	—	—
A	2AS-607	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-608	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-609	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-610	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	1.1	—	—	—	—	—
A	2AS-611	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	6.9	E, S	—	—	—	—
A	2AS-612	~1 inch	Asphalt	12W	2	2.2	@ Track B	29 Nov 2007	3.5	—	—	—	—	—
A	2AS-613	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-614	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-615	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-616	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-617	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-618	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	0.33	—	—	—	—	—
A	2AS-619	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	FD	—	—	—	—
A	2AS-620	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
A	2AS-620	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.30	FD, LD	—	—	—	—
A	2AS-621	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-622	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-623	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	—	—	—	—	—
A	2AS-624	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	0.48	—	—	—	—	—
A	2AS-625	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	FD	—	—	—	—
A	2AS-626	~1 inch	Asphalt	12W	2	2.2	@ Track C	29 Nov 2007	ND < 0.40	FD	—	—	—	—
A	2SD-600	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	3.6	—	—	—	—	—
A	2SD-601	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.80	—	—	—	—	—
A	2SD-602	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	ND < 1.0	—	—	—	—	—
A	2SD-603	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	2.6	FD	—	—	—	—
A	2SD-604	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	1.7	FD, LD	—	—	—	—
A	2SD-604	0-4 inches	Sediment	12W	2	2.2	Tunnel	04 Dec 2007	1.63	FD, LD	—	—	—	—
A	2CO-600	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.50	—	—	—	—	—
A	2CO-601	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.30	—	—	—	—	—
A	2CO-602	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.30	—	—	—	—	—
A	2CO-603	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.40	—	—	—	—	—
A	2CO-604	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.40	—	—	—	—	—
A	2CO-605	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.40	—	—	—	—	—
A	2CO-606	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.30	—	—	—	—	—
A	2CO-607	½ inch	Concrete	12W	2	2.2	Tunnel	04 Dec 2007	ND < 0.30	—	—	—	—	—
A	2SW-602	Surface	Water	12W	2	2.2	Frac tank	07 Dec 2007	1.39	—	—	—	—	—
A	2SW-601	Surface	Water	12W	2	2.2	@ Track C	04 Dec 2007	ND < 0.50	—	—	—	—	—
A	2BW-602	NA	Water	12W	2	2.2	@ Track C	04 Dec 2007	ND < 0.50	EB	—	—	—	—
A	2AS-627	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	0.42	LD	—	—	—	—
A	2AS-627	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	0.39	LD	—	—	—	—
A	2AS-628	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	ND < 0.30	—	—	—	—	—
A	2AS-629	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	0.34	—	—	—	—	—
A	2AS-630	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	1.03	—	—	—	—	—
A	2AS-631	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	1.5	—	—	—	—	—
A	2AS-632	~1 inch	Asphalt	12W	2	2.2	@ Track B	11 Dec 2007	2.7	—	—	—	—	—
A	2BW-605	NA	Water	12W	2	2.2	@ Track B	11 Dec 2007	ND < 0.50	EB	—	—	—	—
A	2AS-633	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.63	—	—	—	—	—
A	2AS-634	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.71	—	—	—	—	—
A	2AS-635	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	1.1	—	—	—	—	—
A	2AS-636	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.59	—	—	—	—	—
A	2AS-637	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.78	—	—	—	—	—
A	2AS-638	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	2AS-639	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	—	—	—	—	—
A	2AS-640	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	—	—	—	—	—
A	2AS-641	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.60	—	—	—	—	—
A	2AS-642	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	0.81	—	—	—	—	—
A	2AS-643	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	—	—	—	—	—
A	2AS-644	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	FD	—	—	—	—
A	2AS-645	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	FD, LD	—	—	—	—
A	2AS-645	~1 inch	Asphalt	12W	2	2.2	@ Track B	21 Dec 2007	ND < 0.30	FD, LD	—	—	—	—
A	3GP-234	0.0-0.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234	0.3-1.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234	1.3-3.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234	3.3-4.0	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234	4-6	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234	6-8	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-234 D	0.3-1.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	5	—	—	—	—
A	3GP-234 EB	0.3-1.3	Water	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-239	0.0-0.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-239	0.3-1.5	Soil	12W	3	3.2	—	16 Dec 2004	2.4	4	01-06-2005	ND < 0.50	—	—
A	3GP-239	1.5-3.0	Soil	12W	3	3.2	—	16 Dec 2004	1.1	4	01-06-2005	ND < 0.50	—	—
A	3GP-240	0.0-0.3	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-240	0.3-1.3	Soil	12W	3	3.2	—	16 Dec 2004	1.2	4	01-06-2005	ND < 0.50	—	—
A	3GP-240	1.3-3.0	Soil	12W	3	3.2	—	16 Dec 2004	4.6	4	01-06-2005	ND < 0.50	—	—
A	3GP-240	3-5	Soil	12W	3	3.2	—	16 Dec 2004	0.87	4	01-06-2005	ND < 0.50	—	—
A	3GP-240	5-7	Soil	12W	3	3.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	3GP-258	0.0-0.25	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-258	0.25-1.25	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-258	1.25-2.25	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-258	2.25-4.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-258	4.0-6.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-259	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-259	0.3-1.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-259	1.3-2.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-259	2.3-4.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-259	4.3-6.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-259	6.3-8.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-259 D	4.3-6.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-259 EB	NA	Water	12W	3	3.2	—	11 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-260	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-260	0.3-1.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-260	1.3-2.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-260	2.3-4.0	Soil	12W	3	3.2	—	11 Jan 2007	0.65	4	02-13-2007	ND < 0.50	—	—
A	3GP-260	4.0-6.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-260	6.0-8.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.60	—	—	—	—	—
A	3GP-261	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-261	0.3-1.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-261	1.3-2.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-261	2.3-4.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-261	4.0-6.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-261	6.0-8.0	Soil	12W	3	3.2	—	11 Jan 2007	0.44	4	02-13-2007	ND < 0.50	—	—
A	3GP-262	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-262	0.3-1.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-262	1.3-2.3	Soil	12W	3	3.2	—	11 Jan 2007	5.8	7, E	—	NT	7	—
A	3GP-262	2.3-4.0	Soil	12W	3	3.2	—	11 Jan 2007	1.3	7	—	NT	7	—
A	3GP-262	4.0-6.0	Soil	12W	3	3.2	—	11 Jan 2007	0.6	4	02-13-2007	ND < 0.50	—	—
A	3GP-262	6.0-8.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-263	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-263	0.3-1.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-263	1.3-2.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-263	2.3-4.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-263	4.0-6.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-263	6.0-8.0	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-263 D	0.0-0.3	Soil	12W	3	3.2	—	11 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-263 EB	NA	Water	12W	3	3.2	—	11 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-264	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-264	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-264	1.3-2.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-264	2.3-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-264	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-264	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-264	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-265	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-265	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	1.1	7	—	NT	7	—
A	3GP-265	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	9.6	7, E, S	—	NT	7	—
A	3GP-265	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-265	2.8-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-265	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	0.42	4	02-13-2007	ND < 0.50	—	—
A	3GP-265	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	3GP-266	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-266	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-266	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	0.52	4	02-13-2007	ND < 0.50	—	—
A	3GP-266	2.5-4.0	Soil	12W	3	3.2	—	12 Jan 2007	0.75	4	02-13-2007	ND < 0.50	—	—
A	3GP-266	4.3-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-266	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-266 D	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-267	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-267	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	3.8	4, E	02-13-2007	ND < 0.50	—	—
A	3GP-267	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	5.6	4, E	02-13-2007	ND < 0.50	—	—
A	3GP-267	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	0.48	7	—	NT	7	—
A	3GP-267	2.8-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-267	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-267	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-267 EB	NA	Water	12W	3	3.2	—	12 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-268	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-268	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-268	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-268	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-268	2.8-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-268	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	0.74	4	02-13-2007	ND < 0.50	—	—
A	3GP-268	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-268 D	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	5	—	—	—	—
A	3GP-268 EB	NA	Water	12W	3	3.2	—	12 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-269	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-269	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-269	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-269	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-269	2.8-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-269	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-269	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-270	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-270	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	3.2	4, E	02-13-2007	ND < 0.50	—	—
A	3GP-270	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	2.5	4	02-13-2007	ND < 0.50	—	—
A	3GP-270	2.5-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-270	4.0-4.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-270	4.3-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-270	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-271	0.0-0.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-271	0.3-1.3	Soil	12W	3	3.2	—	12 Jan 2007	2.9	4, E	02-13-2007	ND < 0.50	—	—
A	3GP-271	1.3-2.5	Soil	12W	3	3.2	—	12 Jan 2007	2.2	4	02-13-2007	ND < 0.50	—	—
A	3GP-271	2.5-2.8	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-271	2.8-4.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-271	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-271	6.0-8.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-271 D	4.0-6.0	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	5	—	—	—	—
A	3GP-271 EB	NA	Water	12W	3	3.2	—	12 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-283	0.0-0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-283	0.3-1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-283	1.3-2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-283	2.5-2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-283	2.8-4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-283	4.0-6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-283	6.0-8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-283 D	2.5-2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-283 EB	NA	Water	12W	3	3.2	—	29 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-284	0.0-0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-284	0.3-1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-284	1.3-2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-284	2.5-2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-284	2.8-4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-284	4.0-6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-284	6.0-8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-285	0.0-0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-285	0.3-1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-285	1.3-2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-285	2.5-2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-285	2.8-4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-285	4.0-6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-285	6.0-8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-286	0.0-0.3	Soil	12W	3	3.2	—	29 Jan 2007	0.32	7	—	NT	7	—
A	3GP-286	0.3-1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-286	1.3-2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-286	2.5-4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-286	4.0-6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-286	6.0-8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-286 D	1.3-2.5	Soil	12W	3	3.2	—	29 Jan 2007	0.58	4, 5	02-13-2007	ND < 0.50	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	3GP-286 EB	NA	Water	12W	3	3.2	—	29 Jan 2007	ND < 0.50	L	—	—	—	—
A	3GP-287	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-287	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-287	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-287	2.5–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-287	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-287	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-288	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-288	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-288	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-288	2.5–2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-288	2.8–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-288	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-288	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-289	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	0.47	7	—	NT	7	—
A	3GP-289	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	5.7	7, E	—	NT	7	—
A	3GP-289	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	4.4	7, E	—	NT	7	—
A	3GP-289	2.5–2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-289	2.8–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-289	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-289	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-289 D	2.5–2.8	Soil	12W	3	3.2	—	29 Jan 2007	0.54	5, 7	—	NT	7	—
A	3GP-289 EB	NA	Water	12W	3	3.2	—	29 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-290	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-290	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-290	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	1.6	7	—	NT	7	—
A	3GP-290	2.5–3.7	Soil	12W	3	3.2	—	29 Jan 2007	7.2	7, E	—	NT	7	—
A	3GP-290	3.7–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-290	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-290	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-291	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-291	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-291	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	0.87	7	—	NT	7	—
A	3GP-291	2.5–4.0	Soil	12W	3	3.2	—	29 Jan 2007	1.2	7	—	NT	7	—
A	3GP-291	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-291	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-292	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-292	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-292	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-292	2.5–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-292	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-292	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-292 D	2.5–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-292 EB	NA	Water	12W	3	3.2	—	29 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-293	0.0–0.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-293	0.3–1.3	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-293	1.3–2.5	Soil	12W	3	3.2	—	29 Jan 2007	3.1	7, E	—	NT	7	—
A	3GP-293	2.5–2.8	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-293	2.8–4.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-293	4.0–6.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-293	6.0–8.0	Soil	12W	3	3.2	—	29 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-294	0.0–0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-294	0.3–1.3	Soil	12W	3	3.2	—	30 Jan 2007	3.2	7, E	—	NT	7	—
A	3GP-294	1.3–2.5	Soil	12W	3	3.2	—	30 Jan 2007	1.9	7	—	NT	7	—
A	3GP-294	2.5–2.8	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-294	2.8–4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-294	4.0–6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-294	6.0–8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-295	0.0–0.3	Soil	12W	3	3.2	—	30 Jan 2007	1	7	—	NT	7	—
A	3GP-295	0.3–1.3	Soil	12W	3	3.2	—	30 Jan 2007	0.41	7	—	NT	7	—
A	3GP-295	1.3–2.5	Soil	12W	3	3.2	—	30 Jan 2007	1.6	7	—	NT	7	—
A	3GP-295	2.5–2.8	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-295	2.8–4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-295	4.0–6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-295	6.0–8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-295 D	2.5–2.8	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-295 EB	NA	Water	12W	3	3.2	—	30 Jan 2007	ND < 0.50	L	—	—	—	—
A	3GP-296	0.0–0.3	Soil	12W	3	3.2	—	30 Jan 2007	1	7	—	NT	7	—
A	3GP-296	0.3–1.3	Soil	12W	3	3.2	—	30 Jan 2007	1.4	7	—	NT	7	—
A	3GP-296	1.3–2.5	Soil	12W	3	3.2	—	30 Jan 2007	0.95	7	—	NT	7	—
A	3GP-296	2.5–2.8	Soil	12W	3	3.2	—	30 Jan 2007	2.3	7	—	NT	7	—
A	3GP-296	2.8–4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-296	4.0–6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-296	6.0–8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-297	0.0–0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-297	0.3–1.3	Soil	12W	3	3.2	—	30 Jan 2007	4.7	7	—	NT	7	—
A	3GP-297	1.3–2.5	Soil	12W	3	3.2	—	30 Jan 2007	4.2	7	—	NT	7	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	3GP-297	2.5-2.8	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-297	2.8-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-297	4.0-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-297	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-298	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-298	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-298	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-298	2.5-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-298	4.0-4.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-298	4.3-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-298	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-298 D	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-298 EB	NA	Water	12W	3	3.2	—	30 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-299	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-299	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	0.3	7	—	NT	7	—
A	3GP-299	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-299	2.5-4.0	Soil	12W	3	3.2	—	30 Jan 2007	0.42	7	—	—	7	—
A	3GP-299	4.0-4.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-299	4.3-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-299	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-300	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-300	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-300	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	0.79	7	—	NT	7	—
A	3GP-300	2.5-2.8	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-300	2.8-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-301	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-301	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	2.6	7, E	—	NT	7	—
A	3GP-301	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	4.8	7, E	—	NT	7	—
A	3GP-301	2.5-3.7	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-301	3.7-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-301	4.0-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-301	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-301 D	2.5-3.7	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-301 EB	NA	Water	12W	3	3.2	—	30 Jan 2007	ND < 0.50	L	—	—	—	—
A	3GP-302	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-302	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-302	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	3.4	7	—	NT	7	—
A	3GP-302	2.5-3.7	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-302	3.7-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-302	4.0-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-302	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-303	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	7	—	NT	7	—
A	3GP-303	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	0.86	—	—	—	—	—
A	3GP-303	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-303	2.5-2.8	Soil	12W	3	3.2	—	30 Jan 2007	1.4	7	—	NT	7	—
A	3GP-303	2.8-4.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-303	4.0-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-303	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-304	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-304	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-304	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-304	2.5-4.0	Soil	12W	3	3.2	—	30 Jan 2007	0.35	7	—	NT	7	—
A	3GP-304	4.0-4.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-304	4.3-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-304	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-304 D	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-305	0.0-0.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-305	0.3-1.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-305	1.3-2.5	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-305	2.5-4.0	Soil	12W	3	3.2	—	30 Jan 2007	0.49	4	02-19-2007	ND < 0.50	—	—
A	3GP-305	4.0-4.3	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-305	4.3-6.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-305	6.0-8.0	Soil	12W	3	3.2	—	30 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-305 EB	NA	Water	12W	3	3.2	—	30 Jan 2007	ND < 0.50	L	—	—	—	—
A	3GP-306	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-306	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	3	4, E	02-19-2007	0.16	—	—
A	3GP-306	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	1.1	4	02-19-2007	ND < 0.50	—	—
A	3GP-306	2.5-4.0	Soil	12W	3	3.2	—	31 Jan 2007	0.64	7	—	NT	7	—
A	3GP-306	4.0-4.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-306	4.3-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-306	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-307	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-307	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-307	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	1.5	4	02-19-2007	0.18	—	—
A	3GP-307	2.5-3.7	Soil	12W	3	3.2	—	31 Jan 2007	1.3	4	02-19-2007	ND < 0.50	—	—
A	3GP-307	3.7-4.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-307	4.0-5.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	3GP-307	5.0-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-307	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-307 D	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	5	—	—	—	—
A	3GP-307 EB	NA	Water	12W	3	3.2	—	31 Jan 2007	ND < 0.50	L	—	—	—	—
A	3GP-308	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-308	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	0.93	4	02-19-2007	ND < 0.50	—	—
A	3GP-308	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-308	2.5-4.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-308	4.0-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-308	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	2.5-4.0	Soil	12W	3	3.2	—	31 Jan 2007	0.66	7	—	NT	7	—
A	3GP-309	4.0-4.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	4.3-5.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-309	5.0-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-309	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-309 D	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	5	—	—	—	—
A	3GP-309 EB	NA	Water	12W	3	3.2	—	31 Jan 2007	ND < 0.50	—	—	—	—	—
A	3GP-310	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-310	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-310	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-310	2.5-2.8	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-310	2.8-4.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-310	4.0-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-310	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-312	0.0-0.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-312	0.3-1.3	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-312	1.3-2.5	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-312	2.5-4.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.30	—	—	—	—	—
A	3GP-312	4.0-6.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
A	3GP-312	6.0-8.0	Soil	12W	3	3.2	—	31 Jan 2007	ND < 0.40	—	—	—	—	—
—	3HA-100	0.5-1.0	Soil	12W	3	3.2	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-100	1.0-1.5	Soil	12W	3	3.2	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-100 D	1.0-1.5	Soil	12W	3	3.2	—	25 Oct 2004	ND < 0.50	5	—	—	—	—
—	3HA-100 EB	1.0-1.5	Water	12W	3	3.2	—	25 Oct 2004	ND < 0.50	—	—	—	—	—
—	3HA-101	0.3-0.8	Soil	12W	3	3.2	—	25 Oct 2004	5.2	4	11-10-2004	ND < 0.50	—	—
—	3HA-101	0.8-1.3	Soil	12W	3	3.2	—	25 Oct 2004	6.9	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-101	1.3-1.8	Soil	12W	3	3.2	—	25 Oct 2004	3.1	4	11-10-2004	ND < 0.50	—	—
—	3HA-102	0.5-1.0	Soil	12W	3	3.2	—	25 Oct 2004	5.2	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-102	1.0-1.5	Soil	12W	3	3.2	—	25 Oct 2004	7.2	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-102	1.5-2.0	Soil	12W	3	3.2	—	25 Oct 2004	9.5	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-103	0.5-1.0	Soil	12W	3	3.2	—	25 Oct 2004	6.9	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-103	1.0-1.5	Soil	12W	3	3.2	—	25 Oct 2004	7.7	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-103	1.5-1.8	Soil	12W	3	3.2	—	25 Oct 2004	4.6	3, 4	11-10-2004	ND < 0.50	—	—
—	3HA-130	0.0-0.25	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-130	0.9-1.15	Soil	12W	3	3.2	—	08 Nov 2004	1	4	12-01-2004	ND < 0.50	—	—
—	3HA-130	1.5-2.15	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-131	0.0-0.25	Soil	12W	3	3.2	—	08 Nov 2004	0.51	4	12-01-2004	ND < 0.50	—	—
—	3HA-131	0.4-0.65	Soil	12W	3	3.2	—	08 Nov 2004	1.8	4	12-01-2004	ND < 0.50	—	—
—	3HA-131	0.65-1.15	Soil	12W	3	3.2	—	08 Nov 2004	0.81	4	12-01-2004	ND < 0.50	—	—
—	3HA-131 D	0.4-0.65	Soil	12W	3	3.2	—	08 Nov 2004	1.1	4, 5	12-01-2004	ND < 0.50	—	—
—	3HA-132	0.0-0.25	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-132	0.4-0.65	Soil	12W	3	3.2	—	08 Nov 2004	4.5	4	12-01-2004	ND < 0.50	—	—
—	3HA-132	0.65-1.65	Soil	12W	3	3.2	—	08 Nov 2004	4.3	4	12-01-2004	ND < 0.50	—	—
—	3HA-135	0.0-0.25	Soil	12W	3	3.2	—	08 Nov 2004	1.39	4	12-01-2004	ND < 0.50	—	—
—	3HA-135	0.25-0.5	Soil	12W	3	3.2	—	08 Nov 2004	1.45	4	12-01-2004	ND < 0.50	—	—
—	3HA-135	0.5-1.25	Soil	12W	3	3.2	—	08 Nov 2004	2.3	4	12-01-2004	ND < 0.50	—	—
—	3HA-136	0.0-0.25	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-136	0.7-0.95	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
—	3HA-136	0.95-1.95	Soil	12W	3	3.2	—	08 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-094	0.0-0.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-094	0.3-1.3	Soil	12W	3	3.2	—	09 Sep 2004	5	4	09-28-2004	ND < 0.50	—	—
A	3TB-094	1.3-2.3	Soil	12W	3	3.2	—	09 Sep 2004	5.7	4	09-28-2004	ND < 0.50	—	—
A	3TB-094	2.3-2.6	Soil	12W	3	3.2	—	09 Sep 2004	4.8	4	09-28-2004	ND < 0.50	—	—
A	3TB-094	2.6-4.3	Soil	12W	3	3.2	—	09 Sep 2004	14	3, 4	09-28-2004	ND < 0.50	—	—
A	3TB-094	3-4	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	—	—	—	—	—
A	3TB-094	4-5	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.40	—	—	—	—	—
A	3TB-094	6.0-6.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-094 D	2.3-2.6	Soil	12W	3	3.2	—	09 Sep 2004	2.1	4, 5	09-28-2004	ND < 0.50	—	—
A	3TB-094 EB	2.3-2.6	Water	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-095	0.0-0.3	Soil	12W	3	3.2	—	09 Sep 2004	0.52	4	09-28-2004	ND < 0.50	—	—
A	3TB-095	0.3-2.3	Soil	12W	3	3.2	—	09 Sep 2004	4.2	3, 7	—	NT	1	—
A	3TB-095	2.3-3.3	Soil	12W	3	3.2	—	09 Sep 2004	4.6	3, 7	—	NT	1	—
A	3TB-095	3.3-4.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-095	4.3-6.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	3TB-096	0.0-0.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-096	0.3-2.0	Soil	12W	3	3.2	—	09 Sep 2004	1.3	3, 7	NA	NA	1	—
A	3TB-096	2.0-2.3	Soil	12W	3	3.2	—	09 Sep 2004	3.3	3, 7	NA	NA	1	—
A	3TB-096	2.3-3.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 1.0	3	—	—	—	—
A	3TB-096	3.3-4.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
A	3TB-096	4.3-5.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 1.0	3	—	—	—	—
A	3TB-096	5.3-6.3	Soil	12W	3	3.2	—	09 Sep 2004	ND < 0.50	—	—	—	—	—
B	3TB-097	0.0-0.3	Soil	12W	3	3.2	—	10 Sep 2004	0.51	4	09-29-2004	ND < 0.50	—	—
B	3TB-097	0.3-0.6	Soil	12W	3	3.2	—	10 Sep 2004	5.9	7	—	NT	1	—
B	3TB-097	4.3-6.3	Soil	12W	3	3.2	—	10 Sep 2004	ND < 0.50	—	—	—	—	—
B	3TB-097	0.6-1.6	Soil	12W	3	3.2	—	10 Sep 2004	22	3, 7	—	NT	1	—
B	3TB-097	2.3-4.3	Soil	12W	3	3.2	—	10 Sep 2004	41	3, 7	—	NT	1	—
B	3TB-097	0.0-2.0	Soil	12W	3	3.2	—	25 Jan 2007	1.54	4	02-13-2007	ND < 0.50	—	—
B	3TB-097	2.0-4.0	Soil	12W	3	3.2	—	25 Jan 2007	290	4, E, S	02-13-2007	2.3	E	—
—	3TB-098	0.0-0.3	Soil	12W	3	3.2	—	10 Sep 2004	1.4	4	09-29-2004	ND < 0.50	—	—
—	3TB-098	0.3-1.3	Soil	12W	3	3.2	—	10 Sep 2004	ND < 0.50	—	—	—	—	—
—	3TB-098	1.3-1.6	Soil	12W	3	3.2	—	10 Sep 2004	1.9	7	NA	NA	1	—
—	3TB-098	1.3-1.6 D	Soil	12W	3	3.2	—	10 Sep 2004	1.6	5, 7	NA	NA	1	—
—	3TB-098	2.3-4.3	Soil	12W	3	3.2	—	10 Sep 2004	1	4	09-29-2004	ND < 0.50	—	—
—	3TB-098 EB	1.3-1.6	Water	12W	3	3.2	—	10 Sep 2004	ND < 0.50	—	—	—	—	—
—	3TB-194	0.0-0.3	Soil	12W	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	3TB-194	0.3-2.3	Soil	12W	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	3TB-194	2.3-4.3	Soil	12W	3	3.2	—	17 Nov 2004	0.9	4	12-15-2004	ND < 0.50	—	—
—	3TB-194	4.3-6.3	Soil	12W	3	3.2	—	17 Nov 2004	3.5	4	12-15-2004	ND < 0.50	—	—
—	3TB-195	0.0-0.3	Soil	12W	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	3TB-195	0.3-1.3	Soil	12W	3	3.2	—	17 Nov 2004	4.8	4	12-15-2004	ND < 0.50	—	—
—	3TB-195	1.3-2.3	Soil	12W	3	3.2	—	17 Nov 2004	3.5	4	12-15-2004	ND < 0.50	—	—
—	3TB-195	2.3-4.3	Soil	12W	3	3.2	—	17 Nov 2004	42	3, 4	12-15-2004	ND < 0.50	—	—
—	3TB-195	4.3-6.3	Soil	12W	3	3.2	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-196	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	ND < 0.50	15	—	—	—	—
A	3TB-196	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	1.57	4	12-20-2004	ND < 0.50	—	—
A	3TB-196	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	3.2	4	12-20-2004	ND < 0.50	—	—
A	3TB-196	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-196	4.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-197	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	ND < 0.50	15	—	—	—	—
A	3TB-197	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	2.31	4	12-20-2004	ND < 0.50	—	—
A	3TB-197	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	1.6	4	12-20-2004	ND < 0.50	—	—
A	3TB-197	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 1.0	3	—	—	—	—
A	3TB-197	4.3-5.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 1.0	3	—	—	—	—
A	3TB-197	5.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-197 D	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 1.0	3, 5	—	—	—	—
A	3TB-197 EB	2.3-4.3	Water	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-198	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	ND < 0.50	15	—	—	—	—
A	3TB-198	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	7.4	4	12-20-2004	ND < 0.50	—	—
A	3TB-198	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-198	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	1.2	3, 4	12-20-2004	ND < 0.50	—	—
A	3TB-198	4.3-5.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-198	5.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-199	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	0.74	15	—	—	—	—
A	3TB-199	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	3.5	4	12-20-2004	ND < 0.50	—	—
A	3TB-199	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	0.58	4	12-20-2004	ND < 0.50	—	—
A	3TB-199	2.3-3.3	Soil	12W	3	3.2	—	18 Nov 2004	0.54	4	12-20-2004	ND < 0.50	—	—
A	3TB-199	4.0-5.0	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-199	5.0-6.0	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-200	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	ND < 0.50	15	—	—	—	—
A	3TB-200	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	2.81	4	12-20-2004	ND < 0.50	—	—
A	3TB-200	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	5.3	4	12-20-2004	ND < 0.50	—	—
A	3TB-200	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-200	4.3-5.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-200	5.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	1.2	4	12-20-2004	ND < 0.50	—	—
A	3TB-201	0.0-0.3	Stone	12W	3	3.2	—	18 Nov 2004	ND < 0.50	15	—	—	—	—
A	3TB-201	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	4.4	4	12-20-2004	ND < 0.50	—	—
A	3TB-201	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	8.1	4	12-20-2004	ND < 0.50	—	—
A	3TB-201	2.3-3.3	Soil	12W	3	3.2	—	18 Nov 2004	6.8	4	12-20-2004	ND < 0.50	—	—
A	3TB-201	3.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	0.53	4	12-20-2004	ND < 0.50	—	—
A	3TB-201	4.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-201 D	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	5.6	4, 5	12-20-2004	ND < 0.50	—	—
A	3TB-201 EB	0.3-1.3	Water	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-202	0.0-0.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-202	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-202	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	0.53	4	12-20-2004	ND < 0.50	—	—
A	3TB-202	2.3-4.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-202	4.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	0.95	4	12-20-2004	ND < 0.50	—	—
A	3TB-205	0.0-0.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-205	0.3-1.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-205	1.3-2.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—
A	3TB-205	4.3-6.3	Soil	12W	3	3.2	—	18 Nov 2004	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	GP-07	8	Soil	12W	3	3.2	—	12 Dec 1997	ND	16	—	—	—	UI
—	GP-21	0-1	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	1-2	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	2-3	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	3-4	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	4-5	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	5-6	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	6-7	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	7-8	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	8-9	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	9-10	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	10-11	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-21	11-12	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-22	0-1	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-22	1-2	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-22	2-3	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-22	3-4	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-22	4-5	Soil	12W	3	3.2	—	22 Jan 1998	1.5	16	—	—	—	UI
—	GP-22	5-6	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-22	6-7	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-23	0-1	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-23	5-6	Soil	12W	3	3.2	—	22 Jan 1998	9.3	16	—	—	—	UI
—	GP-23	6	Soil	12W	3	3.2	—	22 Jan 1998	3.2	16	—	—	—	UI
—	GP-23	7	Soil	12W	3	3.2	—	22 Jan 1998	8.4	16	—	—	—	UI
—	GP-23	8	Soil	12W	3	3.2	—	22 Jan 1998	6.7	16	—	—	—	UI
—	GP-23	9	Soil	12W	3	3.2	—	22 Jan 1998	3.9	16	—	—	—	UI
—	GP-24	1	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-24	2	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-24	3	Soil	12W	3	3.2	—	22 Jan 1998	2	16	—	—	—	UI
—	GP-24	4	Soil	12W	3	3.2	—	22 Jan 1998	2.3	16	—	—	—	UI
—	GP-24	5	Soil	12W	3	3.2	—	22 Jan 1998	1.8	16	—	—	—	UI
—	GP-24	6	Soil	12W	3	3.2	—	22 Jan 1998	1	16	—	—	—	UI
—	GP-24	7	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-24	8	Soil	12W	3	3.2	—	22 Jan 1998	7.9	16	—	—	—	UI
—	GP-24	9	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-24	10	Soil	12W	3	3.2	—	22 Jan 1998	7.5	16	—	—	—	UI
—	GP-24	11	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-24	12	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-24	13	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-24	14	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	GP-24	15	Soil	12W	3	3.2	—	22 Jan 1998	< 1.0	16	—	—	—	UI
—	GP-24	16	Soil	12W	3	3.2	—	22 Jan 1998	ND	16	—	—	—	UI
—	TB-YYY	0.3-1.3	Soil	12W	3	3.2	—	08 May 2002	NA	4	05-13-2002	ND < 0.50	—	—
A	3GP-266	4.0-4.3	Soil	12W	3	3.2	—	12 Jan 2007	ND < 0.30	I	—	—	—	—
A	GP-40	0-2	Soil	12W	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-40	2-4	Soil	12W	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-40	4-6	Soil	12W	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	GP-40	6-8	Soil	12W	3	3.2	—	23 Apr 1999	ND	16	—	—	—	UI
A	MW-06	5-9	Soil	12W	3	3.2	—	09 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	MW-52	4-6	Soil	12W	3	3.2	—	12 Oct 1999	ND	16	—	—	—	UI
—	SS-AA	0.0-0.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	4	04-17-2002	ND < 0.50	—	—
—	SS-AA	0.3-1.3	Soil	12W	3	3.2	—	03 Apr 2002	0.83	4	—	—	—	—
A	SS-D1	0.0-1.0	Soil	12W	3	3.2	—	02 May 2001	ND < 0.50	—	—	—	—	—
A	TB-AAAA	0.0-0.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-AAAA	0.3-1.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-AAAA	15-17	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-AAAA	2.5-3.0	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-AAAA	4-6	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	0.0-0.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	0.3-1.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	10-12	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	15-17	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	2.3-4.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBB	4.3-6.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-III	0.0-0.3	Soil	12W	3	3.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-III	0.3-1.3	Soil	12W	3	3.2	—	04 Apr 2002	1.9	4	04-17-2002	ND < 0.50	—	—
A	TB-III	4.3-6.3	Soil	12W	3	3.2	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-YYY	0.0-0.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-YYY	0.3-1.3	Soil	12W	3	3.2	—	03 Apr 2002	9.4	7	—	—	—	—
—	TB-YYY	11-12	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-YYY	15-17	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-YYY	2.3-3.3	Soil	12W	3	3.2	—	03 Apr 2002	3.1	4	04-17-2002	ND < 0.50	—	—
—	TB-YYY	3.3-4.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-YYY	5.3-6.3	Soil	12W	3	3.2	—	03 Apr 2002	ND < 0.50	—	—	—	—	—
B	3HA-600	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	1.7	—	08-Jan-08	ND < 0.50	—	—
B	3HA-601	3-3.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-602	3-3.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
B	3HA-603	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	3.4	E, S	08-Jan-08	ND < 0.50	—	—
B	3HA-604	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-605	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	5.8	E, S	—	—	—	—
B	3HA-606	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	1.3	—	—	—	—	—
B	3HA-607	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	1.6	—	—	—	—	—
B	3HA-608	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	4.6	S	08-Jan-08	ND < 0.50	—	—
B	3HA-609	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	1.3	S	08-Jan-08	ND < 0.50	—	—
B	3HA-610	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-611	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	2.1	—	—	—	—	—
B	3HA-612	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-613	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	2.3	—	—	—	—	—
B	3HA-614	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	5.5	E	08-Jan-08	ND < 0.50	—	—
B	3HA-615	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.47	—	08-Jan-08	ND < 0.50	—	—
B	3HA-616	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-617	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-618	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
B	3HA-619	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	FD	—	—	—	—
B	3HA-620	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	FD, LD	—	—	—	—
B	3HA-620	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.49	FD, LD	—	—	—	—
A	3HA-621	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	4.4	E	08-Jan-08	ND < 0.50	—	—
B	3HA-622	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.63	—	08-Jan-08	ND < 0.50	—	—
A	3HA-623	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-624	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-625	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.83	—	—	—	—	—
A	3HA-626	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.48	—	—	—	—	—
A	3HA-627	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	6.2	E	08-Jan-08	ND < 0.50	LD	—
A	3HA-627	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	6.2	E	09-Jan-08	ND < 0.50	LD	—
A	3HA-629	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-630	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-631	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-632	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-635	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-637	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.40	—	—	—	—	—
A	3HA-638	6-6.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	ND < 0.30	—	—	—	—	—
A	3HA-642	1-1.25	Soil	12W	3	3.2	@ Track A	28 Nov 2007	0.31	—	09-Jan-08	ND < 0.50	—	—
A	6AS-001	½ inch	Asphalt	12N	6	6.1	EN01	26 Aug 2004	ND < 0.50	—	—	—	—	—
A	6AS-001 D	½ inch	Asphalt	12N	6	6.1	EN01	26 Aug 2004	ND < 0.50	5	—	—	—	—
A	6CO-065	½ inch	Concrete	12N	6	6.1	EN01	26 Aug 2004	ND < 0.50	—	—	—	—	—
A	6CO-176	½ inch	Concrete	12N	6	6.1	CBI	16 Dec 2004	ND < 0.50	—	—	—	—	—
A	6HX-007	NA	Hexane	12N	6	6.1	EN01	26 Aug 2004	ND < 10	10	—	—	—	—
A	6HX-007 D	NA	Hexane	12N	6	6.1	EN01	26 Aug 2004	ND < 10	5, 10	—	—	—	—
A	CB-1	0.0-0.8	Sediment	12N	6	6.1	CBI	10 May 2001	ND < 0.50	—	—	—	—	—
A	EB-06	NA	Water	12N	6	6.1	EN01	26 Aug 2004	ND < 12	9	—	—	—	—
A	Field Blank 2	NA	Hexane	12N	6	6.1	EN01	26 Aug 2004	ND < 5.0	—	—	—	—	—
A	MW-03	15-17	Soil	12N	6	6.1	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-05	4-6	Soil	12N	6	6.1	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-06	1-7	Soil	12N	6	6.1	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-07	5	Soil	12N	6	6.1	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-07A	7-9	Soil	12N	6	6.1	—	04 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	TB-AAAAA	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-AAAAA	0.5-2.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBBB	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBBB	0.5-2.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBBB	2.5-4.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-BBBBB	4.5-5.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCCC	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCCC	2-4	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-CCCCC	4-5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDDD	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-DDDDD	0.5-0.8	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEEEE	0.0-0.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEEEE	0.3-2.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-EEEEEE	2.3-4.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFF	0.0-0.3	Asphalt	12N	6	6.1	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFF	0.5-0.8	Soil	12N	6	6.1	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFF	2.5-3.5	Soil	12N	6	6.1	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFF	3.5-4.5	Soil	12N	6	6.1	—	04 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFFF	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-FFFFFF	0.5-0.8	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-GGGGG	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-GGGGG	0.5-1.2	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHHH	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHHH	0.5-2.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-HHHHH	2.5-4.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-I	2-4	Soil	12N	6	6.1	—	14 May 2001	ND < 0.50	—	—	—	—	—
A	TB-IIII	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-J	2-4	Soil	12N	6	6.1	—	14 May 2001	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	0.3-2.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-JJJJ	2.3-4.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
A	TB-KKKKK	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKKK	1-2	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-KKKKK	4-5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-L	2-4	Soil	12N	6	6.1	—	14 May 2001	ND < 0.50	—	—	—	—	—
A	TB-UUUU	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-UUUU	1.2-1.5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-UUUU	5-7	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-WWWW	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-XXXX	0.0-0.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-XXXX	2.3-4.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-XXXX	4.3-6.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-YYYY	0.0-0.3	Asphalt	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-YYYY	2.0-2.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-YYYY	2.5-3.0	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-YYYY	3-5	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-YYYY	5-7	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	0.0-0.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	0.3-2.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-ZZZZ	2.3-4.3	Soil	12N	6	6.1	—	05 Apr 2002	ND < 0.50	—	—	—	—	—
A	6PP-010	NA	Oil	12N	6	6.1	EN01	20 Jun 2007	45	S	—	—	—	—
—	6AS-011	½ inch	Asphalt	12E	6	6.2	P23	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	6AS-012	½ inch	Asphalt	12E	6	6.2	P23	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	6AS-013	½ inch	Asphalt	12E	6	6.2	P23	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	CB-4	0.0-0.5	Sediment	12E	6	6.2	CB4	25 Jul 2001	ND < 0.50	—	—	—	—	—
A	MW-04D	36-40	Soil	12E	6	6.2	—	10 Jun 1998	ND < 1.0	6	—	—	—	GEI
A	MW-05	2-4	Soil	12E	6	6.2	—	26 May 1998	ND < 1.0	6	—	—	—	GEI
A	MW-09A	0-2	Soil	12E	6	6.2	—	26 May 1998	ND < 1.0	6	—	—	—	GEI
—	MW-10	9-11	Soil	12E	6	6.2	—	09 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	SED-1	1	Sediment	12E	6	6.2	CB4	12 Jun 1998	ND < 1.0	6	—	—	—	GEI
—	6HA-255	NS	Soil	12E	6	6.2	—	17 Dec 2004	ND < 0.50	—	—	—	—	—
—	SS-L	0.2-0.8	Soil	12E	6	6.2	—	02 May 2001	ND < 0.50	—	—	—	—	—
—	SS-M	0.0-0.2	Asphalt	12E	6	6.2	—	02 May 2001	ND < 0.50	—	—	—	—	—
—	SS-M	0.2-0.8	Soil	12E	6	6.2	—	02 May 2001	ND < 0.50	—	—	—	—	—
—	TB-HHH	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-HHH	1.3-2.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-HHH	2.3-4.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-HHH	4.3-6.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-II	5-7	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-III	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-III	10-12	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-III	1-3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-III	3.5-4.5	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-III	5-7	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-JJ	2-4	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-JJ	2-4	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-JJJ	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-JJJ	1-3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-JJJ	5-7	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-KK	0-2	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-KK	2-4	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-KKK	0.0-0.3	Asphalt	12E	6	6.2	Ash bunker	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-KKK	1-3	Soil	12E	6	6.2	Ash bunker	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-KKK	3-5	Soil	12E	6	6.2	Ash bunker	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-KKK	5-7	Soil	12E	6	6.2	Ash bunker	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-LLL	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-LLL	1-3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-LLL	5-7	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-MM	2-4	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-MMM	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-NNN	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOO	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOO	0.3-1.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOO	3.0-3.5	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-OOO	4-6	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPP	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPP	0.3-2.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPP	2.5-3.0	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPP	3.5-4.0	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-PPP	4.3-6.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-QQ	0-2	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
A	TB-QQ	10-12	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQ	0.0-0.3	Asphalt	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQ	0.3-2.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQ	2.3-4.3	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQ	4.3-5.0	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RR	2-4	Soil	12E	6	6.2	—	01 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RRR	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RRR	0.3-0.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RRR	0.6-2.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-RRR	4.6-6.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSS	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSS	0.3-0.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSS	2.6-4.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-SSS	6.6-8.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-12**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result $\mu\text{g/L}$	SPLP Notes	Who ?
A	TB-TTT	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTT	0.3-0.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTT	0.6-2.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-TTT	4.6-6.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-U	1-3	Soil	12E	6	6.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
—	TB-UU	2-4	Soil	12E	6	6.2	—	08 Feb 2002	ND < 0.50	—	—	—	—	—
A	TB-UUU	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-UUU	0.3-0.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-UUU	15-17	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-UUU	4.6-6.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-VVV	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-VVV	0.3-0.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-VVV	2.0-2.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-VVV	2.6-4.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-VVV	4.6-6.6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-W	2-4	Soil	12E	6	6.2	—	15 May 2001	ND < 0.50	—	—	—	—	—
A	TB-WWW	0.0-0.3	Asphalt	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-WWW	0.3-2.0	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-WWW	20-22	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-WWW	2-4	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
A	TB-WWW	4-6	Soil	12E	6	6.2	—	02 Apr 2002	ND < 0.50	—	—	—	—	—
—	TB-Z	2-4	Soil	12E	6	6.2	—	15 May 2001	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-13**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5CO-001	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	87	—	—	—	—	—
—	5CO-002	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	15	—	—	—	—	—
—	5CO-003	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	520	—	—	—	—	—
—	5CO-004	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	22	—	—	—	—	—
—	5CO-005	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	750	—	—	—	—	—
—	5CO-006	½ inch	Concrete	13	5	5.1	PO1A	03 Aug 2004	650	—	—	—	—	—
—	5CO-007	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	5.2	—	—	—	—	—
—	5CO-008	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	15	—	—	—	—	—
—	5CO-009	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	25.6	—	—	—	—	—
—	5CO-009 dup	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	25	5	—	—	—	—
—	5CO-010	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	4.4	—	—	—	—	—
—	5CO-011	½ inch	Concrete	13	5	5.1	PO1C	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-012	½ inch	Concrete	13	5	5.1	PO1C	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-501	½ inch	Concrete	13	5	5.1	PO1B	03 Aug 2004	8.7	—	—	—	—	—
—	5TB-001	0.0–0.5	Asphalt	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-001	0.5–2.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-001	2.5–4.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-002	0.0–0.5	Asphalt	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-002	0.5–2.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-002	2.5–3.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-002	3.5–5.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-003	0.0–0.5	Asphalt	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-003	0.5–1.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-003	1.5–2.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-003	4.5–6.5	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-004	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	1.4	7	—	—	—	—
—	5TB-004	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-004	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-004	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND	8	—	—	—	—
—	5TB-005	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	ND < 2.0	3	—	—	—	—
—	5TB-005	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	3	4	09-17-2004	ND < 0.50	—	—
—	5TB-005	0.3–1.3 D	Soil	13	5	5.1	—	02 Sep 2004	2.1	4, 5	09-17-2004	ND < 0.50	—	—
—	5TB-005	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-005	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-005 EB	0.3–1.3	Water	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-006	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	3.9	7	—	—	—	—
—	5TB-006	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-006	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-006	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-007	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	6.6	7	—	—	—	—
—	5TB-007	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-007	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-007	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-008	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	2.6	7	—	—	—	—
—	5TB-008	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-008	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-008	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-009	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	4.1	7	—	—	—	—
—	5TB-009	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-009	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-009	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-010	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	28	3	—	—	—	—
—	5TB-010	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-010	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-010	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-011	0.0–0.3	Asphalt	13	5	5.1	—	02 Sep 2004	7.6	7	—	—	—	—
—	5TB-011	0.3–1.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-011	1.3–3.3	Soil	13	5	5.1	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-011	3.3–5.3	Soil	13	5	5.1	—	02 Sep 2004	1.5	4	09-17-2004	ND < 0.50	—	—
—	5TB-175	0.0–0.3	Asphalt	13	5	5.1	—	16 Nov 2004	0.74	—	—	—	—	—
—	5TB-175	0.3–1.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-175	1.3–2.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-175	2.3–4.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-175	4.3–6.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-175 D	1.3–2.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-175 EB	1.3–2.3	Water	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-176	0.0–0.3	Asphalt	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-176	0.3–1.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-176	1.3–2.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-176	2.3–4.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-176	4.3–6.3	Soil	13	5	5.1	—	16 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	0.0–0.3	Asphalt	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	0.3–1.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	1.3–2.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	2.3–4.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	4.3–5.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-177	5.3–6.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—

**English Station
PCB Analytical Results
AOC-13**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5TB-178	0.0–0.3	Asphalt	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-178	0.3–1.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-178	1.3–2.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-178	2.3–4.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-178	4.3–6.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-179	0.0–0.3	Asphalt	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-179	0.3–1.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-179	1.3–2.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-179	2.3–4.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-179	4.3–6.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-179 D	0.3–1.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-179 EB	0.3–1.3	Water	13	5	5.1	—	17 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-180	0.0–0.3	Asphalt	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-180	0.3–1.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-180	1.3–2.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-180	2.3–4.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	5TB-180	4.3–6.3	Soil	13	5	5.1	—	17 Nov 2004	ND < 1.0	3	—	—	—	—
—	EB-01	NA	Water	13	5	5.1	<i>PO1A</i>	03 Aug 2004	ND < 10	9	—	—	—	—
—	TB-QQQQQ	0.0–0.3	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQQQ	0.3–1.3	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQQQ	1.3–2.3	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQQQ	10–12	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQQQ	2.3–4.3	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-QQQQQ	5–7	Soil	13	5	5.1	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-WWWWW	0.0–0.3	Soil	13	5	5.1	—	22 Jul 2002	1.0	4	08-01-2002	ND < 0.50	—	—
—	TB-WWWWW	0.3–2.3	Soil	13	5	5.1	—	22 Jul 2002	53	4	08-01-2002	ND < 0.50	—	—
—	TB-WWWWW	2.3–4.3	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-WWWWW	5–7	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-XXXXX	0.0–0.3	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-XXXXX	0.3–2.3	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-XXXXX	10–12	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-XXXXX	2.3–4.3	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-XXXXX	5–7	Soil	13	5	5.1	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	5AS-014	½ inch	Asphalt	13	5	5.2	<i>P04</i>	09 Nov 2004	ND < 1.0	3	—	—	—	—
—	5AS-015	½ inch	Asphalt	13	5	5.2	<i>P04</i>	09 Nov 2004	ND < 1.0	3	—	—	—	—
—	5AS-016	3.0"–3.5"	Concrete	13	5	5.2	<i>P04</i>	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5AS-016	½ inch	Asphalt	13	5	5.2	<i>P04</i>	09 Nov 2004	1.4	3	—	—	—	—
—	5AS-023	½ inch	Asphalt	13	5	5.2	—	30 Nov 2004	0.53	—	—	—	—	—
—	5AS-024	½ inch	Asphalt	13	5	5.2	—	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5AS-025	½ inch	Asphalt	13	5	5.2	—	30 Nov 2004	ND < 0.50	—	—	—	—	—
—	5AS-026	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.57	—	—	—	—	—
—	5AS-027	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.9	—	—	—	—	—
—	5AS-027 D	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.6	5	—	—	—	—
—	5AS-027 EB	NA	Water	13	5	5.2	<i>P04</i>	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5AS-028	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.83	—	—	—	—	—
—	5AS-029	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	1.9	—	—	—	—	—
—	5AS-030	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	4.1	—	—	—	—	—
—	5AS-031	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	1	—	—	—	—	—
—	5AS-032	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.98	—	—	—	—	—
—	5AS-033	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.86	—	—	—	—	—
—	5AS-034	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.99	—	—	—	—	—
—	5AS-035	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	1.1	—	—	—	—	—
—	5AS-036	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5AS-037	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.97	—	—	—	—	—
—	5AS-038	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	0.64	—	—	—	—	—
—	5AS-039	½ inch	Asphalt	13	5	5.2	<i>P04</i>	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5AS-039	3.0"–3.5"	Concrete	13	5	5.2	<i>P04</i>	02 Dec 2004	ND < 0.50	—	—	—	—	—
—	5CO-013	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-014	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-015	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-016	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-017	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-018	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	—	—	—	—	—
—	5CO-018 dup	½ inch	Concrete	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 0.50	5	—	—	—	—
—	5GP-026	0.3–1.3	Soil	13	5	5.2	—	16 Dec 2004	2.7	4	01-11-2005	ND < 0.50	—	—
—	5GP-026	1.3–2.3	Soil	13	5	5.2	—	16 Dec 2004	1.3	4	01-11-2005	ND < 0.50	—	—
—	5GP-026	2.3–4.0	Soil	13	5	5.2	—	16 Dec 2004	2.1	4	01-11-2005	ND < 0.50	—	—
—	5GP-026	0.0–0.3	Asphalt	13	5	5.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-038	0.3–1.3	Soil	13	5	5.2	—	16 Dec 2004	6.7	4	01-11-2005	ND < 0.50	—	—
—	5GP-038	1.3–2.3	Soil	13	5	5.2	—	16 Dec 2004	6.9	4	01-11-2005	ND < 0.50	—	—
—	5GP-038	2.3–4.0	Soil	13	5	5.2	—	16 Dec 2004	3	4	01-11-2005	ND < 0.50	—	—
—	5GP-038	0.0–0.3	Asphalt	13	5	5.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5GP-038 D	0.3–1.3	Soil	13	5	5.2	—	16 Dec 2004	6.6	4, 5	01-11-2005	ND < 0.50	—	—
—	5GP-038 EB	0.3–1.3	Water	13	5	5.2	—	16 Dec 2004	ND < 0.50	—	—	—	—	—
—	5HA-141	0.0–0.25	Soil	13	5	5.2	—	09 Nov 2004	13.6	3, 4	12-10-2004	ND < 0.50	—	—
—	5HA-141	0.25–1.25	Soil	13	5	5.2	—	09 Nov 2004	6.9	4	12-10-2004	ND < 0.50	—	—
—	5HA-142	0.0–0.25	Soil	13	5	5.2	—	09 Nov 2004	0.68	4	12-10-2004	ND < 0.50	—	—

**English Station
PCB Analytical Results
AOC-13**

A or B	Sample Point	Depth (feet)	Sample Matrix	AOC	PCB Area	PCB Subarea	Site Feature	Sampling Date	Mass Analysis Result	Mass Analysis Notes	SPLP Analysis Date	SPLP Result µg/L	SPLP Notes	Who ?
—	5HA-142	0.25–1.0	Soil	13	5	5.2	—	09 Nov 2004	14	3, 4	12-10-2004	2.5	—	—
—	5HA-143	0.0–0.25	Soil	13	5	5.2	—	09 Nov 2004	ND < 0.50	—	—	—	—	—
—	Septic-East	0.0–0.3	Sludge	13	5	5.2	<i>Septic East</i>	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	5SD-007	0.0–0.3	Sediment	13	5	5.2	<i>Sump4</i>	04 Nov 2004	1.8	3, 4	11-24-2004	ND < 0.50	—	—
—	5TB-012	0.0–0.3	Soil	13	5	5.2	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-012	0.3–1.3	Soil	13	5	5.2	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-012	1.3–3.3	Soil	13	5	5.2	—	02 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-012	3.3–5.3	Soil	13	5	5.2	—	02 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-013	0.0–0.3	Asphalt	13	5	5.2	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-013	0.3–1.3	Soil	13	5	5.2	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-013	1.3–3.3	Soil	13	5	5.2	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-013	1.3–3.3 D	Soil	13	5	5.2	—	03 Sep 2004	ND < 1.0	3, 5	—	—	—	—
—	5TB-013	3.3–5.3	Soil	13	5	5.2	—	03 Sep 2004	ND < 1.0	3	—	—	—	—
—	5TB-013 EB	1.3–3.3	Water	13	5	5.2	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-014	0.0–0.3	Asphalt	13	5	5.2	—	03 Sep 2004	2	3	—	—	—	—
—	5TB-014	0.3–1.3	Soil	13	5	5.2	—	03 Sep 2004	13	3, 7	NA	NA	1	—
—	5TB-014	1.3–3.3	Soil	13	5	5.2	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-014	3.3–5.3	Soil	13	5	5.2	—	03 Sep 2004	ND < 0.50	—	—	—	—	—
—	5TB-220	0.0–0.3	Asphalt	13	5	5.2	—	19 Nov 2004	1.5	—	—	—	—	—
—	5TB-220	0.3–1.3	Soil	13	5	5.2	—	19 Nov 2004	5.5	4	12-24-2004	ND < 0.50	—	—
—	5TB-220	1.3–2.3	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-220	2.3–4.3	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-220	4.3–6.3	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-220 D	0.3–1.3	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	5	—	—	—	—
—	5TB-220 EB	0.3–1.3	Water	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-225	0.0–0.3	Asphalt	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-225	0.3–0.8	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	5TB-225	0.8–1.3	Soil	13	5	5.2	—	19 Nov 2004	ND < 0.50	—	—	—	—	—
—	EB-02	NA	Water	13	5	5.2	<i>P02</i>	03 Aug 2004	ND < 10	9	—	—	—	—
—	MW-18	14–16	Soil	13	5	5.2	—	29 May 1998	ND < 1.0	6	—	—	—	GEI
—	SED-2	0.5	Sediment	13	5	5.2	<i>Sump2</i>	12 Jun 1998	1	6	—	—	—	GEI
—	TB-18	12–14	Soil	13	5	5.2	—	28 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-18A	16–18	Soil	13	5	5.2	—	28 May 1998	ND < 1.0	6	—	—	—	GEI
—	TB-PPPPP	0.0–0.3	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	0.3–1.3	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	10–12	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	15–17	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	2.3–4.3	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	20–22	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	25–27	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-PPPPP	5–7	Soil	13	5	5.2	—	19 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-YYYYY	0.0–0.3	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-YYYYY	0.3–2.3	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-YYYYY	4–6	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-ZZZZZ	0.0–0.3	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-ZZZZZ	0.3–2.3	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-ZZZZZ	10–12	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-ZZZZZ	2.3–4.3	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—
—	TB-ZZZZZ	5–7	Soil	13	5	5.2	—	22 Jul 2002	ND < 0.50	—	—	—	—	—

APPENDIX C
SITE PHOTOGRAPHS



PHOTO 1. English Station - low pressure boiler area.



PHOTO 2. English Station - low pressure boiler area.



PHOTO 3. English Station - First Floor, west side of low pressure boiler



PHOTO 4. English Station - north end of low pressure boiler area.

PHOTO 5.
English Station - First Floor,
east side, vicinity of
Lighting Panel "OR."



PHOTO 6.
English Station - First Floor,
west side of low pressure
boiler area.

PHOTO 7.
English Station - Second
Floor, Switch Cell Area.



PHOTO 8.
English Station - roof above
northeast corner of high
pressure boiler area.

PHOTO 9.
English Station - Turbine Room,
first floor, west side.




PHOTO 10.
English Station - Second
Floor, Switch Cell Area.

APPENDIX B

Soil Boring Logs (electronic)

Boring Log

Record: 310

Boring Company	<i>Technical Drilling Services, Inc.</i>
Foreman	<i>Timothy Schiavone</i>
W&S Representative	<i>Chris Berthiaume</i>
Start Date	<i>2017-07-21</i>
Start Time	<i>11:24:00</i>
End Date	<i>2017-07-21</i>
End Time	<i>11:24:00</i>
Project Name	<i>UI-English Station</i>
Project Number	<i>2170495</i>
AOC Number	<i>AOC-12E</i>
Boring Number	<i>Ws-aoc12e-so-2</i>
Boring Photo	



Notes	<i>2 samples</i> <i>Offset 5 ft east due to potential utilities</i>
--------------	--

Samples	
Depth	5
Penetration (inches)	60
Recovery (inches)	42
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	0-0.5 fco asphalt 0.5-1 fco loose dry red FINE SAND 1-5 medium dense dry brown MEDIUM SAND with little granulated coal and pulverized concrete

Samples	
Depth	10
Penetration (inches)	60
Recovery (inches)	48
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	5-8 fco loose wet brown grey gravelly silt 8-10 fco dense wet dark grey SILT with little black sand

Boring Log

Record: 313

Boring Company	<i>Technical Drilling Services, Inc.</i>
Foreman	<i>Timothy Schiavone</i>
W&S Representative	<i>Chris Berthiaume</i>
Start Date	2017-07-21
Start Time	11:34:00
End Date	2017-07-21
End Time	11:35:00
Project Name	<i>UI-English Station</i>
Project Number	2170495
AOC Number	AOC-12E
Boring Number	Ws-aoc12e-so-3
Boring Photo	



Notes	2 samples
--------------	-----------

Samples	
Depth	5
Penetration (inches)	60
Recovery (inches)	47
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	0-0.5 fco asphalt 0.5-5 fco loose dry brown MEDIUM SAND with some pulverized bricks and asphalt

Samples	
Depth	10
Penetration (inches)	60
Recovery (inches)	47
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	5-7.5 fco medium dense wet brown fine sandy SILT 7.5-10 fco loose wet grey brown STONE

Boring Log

Record: 319

Boring Company	<i>Technical Drilling Services, Inc.</i>
Foreman	<i>Timothy Schiavone</i>
W&S Representative	<i>Chris Berthiaume</i>
Start Date	<i>2017-07-21</i>
Start Time	<i>11:59:00</i>
End Date	<i>2017-07-21</i>
End Time	<i>11:59:00</i>
Project Name	<i>UI-English Station</i>
Project Number	<i>2170495</i>
AOC Number	<i>AOC-12E</i>
Boring Number	<i>Ws-aoc12e-so-4</i>
Boring Photo	



Samples	
Depth	5
Penetration (inches)	60
Recovery (inches)	36
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	0-1.5 fco loose dry brown MEDIUM SAND 1.5-3 fco loose dry black MEDIUM SAND (granulated coal) 3-5 fco loose dry brown MEDIUM SAND

Samples	
Depth	10
Penetration (inches)	60
Recovery (inches)	43
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	5-7 fco medium dense brown gravelly SILT with little concrete 7-10 fco medium loose wet brown SILT

Boring Log

Record: 889

Boring Company	<i>Cummins EnviroTech</i>
Foreman	<i>Timothy Schiavone</i>
W&S Representative	<i>Tim Schiavone</i>
Start Date	<i>2017-09-05</i>
Start Time	<i>12:47:00</i>
End Date	<i>2017-09-05</i>
End Time	<i>13:00:00</i>
Project Name	<i>UI-English Station</i>
Project Number	<i>2170495</i>
AOC Number	<i>AOC-12E</i>
Boring Number	<i>5</i>
Completion Depth	<i>6</i>
Boring Photo	



Notes	<i>Sample 5-1 - 3-3.5' PCBs 5-2 - 5-6' PCBs</i>
--------------	---

Samples	
Depth	5
Penetration (inches)	24
Recovery (inches)	20
Depth (feet)	5
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	<i>Top 36" concrete 12" pulverized concrete 8" black sand fill with trace silt and gravel</i>
Notes	

Samples	
Depth	10
Penetration (inches)	12
Recovery (inches)	12
Depth (feet)	10
PID (ppmv)	0
Sample Description & Classification (Modified Burmister)	<i>Wet black fill sand with trace silt and gravel. Refusal at 6' second layer of concrete present</i>
Notes	

Boring Log

Record: 421

Boring Company	<i>Technical Drilling Services, Inc.</i>
Foreman	<i>Timothy Schiavone</i>
W&S Representative	<i>Chris Berthiaume</i>
Start Date	<i>2017-07-25</i>
Start Time	<i>15:21:00</i>
End Date	<i>2017-07-25</i>
End Time	<i>15:22:00</i>
Project Name	<i>UI-English Station</i>
Project Number	<i>2170495</i>
AOC Number	<i>AOC-12E</i>
Boring Number	<i>Ws-aoc12e-so-6</i>
Boring Photo	



Notes	3 samples 1b for etph pahs
--------------	-------------------------------